

SCIENCEDOMAIN international

www.sciencedomain.org

SDI Review Form 1.6

Journal Name:	Advances in Research
Manuscript Number:	2014_AIR_11388
Title of the Manuscript:	Crack-growth on canvas paintings during transport simulation monitored with digital holographic speckle interferometry
Type of the Article	Original Research Article

General guideline for Peer Review process:

This journal's peer review policy states that <u>NO</u> manuscript should be rejected only on the basis of '<u>lack of Novelty'</u>, provided the manuscript is scientifically robust and technically sound.

To know the complete guideline for Peer Review process, reviewers are requested to visit this link:

(http://www.sciencedomain.org/page.php?id=sdi-general-editorial-policy#Peer-Review-Guideline)

SCIENCEDOMAIN international



www.sciencedomain.org

SDI Review Form 1.6

PART 1: Review Comments

	Reviewer's comment	Author's comment (if agreed with reviewer, correct the manuscript and highlight that part in the manuscript. It is mandatory that authors should write his/her feedback here)
<u>Compulsory</u> REVISION comments	The article is well organized, but it lacks proper explanation. For example:	
	1- What is the calibration procedure employed and how did you implement for this measurement.	
	2- The author mentioned that fig.7 clears the experimental measurement and	
	the accordance with the theoretical exponential function. My question, where the theoretical curve?	
<u>Minor</u> REVISION	1- The author mentioned "from 8 th to 9 th cycle, the number of cracks is doubled.	
comments	How it can be doubled? Although the relation between the vibration cycle and the number of cracks is exponential.	
	2- Fig.8. shows, there is no cracks after the 6 th cycle, also it shows between the	
	7 th and 8 th cycles, the number of cracks still constant. It would be better for the author to present a scientific explanation for these parts.	
Optional/General	This manuscript presents an idea for measuring the crack growth on canvas	
comments	painting during transport simulation monitored with digital holographic	
	speckle interferometry. It also aims to record the vibration impact during the	
	process of generation of cracking , thus to record the impact of vibration in real	
	time. From my point of view the article, is important for preserving the artworks, by	
	avoiding the vibration impact.	
	In this respect the manuscript is interesting and could be accepted for	
	publication after compulsory and minor comments taking into consideration.	

Note: Anonymous Reviewer