

An Overview of Drought Hazards and Prospective Mitigation Approach in Bangladesh

ABSTRACT

Drought is the most formidable disaster frequently reoccurring in most regions of Bangladesh. It is a natural slow onset hazard which evolves unnoticed and enhancing due to the onslaught of global climate change. It is characterized with the long periods of dryness and shortage of water supply cumulatively impacting adversely on the socioeconomic development of the people and their properties. It is also defined as atmospheric/ meteorological, hydrological and agricultural conditions which are closely related, in which meteorological is the source of the rest. Long term instability of temperature and rainfall pattern leads to local and regional drought hazards which impact productive sector failure and worsen socio-economic status. Agricultural activities which are the foundations of the socioeconomic aspect of Bangladesh suffer the impacts of drought most. It is due to the absence of solid understanding of the causes of drought in Bangladesh, the impacts of drought on the agriculture and socioeconomic life of Bangladesh, and the available of opportunities which could have been exploited to obtain mitigation of the adverse impacts of drought in Bangladesh and in similar conditions elsewhere. This study dwelt on the causes and impacts of drought on the agriculture and socioeconomic life of Bangladesh, and the opportunities which could be exploited to obtain their most effective mitigation and adaptation to. Aim is to minimize the impact of drought for enhanced sustainability of growth in the agricultural sector and socioeconomic life of Bangladesh and other countries in similar conditions.

Keywords: Drought Hazards, Temperature & Rainfall, Agricultural Activities, Social Crisis, Mitigation Measure & Sustainable Development

1. INTRODUCTION

The Natural Disasters of Bangladesh:

Every year Bangladesh experiences different natural disasters like the incidence of flooding, drought, cyclones, river bank erosions, earthquakes, etc. [3]. But, drought is the most formidable disaster frequently reoccurring in most regions of Bangladesh. It is a natural slow onset hazard which evolves unnoticed and characterized with the long periods of dryness and shortage of water supply cumulatively impacting on life and properties. It refers to the water shortage problem in different sectors like as domestic uses, agricultural and industrial purposes. Drought can also be defined as atmospheric/ meteorological, hydrological and agricultural conditions which are closely related, in which meteorological is the source of the rest.

Drought impacts:

Droughts are directly or indirectly responsible for the reoccurrence of social crises like malnutrition, famine, conflicts, etc. They also influence on the distribution and density of populations as people won't settle in the areas experiencing shortage of life supports like rainfall and water [5].

Climate change enhanced droughts and the floods which follow adversely impacts on the agricultural sector. In accordance to the IPCC special report on climate change and its probable effects on rainfall pattern and warmer climate in Bangladesh [6], the country may experience a 5-6% increase of rainfall by 2050 owing to the increase of snow melting attributed to more intense monsoon which is accompanied with prolonged periods of heavy flooding and followed by increased monsoon drought.

Moreover, vast areas of South Asia including central Pakistan, southern Pakistan, and western India are also severely drought affected from early 2000 onward and categorized as one perennially drought-prone regions of the world. In the past five decades, Sri Lanka, Pakistan, India and Afghanistan experienced at least one year of drought in the periods of every three years. Like in Bangladesh, drought is also frequently reoccurring in Nepal [7].

Of the most recent 19 drought events experienced in Bangladesh, the 1973, 1978, 1979, 1981, 1982, 1992, 1994, 1995, 2000 and 2006 were the most severe [8]. From 1949-1991, almost 24 drought events occurred in Bangladesh, including the 1984, 1982, 1981, 1975, 1972, 1961, 1958, 1957 and 1951 most severe which inflicted long term cumulative impacts on 53% of the population and 47% of area [9]. Bangladesh also had foremost experiences on some high magnitude drought in 1995, 1994, 1992, 1989, 1982, 1981, 1979, 1978 and 1973 [9, 10], as different of regions of Africa, Asia, Europe, America and Australia got their longer experiences of intense drought hazards from 1950 [11].

The climate change caused global warming and the resultant increase of its temperature also causes rise of sea level rise due to the rise and other disasters which also impact on crops. The cyclone mostly affecting the coastal region is one of these other disasters and [12].

In general, Bangladesh is one of the most vulnerable countries to climate change that is the long term variation of climatic parameters- temperature, precipitation, humidity, wind direction and pressure, and it's enhancing of natural flooding, drought and cyclone disasters. It is the country which experiences the highest frequency of droughts in a year. The mean temperatures recorded in Bangladesh ranges from 26.9 to 31.1° C during summer and 17 to 20.6° C during winter.

In the climatic point of view, drought in Bangladesh can be categorized into three distinct types: (i) the winter season-from November to February; (ii) the pre-monsoon hot summer season from March to May; (iii) and the rainy season -from June to October [13]. Drought and its severity have also some social insecurity.

Mitigation:

The scientific concern on the changing pattern of precipitation in Bangladesh includes the understanding of most important factors which influence for consideration in the determination and/or implementation of mitigation to reduce its drought impacts via risk and vulnerability assessments [14].

The Bangladesh of today is characterized with a high population growth and food demands the existing trends in crop production in the country won't satisfy. Farm productivity is decreasing due to the long term effects of climate change and its severity which might impact colossal damage of local and regional dimensions.

General Characteristics of drought in Bangladesh:

Every year reoccurrence of drought hazards is a common phenomenon in the Northern part of Bangladesh where it negatively impacts on the social and food securities, and the overall socioeconomic growth of the affected area. Several papers have reported on the impacts of droughts on land degradation [15-17], food production [18, 19], agriculture [20-24], society [19, 25] and economy [19, 26].

Change of land use is one of the main causes of reoccurrences of drought hazards which are more frequent in Bangladesh than in its neighboring countries [27]. The sustainability of foods generation from agriculture in accordance to the needs of local communities and the country as a whole is hampered by the incidence of frequent and severe drought. Rahman and Biswas [28] reported that, crop production in the country decreased by 60-70% due to drought. Paul [29] also reported that, most of the households (e.g. who are belonging to lower socio-economic group) in the northern part of Bangladesh are severely drought affected. In 1982, 52,896 metric tons rice production was lost due to drought hazards [30] while 41% of the total loss was caused by different types of environmental crisis. In 1978-1979, it is estimated there was a drop of 2 million tons of rice production due to drought [2] which affected 44% of the population and 42% of the land cultivated directly [19]. The drought events also impacted adversely on water supply and demand. As a consequence, the incidence of drought impacts very negatively on the regional economic growth in the northern districts of Bangladesh and the country as a whole.

This study dwells on the causes and impacts of drought on the socioeconomic life of Bangladesh and the opportunities which could be exploited to obtain their most effective mitigation.

2. CAUSES AND IMPACTS OF DROUGHT HAZARD IN BANGLADESH

Bangladesh is located between 20°34' and 26°38' north latitude and 88°01' and 99°41' east Longitude. In terms of climatology, Bangladesh is positioned at the sub-tropical region.

Mean precipitation in the country varies from 1,329 mm in the northwest to 4,338 mm in the northeast [31]. The average rainfall in the western part is approximately 2,044 mm; much lower than in others parts of the country [14].

Disasters, natural hazards and risks in Bangladesh are mostly considered geographical in nature [32, 33]. Every year drought is experienced in some parts of the country, but mostly in the northwestern part which includes Rangpur and Rajshahi divisions.

Bangladesh also experiences frequent seasonal and contingent droughts, but doesn't have any permanent drought-prone area. It is a densely populated agro-economy based country with high and low levels of poverty and economic growth respectively. Weather is predominantly reverse monsoon, but also influenced by some other factors. Temperature is gradually rising, and therefore causing regional hazards like water shortage, soil drying, monsoon rainfall variability and enhanced evaporation.

136 The Himalayan Mountain is situated in the north of Bangladesh. As a result, heavy rainfall is
137 received during the monsoon. In some of the rainy seasons it receives a lot of waters which
138 cause flooding on the low lying areas mountain areas. If climate change was happening in a
139 regular pattern it would inflict flooding hazards beyond water holding capacities on both high
140 and low lands. [34].

141
142 The causes of drought are closely related to the climatic variability which is inversely related
143 to the decreasing blanket of vegetation cover on Earth's surface. Continuing change of
144 climate variables may cause drought hazard. Most of the rivers could end drying-up due to
145 the long term impacts of rainfall uncertainty and artificial barrage in the up-streams.

146
147 In addition, the South Asian least develop countries (LDCs) always experience all types of
148 high frequency drought hazards like meteorological, agricultural, socio-economic and
149 hydrological. These countries are facing some threats of rainfall uncertainty which include
150 inter-regionally, intra-annually and intra seasonally. Nevertheless, monsoon rainfalls
151 sometimes delay for 20 to 30 days, adversely impacting on crops and livelihoods [35]. These
152 countries have are similarly poor and affected by drought, population growth and most
153 vulnerabilities [36, 37].

154
155 Decreasing river flows in the dry season is negatively impacting on the ecosystem, river
156 morphology and aquatic ecosystem in the western part of Bangladesh [14]. In the country,
157 Brahmaputra River is the most vulnerable to the decreasing flows in the dry season, where a
158 26 million population is subjected to food insecurity[38] On the other hand, Ganges-
159 Brahmaputra river basin is considered susceptible in the times of monsoon rainfall and
160 extreme flooding [39, 40]. Water in the Ganges River has decreased significantly by
161 approximately 57% downstream beyond Farakka Barrage [41]. Teesta is the main river in
162 the northern part of Bangladesh. It enters Bangladesh through the Nilpharmary and
163 Lalmonirhat Districts. The Government of Bangladesh has constructed a barrage on Teesta
164 River at Dalia in Lalmonirhat district, which is a major source of water for irrigation in the
165 northern part of Bangladesh. Its neighbor India has also constructed an embankment on
166 Teesta River within its territory at Gazoldoba in Jalpaiguri [42, 43]. During the monsoon
167 season, all doors of Gazoldoba barrage in India are opened causing flooding in the lowland
168 areas of the northern part of Bangladesh. On the other hand, during dry season only few
169 doors are opened, causing drought. Afroz and Rahman [44] reported that the Teesta and
170 Farakka barrages have reduced water flow by 80 %.

171
172 Meteorological drought is an indication of unstable condition of climatic parameters such as
173 rainfall uncertainty, temperature variation, high evaporation rate, lower humidity, cloud
174 formation uncertainty and the dryness condition of the atmospheric environment [45]. It
175 brings hydrological and agricultural drought [Fig.1(c), 1(d)].

176
177 The times hazardous droughts are characterized with low rates of river discharge and the
178 over extraction of groundwater accompanied with falling groundwater table, and the resultant
179 water shortage in all sectors [Fig.1 (a), 1(b)]. The impact of the shortage of rainfall borne
180 droughts would be of the severity scale in the Bangladesh on growing population and
181 development in all sectors of its economy like in urbanization and industrialization, and
182 therefore on demand for more water. [14].

183 184 **2.1 Deforestation and Hydrological Cycle** 185

Vegetation is one of the most important stabilizers of climatic factors- temperature, precipitation and also carbon sequestration. Therefore, deforestation destabilizes climatic factors as it is cutting and clearing of vegetation for fuel, farms, plantations and settlements.

The intensity of deforestation in Bangladesh is increasing with the growing population. For example, in northern Bangladesh, the percentage of vegetation coverage in the densely populated is lower than in the sparsely populated areas...

Deforestation causes the damage of habitat, loss of biodiversity and river bank erosion which brings drought. It can also cause extreme temperatures and low and high precipitation. Literature revealed that average temperature is increasing day by day due to the decreasing vegetation coverage and increasing greenhouse gases.

A greenhouse gases like carbon dioxide are good absorbers of heat radiation. The excess of greenhouse gases in the atmosphere acts as blanket which causes global warming as it traps heat radiation in the atmosphere.

But, deforestation and greenhouse gases are inversely related, as deforestation means increased greenhouse gases build-up in the atmosphere due to the diminishing vegetation which harvests them from the atmosphere.

Of the 2005 total amount of anthropogenic greenhouse gases (GHGs) emission, 10-12% sourced from farming activities.

Reduction N₂O and CH₄ emissions and biomass fuel burning and increased C sequestering are the technical options applicable in the reduction of greenhouse gases build-up in the atmosphere, and the resultant global warming [46].

Greenhouse gases emission is increasing due to growing industrialization and agricultural practices to meet the demands of growing global populations, and could become a threat of life on the planet if it is left to continue unchecked. If the expansion of agriculture continues to happen through deforestation, it would intensify greenhouse gases build-up in the atmosphere by 10% or approximately 500 Mt CO_{2-eq} in the period 2015-2020 [47]. Changing patterns of agricultural systems should be considered in the need to mitigate climate change at local and global scales.

The climate change, which is the variability of its variables alter hydrological cycle, with resultant impact on crop production [48] and land degradation [49]. Hydrological that means water cycle is also affected by deforestation. Trees extract groundwater through their roots and release it into the atmosphere through transpiration. Deforestation reduces the content of water in the soil and groundwater as well as atmospheric moisture. Trees help to form cloud and occurring precipitation. Deforestation affects the water cycle significantly as trees roots create macro pores – large conduits – in the soil that increase infiltration of water. Vegetation contributes to evaporation and reduces soil moisture via transpiration. Trees litter and other organic residue change soil properties that affect the capacity of soil to store water and litter stems. At last deforestation can cause increase of temperature, loss of soil properties and water holding capacity, and destruction of beneficial organisms of soil.

2.2 Temperature and Agricultural Activities

Extreme temperature impacts adversely on crops and soil characteristics. High temperature is also a key factor in the evolution of new pests and/or decreasing of croplands. The evolution of new kinds of bacteria, algae and virus borne diseases would increase as a

239 result. Crop production would also decrease, inflicting economic losses in the affected
240 regions and whole of the country. The global temperature increase by 2°C (low-end)
241 predictions by 2100 would impact rural poverty and urban food insecurity [50]. Climatic
242 impacts adversely affect food production, patterns of crop productivity, fishery and livestock
243 system, food distribution and market access [51, 52]. They impair of crop physiological
244 structure along with quality in most of developing countries located on the tropical [53].
245

246 Soil quality is also affected by the increasing temperature. Some researchers have
247 suggested that the rising global temperature could be reversed via the control of some
248 important factors like lifestyles and miscellany crop yields, soil and water resource
249 management and plant protection initiatives to obtain controlled crop production [54, 55].
250

251 Soil temperature is a one of the most important factors in crop production. When soil
252 temperature goes up beyond favourable limits, crops production would be hampered by the
253 effect of temperature borne diseases. The organisms in soil which are beneficial in crops
254 production won't survive in high temperatures. Frogs are one of the most important
255 organisms which are beneficial in crop production. Frogs decrease harmful pests and insects
256 on crops by eating them. But, they won't withstand elevated temperatures. On the hand,
257 farmers apply different chemical pesticides and fertilizers on the crop farms affected by
258 climate change. This application of chemical pesticides and fertilizers kills the beneficial
259 organisms on farms and pollutes ground water. Sometimes water borne diseases may affect
260 in the cropland due to water pollution. In response to the impact of climate change on crop
261 production and growing period, farmers could change crop varieties, crop densities,
262 fertilization levels and sowing dates when planting crops [56].
263
264
265
266



(a)



(b)



(c)



(d)

Fig. 1. Illustrations of some severe impacts of drought: a. deepening shallow tube-well water [STW] extraction system for the irrigation purpose. However, it is reflected that water table is gradually falling as the over extraction of groundwater for the irrigation purpose in summer seasons goes on; b. agricultural land dried up, owing to long term rainfall uncertainty; c. agricultural crops [banana] on distress due to water shortage and scorching hot; d. rice field fractured due to water shortage)

2.3 Precipitation and Apparent Impact

We often think about drought in relation to the impact of precipitation on the degree of dryness and duration of its period. It is known as a meteorological drought which is highly specific to a region and dependent on the average precipitation which may vary considerably spatially. Low precipitation affects stream flow, soil moisture, reservoirs and lakes water levels, and ground water recharge. Nevertheless, low precipitation always impacted drought severity in the northern part of Bangladesh. Most of the natural hazards and disasters are

also of global context owing to global warming, and number of climatic models have projected that, normal precipitation rate decreases in dry season and increases during monsoons in south Asia [57]. Unfavorable conditions of cloud formation could evolve from climate change and cause drought over the country when they persist long. Absence of precipitation in a region causes rise of temperature in the atmosphere [58]. As a result, the soil moisture will decrease slowly due rising evaporation and transpiration by plants. Ground water level also decreases with diminishing precipitation and infiltration of surface water. Agriculture productivity is directly related with soil properties, but has been falling sometimes due to the long term dryness condition of soil components.

Farmers should be aware of the causes of drought and other hazards behind the decrease of ground on water harvesting, water supply programs, excavation and awareness building programs.

In the Northern areas of Bangladesh, depth of water in rivers, ponds, canals, channels is decreasing reduced by continuing river bank erosion and siltation process.

Approximately 80% rainfall is naturally received during the monsoons but river flows are not yet managed to be sustainable. Effective conservation of water for future needs is yet to be achieved [45]. Most of people are blaming hardships and un-successes on the famine and drought prone areas they were settled on. They are not yet started to change their destiny through the mitigation of and/or adaptation to the conditions adversely affecting their living endeavours via the application knowledge and technical solutions.

2.4 Water Crisis and Agricultural Activities

The northern part of Bangladesh is known as a major source of national food production. Most of the people in this area directly depend on agriculture. Landless labor and farmers depend on the rain-fed agriculture which is now suffering from rainfall and seasonal variability [50]. In the past, the main crops cultivated in the northern parts of Bangladesh were aman and boro rice. Now-a-days, farmers are encouraged to cultivate new varieties of high yielding crops but not yet well informed of the modern agro-technology and cultivation systems they go with [5]. Generally, the overall agricultural productivity in the Northern region is very low mainly due to unavailability of irrigation facilities, inadequate rainfall and less water flow in the rivers.

Drought events and their impacts are more severe than flood damage in Bangladesh [14]. Drought hazards caused more rice production losses than what flooding impacted on aggregate production between 1969-1970 and 1983-1984 respectively [41]. Farmers in the north cultivate aush rice cultivates 2 months late, in August-September instead of June-July. As a result, the physiological structure of the crops is damaged because the rains end at development stage of crop.

Farmers extract more ground water through deep and shallow tube-well for the purposes of agricultural and domestic usage. The amount of ground water extraction increases with the increasing number of deep and shallow tube wells. Ground water level decreases day by day as extraction exceeds the infiltration water into the ground and aquifers [60].

Use of groundwater in households and irrigation is increasing when the decreasing and uncertain monsoon rainfall which is the main source of groundwater recharge is no longer revitalizing groundwater level. Due to the continuing over-extraction of groundwater for irrigation purposes, groundwaters have been depleted in different regions of Bangladesh. The Ministry of Environment and forest of Bangladesh (MOEF) has reported that, aquifer

levels have fallen from 8.95 to 18.5 m in some areas of the north-western part of Bangladesh [61]. Table 1 show some historical data on the drought hazards and agricultural and social crisis experienced in different regions of Bangladesh. Long term dryness condition of agricultural soil may accelerate the damaging of soil functions.

Overall productivity in some agricultural crops has decreased due to undesired change of natural climate which tends to inflict drought on crops like wheat, jute, corn, sugarcane, potatoes, several types of pulse and oil seed and, vegetables [62]. Farmers cultivate their crops through inappropriate cropping patterns and changing patterns of land use. Application of chemical fertilizer on farms is increasing and hampering soil quality and water holding capacity. But, productivity in agriculture could be augmented with the application of irrigation and precipitation during the crop growth, in which precipitation is more important than temperature for crop growth.

Soil water holding capacity could be enhanced to reduce the impact of drought and advance crop yields [63]. Due to the effects of climate change, water availability is already becoming a global issue when overall precipitation is already on gradual decrease in some regions of the world. Along with the uncertainties of climatic variables and their effects on socio-economic environmental effects, climate change calls for efficient use of the limited water available and the development of new water resources [64]. A water system which draws from snow melt or aggregation is more vulnerable to climate change. [65].

2.5 Drought Hazards and Social Crisis

Droughts inflict social impacts like life style, health, recreational, social programs and scarcity of water borne social conflicts. Health problems experienced during and after drought are different. There are factors such as poor infrastructure, inadequate financial resources, poor institutional capacity, high incidence of poverty and social inequity, high population density, high spatial and temporal climatic variability and extreme weather events which make Bangladesh more vulnerable to disasters [66]. Statistics have shown that most vulnerable districts in northern Bangladesh are Kishorganj, Badarganj and Kurigram. The health problems experienced during and after droughts include malaria, cholera, dysentery, fever, typhoid, and most important diseases diarrhea [59]. Drought is also a public safety concern as it is a favourable condition for the eruption of fire and health problems. Climate shocks (e.g. drought, heat wave and flooding) lead to losses of life through the impairment of health, loss of properties, and changing of livelihood pattern accompanied with productivity loss and infrastructure destruction [67, 68]. Different social activities like marriage and birthday party functions, festival ceremonies and cultural functions are also affected by drought. A family which has lost property due to drought won't be able to mobilize for marriage and other functions easily and/or accordingly. Droughts may change the patterns of cultural functions. People also suffer from anxiety or depression drought borne economic losses.

Climate change and its driving forces lead to acute food insecurity among the populations who spend most of their income on food. Some people in affected areas are often forced to sell household belongings to mobilize for food buying [69]. Using climate based food production technology would help to make balance in the market approaches between food producers and consumers [70]. FAO reported that the number of people identified suffering from chronic hunger from under 800 million (1996) to over a billion were mostly in the hungry countries of south Asia and sub-Saharan Africa [71].

Water shortage could become a common and fundamental crisis in the communities of developing countries. In the northwestern part of Bangladesh, social conflicts are already

evolving from water shortages during the dry season [72]. The Government and non-government organization have reduction drought risks via the creation of employment opportunities, financial aids, free food supply, provision of medicines, issuance of relief goods and cloths [7].

Table 1. Historical data of drought hazard in Bangladesh.
Source: CEGIS Report [73, 7] _ (Modified from Banglapedia, 2006)

Description of Casualties	Affected area	Year
Crop Suffered greatly in most cases	Dhaka, Bogra and Sundarbans	1865, 1866, 1872, 1874
Substantially reduced rice production	Severe drought in north-west Bangladesh	1951
Resulted 1974 famine	Northern Bangladesh	1973
Affected more than 50% of the population	47% area of the country	1975
Reduced rice production by about 2 million tons, directly, affected about 42% of the cultivated land and 44% of the population	Wide spread	1978, 1979
Severe drought adversely affected crop production		1981
Drought caused a loss of rice production of about 53,000 t		1982
Drought dried up most of the rivers	Naogaon, Nawabganj, Nilpahamari and Thakurgaon	1989
Immense crop damage, specially to rice, jute and bamboo dumps		1994, 1995, 1996

2.6 Drought Mitigation Approach

The Asian region experiences frequent losses of rice production from about 23 million hectares owing to drought [74]. To achieve global Food security to the whole population is one of main challenges in the 21st with a population which is augmenting, but one which is threatened by climate change and stressed environment [75]. Some people are victims of long term anomalies of drought intensity, magnitude and frequency. Drought hazards coping mechanism differ from local (e.g. local people try to cope with drought hazards using indigenous technique) to nationally and internationally [7]. There is a need to continue investing more and more on research and development of solutions for the mitigation of climatic impacts on the productivity of wheat, maize and rice farms[76-82], forests [83], industries [84], water resources in catchment areas [85-88] and landscape [89, 90] and/or adaptation where it is the most appropriate. People are already trying adaption to drought hazards via agricultural and non-agricultural mitigation approaches [7]. Agricultural approach denoted some potential aspects of the crop production and agricultural adjustments like the increasing of crop yield, application of irrigation water, re-sowing of crops and compensation for crop loss [2]. Climate variables and even high agricultural technology are considered to be potential factors through which crop productivity could be influenced year to year [56]. In addition, Crop breeding is a substantial way to overcome climatic effects on crop productivity through the increasing of food production [91]. Mitigation of climatic effects on agricultural sectors is arguable [92]. However, biotechnology and conventional crop breeding are one of the most important approaches important through which increase of crop yields could be achieved [93]. Consequently, these two approaches have been developing in consideration of climate change and the need to adapt farming systems in the conditions of drought, heat, pest persistence and waterlog [50].

424
425 Sustainable mitigation measure may ensure sustainability in the agricultural sector through
426 the taking of mash networking initiatives. It is the best approach right from the beginning of
427 problem up to the taking of ultimate action to mitigate. Whereas, each and every step of
428 MAR drought mitigation approach (MAR[®]DMA) would be able to guide for the next step, with
429 which process is suitable for the forthcoming step? However, MAR[®]DMA is a composite
430 process which consists several steps such as soil management, crop management, tree
431 plantation, reservoir renovation and new reservoir development, rain water harvesting, local
432 reservoir management, river basin management and groundwater management to follow in a
433 consecutive way so as to obtain the reduction of climatic stress (Fig. 2). Each of the steps
434 contains specific point of interest which may indicate to its importance in combating of
435 desertification from a specific site.

436
437 *Soil management* dwells on several aspects its characteristics such as heat protective
438 organic biomass production, texture analysis and mix up with clay, water holding capacity
439 buildup and earth worm culture whereas its standard feature might be to fulfill the agricultural
440 demand at the optimum productivity.

441
442 *Crop management* is one of the vital aspects in the fight against global warming and its
443 adverse environmental impact on crops through the introduction of short duration and high
444 yield crop varieties, evaporation control by genetic engineering and seedling age (e.g.
445 advance). In addition, tree plantation could be helpful to reduce greenhouse gases, and
446 making shadow surroundings of agricultural lands helps to enhance soil properties via soil
447 moisture increasing and water holding capacity buildup from biomass produce.

448
449 *Rain water harvesting* which is properly managed would be a suitable approach and includes
450 local reservoir management, river basin management, and development of new reservoirs at
451 sufficient distance intervals to ensure no unwanted waste water is discharging from local
452 water bodies into groundwater discharge) and reduce the degree of agricultural hazards.

453
454 Bangladesh is one of the most important agro-economic based countries. Agriculture is the
455 foundation of its socioeconomic aspect. Agricultural productivities which follow upward
456 trends are prerequisites in the fight against food scarcity in the northern part of Bangladesh.

457
458 The above drought mitigation approach enables to achieve a sustainable agricultural system
459 through the shearing drought mitigation strategy and social development.

460




Fig. 2. Shows local scale application of prospective mitigation against drought hazards in the agricultural sector. It has been divided into four parts: 1, 2, 3 and 4 indicated as deforestation & climate change, socioeconomic condition (before mitigation), mitigation approach and socioeconomic condition (after mitigation) respectively. This coping technique tried to accumulate cause and probable solutions to the problems drought impact on agriculture. What are the main climatic effects in agricultural sector? What are the agricultural based socioeconomic crises? What could be the mitigation measures? What would be the possible outcomes after the mitigation measures? In the aspects of mitigation approach, soil management, crop management and water management are considered to be important elements in the ensuring of sustainability in agricultural sectors. Sustainable agricultural practices may accelerate the socioeconomic development trends among local communities.

2.7 Sustainability and sustainable Development

Agricultural livelihood system is already vulnerable and experiencing food insecurity, crop production failures, loss of livestock, lack of appropriate planting materials and seeds, new pattern of pest and diseases [94]. Drought is one of the principal cause famine, death and mass migration and its acts as a limiting factor in the struggles to achieve sustainability in the socioeconomic development of region or countries. In the struggles to achieve sustainable living, peoples are trying to adjust with the changing environment through the application of indigenous knowledge and practices [7].

Sustainability is a key parameter of in the measure of development in society. Sustainable development achieves from the collective influence of different factors in its adaptation to its environment or situational circumstances. A number of these factors have been identified as the most influencing. At the beginning it might be to develop the linkage of development factors through which a sustainable socioeconomic structure could be obtained. In the aspects of strategy development against climatic hazards, sustainable society leads to the ensuring of demand basis in terms of the three most important factors: sustainable agriculture, sustainable water management and sustainable land use (Fig. 3). Each of the factors dwells on sub-categorical factors which would be triggered to deliver development trends which lead to sustainability.

Firstly, sustainable agriculture is embodied with different three factors such as sustainable crop management, sustainable soil management, sustainable utilities of required fertilizer and conditioner. *Secondly*, sustainable land use indicates to another three important factors such as the of adjusting of suitable crops depending on time and place, tree plantation depending on multi-agricultural approach and chemical fertilizer use depending on soil properties and characteristics. *Thirdly*, sustainable water management refers to the three crucial aspects of the probable factors such as new reservoir development and old renovation, rain water harvesting and sustainable use of water (e.g. ground and surface water).




Fig.3. Illustrates sustainable development approach in the ensuring of sustainability in agricultural components such as water management, land use and agriculture. Each of the key points is embodied with a number of strategic factors that have drawn some crucial facts to deal with in the social security and achieve sustainability in the community.

3. CONCLUSION

Drought hazards are ultimate consequences of climate change which has been evolving through unevenly changes of climatic variables. Its pervasiveness's such as intensity and magnitude are not same. The severity of the climatic hazards is dependent on direct and indirect factors that are always inducing change and augmenting negative derivatives of climate change. Its discontinuation and anomalous changing pattern indicate to long term instability of the climatic controlling variables such as temperature. It might be brought to global change whereas the anthropogenic input always adding into the atmosphere would be enough to induce devastating disasters. In Bangladesh, drought is frequently experienced at regional scale or extensively depending on cause and time. And, the main agriculture founded component of the national economy is already on downward trends due to continuous losses in agriculture productivity. Simultaneously, water and land use patterns have been identified as vulnerable components in the gearing up of social status with enhanced socioeconomic growth which is already on backward trends. So, the negative consequences tend to expedite temperature and rainfall uncertainty, agricultural damage, worsen socioeconomic condition, social and food insecurity. To make balance among the social components it is very important to take some initiative at the national and international levels for accelerating the existing ways of development. On the observational status, it is possible to make some efforts in the mitigation purpose at local scale and obtain balance of agriculture productivity and local agricultural demands. The combined approach includes maintenance of water and land use management for achieving sustainability in the agricultural sector and overall socioeconomic development. It is also important to fulfill the sub-categorical aspects of the three key elements fit on the drought mitigation model to achieve sustainable development. All measures which are mitigations of drought events for sustainability in the agricultural sector should be given consideration.

ACKNOWLEDGEMENTS

The authors acknowledged to the people from local communities who assisted in the build-up the understanding of drought and its impacts on agriculture and the social economic life of Bangladesh presented on this paper. Authors also acknowledged to all who helped with references on drought events in Bangladesh.

COMPETING INTERESTS

All authors have declared that no competing interest exist

REFERENCES

1. Alexander D. Changing perspectives on natural hazards in Bangladesh. Nat Hazards Obs. 1995; 10(1):1–2.
2. Brammer H. Drought in Bangladesh: lessons for planners and administrators. Disasters. 1987; 11(1):21–29.

- 556 3. Ali A. Vulnerability of Bangladesh to climate change and sea level rise through tropical
557 cyclones and storm surges. *Water Air Soil Pollut.* 1996; 94(d):171–179.
558
- 559 4. ARCS. Drought Monitoring Using Vegetation and LST Indices in Nepal and
560 Northeastern India. 2007([http://www.a-a-r-s.org/acrs/proceeding/ACRS2007/Papers/](http://www.a-a-r-s.org/acrs/proceeding/ACRS2007/Papers/PS2.G5.4.pdf)
561 [PS2.G5.4.pdf](http://www.a-a-r-s.org/acrs/proceeding/ACRS2007/Papers/PS2.G5.4.pdf)) (accessed 4.08.2013).
562
- 563 5. Rakib MA, Rahman MA, Akter MS, Bhuiyan MAH. Climate change: farmer's perception
564 and agricultural activities. *Herald Journal of Geography and Regional Planning* Vol.
565 2014a; 3 (3):115 – 123.
566
- 567 6. IPCC. The regional impacts of climate change: an assessment of vulnerability. IPCC
568 Special Report; 2007.
569
- 570 7. Miyan MA. Droughts in Asian Least Developed Countries: Vulnerability and
571 sustainability Weather and Climate Extremes. 2015; 7:8–23.
572
- 573 8. Habiba U, Shaw R, Takeuchi Y. Farmer's perception and adaptation practices to cope
574 with drought: Perspectives from Northwestern Bangladesh. *International Journal of*
575 *Disaster Risk Reduction.* 2012; 1: 72-84
576
- 577 9. Adnan S. Living without Floods: Lessons from the Drought of 1992. Research and
578 Advisory Services, Dhaka; 1993.
579
- 580 10. Hossain M. Natural calamities, instability in production and food policy in Bangladesh.
581 *The Bangladesh Development Studies.* 1990; 18(1):33–54.
582
- 583 11. IPCC Special Report. Managing the Risks of Extreme Events and Disasters to Advance
584 Climate Change Adaptation: Special Report of the Intergovernmental Panel on Climate
585 Change (IPCC) - (2012), IPCC Working Group II. Cambridge University Press (978-1-
586 107-025006-6); 2012.
587
- 588 12. Rahman MM. Senior Assistant Chief, Policy Planning Wing, Ministry of Agriculture,
589 ADBI-APO Workshop on Climate Change and its Impact on Agriculture Seoul, Republic
590 of Korea; 13-16 December 2011.
591
- 592 13. Rashid HE. *Geography of Bangladesh.* University Press Ltd, Dhaka, Bangladesh; 1991.
593
- 594 14. Shahid S, Behrawan H. Drought risk assessment in the western part of Bangladesh.
595 *Nat Hazards.* 2008; 46:391–413. DOI 10.1007/s11069-007-9191-5.
596
- 597 15. Rasheed KBS. Status of land resource use and desertification, drought and land
598 degradation in Bangladesh: obstacles and effective policy options and measures for
599 sustainable use of land resources. In: *Proceedings of the national awareness seminar*
600 *on combating land degradation/desertification in Bangladesh, Dhaka; April 1998.*
601
- 602 16. Karim Z, Iqbal MA. Impact of land degradation in Bangladesh: changing scenario in
603 agricultural land use, Bangladesh Agricultural Research Center (BARC), Dhaka,
604 Bangladesh; 2001.
605
- 606 17. Government of Bangladesh. National action programme (NAP) for combating
607 desertification, Ministry of Environment and Forests, Government of the Peoples

- 608 Republic of Bangladesh, Bangladesh Secretariat, Dhaka; August 2005. [http://www.doe-](http://www.doe-bd.org/nap_2006.pdf)
609 [bd.org/nap_2006.pdf](http://www.doe-bd.org/nap_2006.pdf). Cited 29 Oct 2007.
- 610
- 611 18. Ahmed R, Bernard A. Rice price fluctuation and an approach to price stabilization in
612 Bangladesh. International Food Policy Research Institute, Washington; 1989.
- 613
- 614 19. Erickson NJ, Ahmad QK, Chowdhury AR. Socio-economic implications of climate
615 change for Bangladesh. Bangladesh Unnayan Parishad, Dhaka; 1993.
- 616
- 617 20. Karim Z, Ibrahim A, Iqbal A, Ahmed M. Drought in Bangladesh agriculture and irrigation
618 schedule for major crops, Bangladesh Agricultural Research Center (BARC)
619 Publication No. 34, Dhaka, Bangladesh; 1990.
- 620
- 621 21. Jabbar MA. Causes and effects of drought/aridity in Bangladesh using remote sensing
622 technology. In: Proceedings of ESCAP workshop on remote sensing technology in
623 application to desertification/ vegetation type mapping, Tehran; August 1990.
- 624
- 625 22. Jabbar MA, Chaudhury MU, Huda MHQ. Causes and effects of increasing aridity in
626 Northwest Bangladesh. In: Proceedings of first thematic conference on remote sensing
627 of arid and semi-arid lands, Cairo, Egypt; January 1982.
- 628
- 629 23. Saleh AFM, Mazid MA, Bhuiyan SI. Agrohydrologic and drought-risk analyses of rainfed
630 cultivation in northwest Bangladesh. In: Tuong TP, Kam SP, Wade LJ, Pandey S,
631 Bouman BAM, Hardy B. (eds) Characterizing and understanding rainfed environments.
632 International Rice Research Institute, Manila, Philippines; 2000.
- 633
- 634 24. Mazid MA, Mortimer MA, Riches CR, Orr A, Karmaker B, Ali A, Jabbar MA, Wade LJ.
635 Rice establishment in drought-prone areas of Bangladesh. In: Toriyama K, Heong KL,
636 Hardy B. (eds) Rice is life: scientific perspectives for the 21st century. International Rice
637 Research Institute, Manila, Philippines; 2005.
638 <http://www.irri.cgiar.org/publications/wrrc/wrrcPDF/session6-06.pdf>. Cited 29 Oct 2007
- 639
- 640 25. Paul BK. Coping mechanisms practiced by drought victims (1994/5) in North Bengal,
641 Bangladesh. Appl Geogr. 1998; 18(4):355–373.
- 642
- 643 26. World Bank Bangladesh. Bangladesh agriculture in the 21st century. World Bank
644 Bangladesh Publication, Dhaka, Bangladesh; 2000.
- 645
- 646 27. National Drought Mitigation Center. What is drought? Understanding and defining
647 drought. 2006. <http://www.drought.unl.edu/whatis/concept.htm>. Cited 29 Oct 2007
- 648
- 649 28. Rahman A, Biswas PR. Devours resources. Dhaka Cour. 1995; 11(42):7–8.
- 650
- 651 29. Paul BK. Farmers' and Public Responses to the 1994-95 Drought in Bangladesh: A
652 Case Study, Quick Response Report # 76 Department of Geography. KS, 66506.
653 Dickens Hall, Kansas State University, Manhattan; 1995.
- 654
- 655 30. BBS. The Bangladesh Census of Agriculture and Livestock. Structure of Agricultural
656 Holdings and Livestock Population, Dhaka; 1986: 1983–1984.
- 657
- 658 31. Shahid S, Chen X, Hazarika MK. Assessment aridity of Bangladesh using geographic
659 information system. GIS Dev. 2005; 9(12):40–43
- 660

- 661 32. Cutter SL. Living with risk: the geography of technological hazards. Edward Arnold,
662 London; 1993.
663
- 664 33. Hewitt K. Regions of risk: hazards, vulnerability and disasters. Pearson-Longman,
665 London; 1999.
666
- 667 34. Postel SL, Daily GC, Ehrlich PR. Human appropriation of renewable fresh water.
668 Science. 1996; 271:785-788
669
- 670 35. Krishnamurthy V, Kinter III, James L., 2002. In: Rodo, Xavier (Ed.), The Indian Monsoon and
671 its Relation to Global Climate Variability Global Climate. Springer, Verlag ([ftp://](ftp://wxmaps.org/pub/kinter/Projects/monsoon/Indian_monsoon_chapter.pdf)
672 [wxmaps.org/pub/kinter/Projects/monsoon/Indian_monsoon_chapter.pdf](ftp://wxmaps.org/pub/kinter/Projects/monsoon/Indian_monsoon_chapter.pdf)).
673
- 674 36. UN-OHRLLS. Office of the High Representative for the Least Developed Countries,
675 Landlocked Developing Countries and Small Island Developing States: The Impact of
676 Climate Change on the Development Prospects of Least Developed Countries and
677 Small island Developing States; 2009:
678 ([http://www.unohrlls.org/UserFiles/File/LDC%20Documents/The%20impact%20of%20C](http://www.unohrlls.org/UserFiles/File/LDC%20Documents/The%20impact%20of%20C%20on%20LDCs%20and%20SIDS%20for%20web.pdf)
679 [C%20on%20LDCs%20and%20SIDS%20for%20web.pdf](http://www.unohrlls.org/UserFiles/File/LDC%20Documents/The%20impact%20of%20C%20on%20LDCs%20and%20SIDS%20for%20web.pdf)) accessed 4.08.2013).
680
- 681 37. IPCC. Climate change 2001: The scientific basis (Cambridge Univ Press, New York);
682 2001.
683
- 684 38. Immerzeel WW, van Beek LP, Bierkens MFP. Climate change will affect the Asian
685 water towers. Science. 2010; 328:1382–1385.
686
- 687 39. Mirza MMQ. Global warming and changes in the probability of occurrence of floods in
688 Bangladesh and implications. Glob. Env. Change. 2002; 12:127–138.
689
- 690 40. Warrick RA, Bhuiya AH, Mirza MQ. The greenhouse effect and climate change, in: The
691 Implications of Climate and Sea-Level Change for Bangladesh, edited by: Warrick RA,
692 Ahmad QK Kluwer. Academic Publishers, Dordrecht, Briefing Document 1; 1996.
693
- 694 41. World Bank Bangladesh. Water resource management in Bangladesh: steps towards a
695 new national water plan, Report No. 17663-BD, The World Bank Dhaka, Bangladesh;
696 1998:
697 [http://wbln0018.worldbank.org/lo%20web%20sites/Bangladesh%20web.nsf/0704a4348](http://wbln0018.worldbank.org/lo%20web%20sites/Bangladesh%20web.nsf/0704a4348e105b2e462566720023975f/a113878abc5_b0544625670c003d1e6b)
698 [e105b2e462566720023975f/a113878abc5_b0544625670c003d1e6b](http://wbln0018.worldbank.org/lo%20web%20sites/Bangladesh%20web.nsf/0704a4348e105b2e462566720023975f/a113878abc5_b0544625670c003d1e6b). Cited 29 Oct
699 2007
700
- 701 42. The Daily Star. Steep Decline in Teesta Water Flow. 2012, February 23;
702 <http://www.thedailystar.net/newDesign/newsdetails.php?nid=223577>.
703
- 704 43. Higano Y, Md. Fakrul Islam. Rural Poverty Alleviation through Large scale Irrigation
705 Planning: Problem and Prospects of the Dalia Barrage Project, Bangladesh. Institute of
706 Agricultural and Forest Engineering, University of Tsukuba, Japan; 2002.
707
- 708 44. Afroz R, Rahman MA. Transboundary river water for Ganges and Teesta rivers in
709 Bangladesh: an assessment. Glob.Sci.Technol.J. 2013;1(1): 100–111.
710
- 711 45. A resource book and training guide on climate variability and change adaptation in
712 drought in Bangladesh prepared by Selvaraju Ramamasy Asian Disaster Preparedness
713 Centre Pathumthani, Thailand and Stephan Bass FAO, Italy, 2007.

- 714 ,
715 46. Smith P, Martino D, Cai Z, Gwary D, Janzen H, Kumar P, McCarl M, Ogle S, O'Mara F,
716 Rice C, Scholes B, Sirotenko O. Agriculture. In: Metz B, Davidson OR, Bosch PR, Dave
717 R, Meyer LA. (Eds.), *Climate Change 2007: Mitigation. Contribution of Working Group*
718 *III to the Fourth Assessment Report of the Intergovernmental Panel on Climate*
719 *Change*. Cambridge University Press, Cambridge, UK; 2007a.
720
721 47. Smith P, Martino D, Cai Z, Gwary D, Janzen H, Kumar P, McCarl B, Ogle S, O'Mara F,
722 Rice C, Scholes B, Sirotenko O, Howden M, McAllister T, Pan G, Romanenkov V,
723 Schneider U, Towprayoon S, Wattenbach M, Smith J. Greenhouse gas mitigation in
724 agriculture. *Philosophical Transactions of the Royal Society B*. 2008; 363: 789– 813.
725
726 48. Easterling WE, Aggarwal PK, Batima P, Brander KM, Erda L, Howden SM, Kirilenko A,
727 Morton J, Soussana JF, Schmidhuber J, Tubiello FN. Food, fibre and forest products.
728 In: Parry ML, Canziani OF, Palutikof JP, van der Linden PJ, Hanson CE. (Eds.),
729 *Climate Change 2007: Impacts, Adaptation and Vulnerability. Contribution of Working*
730 *Group II to the Fourth Assessment Report of the Intergovernmental Panel on Climate*
731 *Change*. Cambridge University Press, Cambridge, UK; 2007: 273–313.
732
733 49. Sivakumar MVK, Ndiang'ui N. *Climate and Land Degradation*. Environmental Science
734 and Engineering. Springer, Berlin; 2007.
735
736 50. Vermeulen SJ, Aggarwal PK, Ainslie A, Angelone C, Campbell BM, Challinor AJ,
737 Hansen JW, Ingram JSI, Jarvis A, Kristjanson P, Lau C, Nelson GC, Thornton PK,
738 Wollenberg E. Options for support to agriculture and food security under climate
739 change. *Environmental science & policy*. 2011; x x x: x x x – x x x.
740
741 51. Nelson GC, Rosegrant MW, Koo J, Robertson R, Sulser T, Zhu T, Ringler C, Msangi S,
742 Palazzo A, Batka M, Magalhaes M, Valmonte-Santos R, Ewing M, Lee D. *Climate*
743 *Change: Impact on Agriculture and Costs Of Adaptation*. Food Policy Report #19.
744 IFPRI, Washington, DC; 2009.
745
746 52. Liverman DM, Kapadia K. Food systems and the global environment: an overview. In:
747 Ingram JSI, Ericksen PJ, Liverman D. (Eds.), *Food Security and Global Environmental*
748 *Change*. Earthscan, London; 2010.
749
750 53. Tubiello FN, Fischer G. *Technol Forecast Social Change*. 2007; 74: 1030-1056
751
752 54. Molua EL. Turning up the heat on African Agriculture: the impact of climate change on
753 Cameroon's agriculture. *African Journal of Agriculture and Resource Economics*. 2008;
754 2(1):45–64.
755
756 55. Rudolf W, Hermann W. *Climate risk and farming systems in rural Cameroon*. Germany:
757 Institute of Development and Agricultural Economics, University of Hannover; 2009:
758 21–4.
759
760 56. Kang Y, Khan S, Maa X. Climate change impacts on crop yield, crop water productivity
761 and food security – A review. *Progress in Natural Science*. 2009; 19:1665–1674.
762
763 57. Christensen JH, Hewitson B, Busuioc A, Chen A, Gao X, Held I, Jones R, Kolli RK,
764 Kwon WT, Laprise R, Magaña Rueda V, Mearns L, Mene´ndez CG, Ra´ısa´nen J,
765 Rinke A, Sarr A, Whetton P. Regional climate projections. In: Solomon SD, Qin M,
766 Manning Z, Chen M, Marquis KB, Averyt MT, Miller HL (eds) *Climate change 2007: the*

physical science basis. Contribution of working group I to the fourth assessment report of the intergovernmental panel on climate change. Cambridge University Press, Cambridge, UK; 2007.

58. Dey NC, Alam MS, Sajjan AK, Bhuiyan MA, Ghose L, Ibaraki Y, Karim F. Assessing Environmental and Health Impact of Drought in the Northwest Bangladesh. *J. Environ. Sci. & Natural Resources*. 2011a; 4(2): 89-97.
59. Dey NC, Alam MS, Sajjan AK, et all. Assessing Environmental and Health Impact of Drought in the Northwest Bangladesh, Research and Evaluation Division, BRAC, 75 Moakhali, Dhaka 1212; 2011b.
60. Rakib MA, Akter MS, Hossain MB, Rahman MA, Bhuiyan MAH. Flooding Hazards and Mental Perception: A Theoretical Framework. *Journal of Scientific Research & Reports*. 2015; 5(2): 140-151.
61. MOEF (Ministry of Environment and Forest), Bangladesh: Govern- ment of the People's Republic of Bangladesh; 2002.
62. Ahmed UA. Bangladesh climate change impacts and vulnerability: a synthesis; 2006.
63. Popova Z, Kercheva M. CERES model application for increasing preparedness to climate variability in agricultural planning-risk analyses. *Phys Chem Earth*. 2005; 30:117–24.
64. ACE (Atmosphere, Climate and Environment). Climate change fact sheet series for key stage 4 and A-level, Buchdahl; 2002: 1–171.
65. Dracup JA, Vicuna S. An overview of hydrology and water resources studies on climate change: the California experience. Copyright ASCE. 2005; 1–12.
66. Ahmed AU. Adaptation to climate change in Bangladesh: learning by doing. UNFCCC Workshop on Adaptation, Bonn; 18 June 2004.
67. Dercon S. Growth and shocks: evidence from rural Ethiopia. *Journal of Development Economics*. 2004; 74 (2): 309–329.
68. Carter MR, Little PD, Mogues T, Negatu W. Poverty traps and natural disasters in Ethiopia and Honduras. *World Development*. 2007; 35 (5): 835–856.
69. Reardon T, Matlon PJ, Delgado C. Coping with Household-Level Food Insecurity in Drought Affected Areas of Burkina Faso. *World Dev*. 1988;16(9):1065–1074.
70. Rakib MA, Akter MS, Hossain MB. Extreme events (flood & drought) and food security Measures in the aspects of local perception. *American Journal of Agriculture and Forestry*. 2014b; 2(4): 183-191.
71. FAO. The State of Food Security in the World. Food and Agriculture Organization of the United Nations, Rome; 2009a.
72. Habiba U, Shaw R, Takeuchi Y. Drought risk reduction through a socio-economic, Institutional and physical approach in the north-western region of Bangladesh. *Environmental Hazards*. 2011; 10 (2): 121-138

820
821 73. CEGIS Study Report. Vulnerability to Climate Induced Drought Scenario and Impacts.
822 2013; ([http://203.83.183.19/bitstream/handle/123456789/15/142.%20](http://203.83.183.19/bitstream/handle/123456789/15/142.%20Vulnerability%20to%20Climate%20Induced%20Drought%20SCENARIO%20AND%20IMPAIRMENTS.pdf?Sequence=3)
823 [Vulnerability%20to%20Climate%20Induced%20Drought%20SCENARIO%20AND%20IMPAIRMENTS.pdf?Sequence=3](http://203.83.183.19/bitstream/handle/123456789/15/142.%20Vulnerability%20to%20Climate%20Induced%20Drought%20SCENARIO%20AND%20IMPAIRMENTS.pdf?Sequence=3)) (accessed 09.05.14).
824
825
826 74. Widawasky DA, O'Toole JC. Prioritizing the rice biotechnology research agenda for
827 Eastern India, New York, NY. Rockefeller Foundation Press (86p.). 1990;
828 (www.theguardian.com).
829
830 75. Lal R. Climate change, soil carbon dynamics, and global food security. In: Lal R,
831 Stewart B, Uphoff N, et al., editors. Climate change and global food security. Boca
832 Raton (FL): CRC Press; 2005: 113–43.
833
834 76. Howden SM, O'Leary GJ. Evaluating options to reduce greenhouse gas emissions from
835 an Australian temperate wheat cropping system. Environ Modell Software. 1997;
836 12:169–76.
837
838 77. Hoogenboom G. Contribution of agrometeorology to the simulation of crop production
839 and its applications. Agric Forest Meteorol. 2000; 103:137–57.
840
841 78. Gbetibouo G, Hassan R. Economic impact of climate change on major South African
842 field crops: A Ricardian approach. Glob Planet Change. 2005; 47:143–52.
843
844 79. Aggarwal PK, Kalra N, Chander S, et al. InfoCrop: A dynamic simulation model for the
845 assessment of crop yields, losses due to pests, and environmental impact of agro-
846 ecosystems in tropical environments. I. Model description. Agric Syst. 2006a; 89:1–25.
847
848 80. Aggarwal PK, Banerjee B, Daryaei MG, et al. InfoCrop: A dynamic simulation model for
849 the assessment of crop yields, losses due to pests, and environmental impact of agro-
850 ecosystems in tropical environments II. Performance of the model. Agric Syst. 2006b;
851 89:47–67.
852
853 81. Dhungana P, Eskridge KM, Weiss A, et al. Designing crop technology for a future
854 climate: an example using response surface methodology and the CERES-Wheat
855 model. Agric Syst. 2006; 87:63–79.
856
857 82. Challinor AJ, Wheeler TR. Crop yield reduction in the tropics under climate change:
858 processes and uncertainties. Agric Forest Meteorol. 2008; 148:343–56.
859
860 83. Lexer MJ, Honninger K, Scheifinger H, et al. The sensitivity of Austrian forests to
861 scenarios of climatic change: a large-scale risk assessment based on a modified gap
862 model and forest inventory data. For Ecol Manage. 2002; 162:53–72.
863
864 84. Harle KJ, Howden SM, Hunt LP. The potential impact of climate change on the
865 Australian wool industry by 2030. Agric Syst. 2007; 93:61–89.
866
867 85. Chang H, Knight CG, Staneva MP, et al. Water resource impacts of climate change in
868 southwestern Bulgaria. Geol J. 2002; 57:159–68.
869
870 86. Wilby RL. Uncertainty in water resource model parameters used for climate change
871 impact assessment. Hydrol Process. 2005; 19:3201–19.
872

- 873 87. Wilby RL, Whitehead PG, Wade AJ, et al. Integrated modelling of climate change
874 impacts on water resources and quality in a lowland catchment: River Kennet, UK. J
875 Hydrol. 2006; 330:204–20.
876
- 877 88. Herrera-Pantoja M, Hiscock KM. The effects of climate change on potential
878 groundwater recharge in Great Britain. Hydrol Process. 2008; 22:73–86.
879
- 880 89. Dockerty T, Lovett A, Sunnenberg G. Visualising the potential impacts of climate
881 change on rural landscapes. Comput Environ Urban Syst. 2005; 29:297–320.
882
- 883 90. Dockerty T, Lovett A, Appleton K, et al. Developing scenarios and visualisations to
884 illustrate potential policy and climatic influences on future agricultural landscapes. Agric
885 Ecosyst Environ. 2006; 114:103–20.
886
- 887 91. Evenson RE, Gollin D. Assessing the impact of the green revolution, 1960 to 2000.
888 Science. 2003; 300: 758–762.
889
- 890 92. Burney JA, Davis SJ, Lobell DB. Greenhouse gas mitigation by agricultural
891 intensification. Proceedings of the National Academy of Sciences USA. 2010; 107
892 (26):12052–12057.
893
- 894 93. Godfray HCJ, Beddington JR, Crute IR, Haddad L, Lawrence D, Muir JF, Pretty J,
895 Robinson S, Thomas SM, Toulmin C. Food security: the challenge of feeding 9 billion
896 people. Science. 2010; 327 (5967): 812–818.
897
- 898 94. FAO. Climate Change and Food Security: A Framework Document, Food and
899 Agriculture Organization of the United Nations Rome. 2008;
900 <<http://www.fao.org/forestry/15538079b31d45081fe9c3dbc6ff34de4807e4.pdf>>
901 (accessed 22.08.13).
902
903