Original Research Article Assessment of Health Hazards of the Goldsmiths in Tantibazar Area of Dhaka, Bangladesh

ABSTRACT (ARIAL, BOLD, 11 FONT, LEFT ALIGNED, CAPS)

Aims: To find out the major occupational health issues among the goldsmiths and its' causative factors, The study also aims to identify the study populations' exposure to different health hazard in line with their work type and their level of exposure.

Study design: It is a survey research.

Place and Duration of Study: Tantibazar goldsmith cluster in Dhaka, Bangladesh, between March 2011 and June 2014.

Methodology: Focus group discussions (FGD) were conducted among 2 focus groups in Tantibazar goldsmith cluster. Each of the groups consisted of 20 respondents. Besides, library search and internet browsing have also been done.

Results: Almost 70% of the goldsmiths work in soldering unit followed by 12% in polishing unit, 6% in cutting unit, 4% in refining unit, 3% in enameling unit and setting unit each, and 2% in designing unit approximately. Many hazardous substances are used in these working units, such as Cd, HNO₃, H₂SO₄. The dusts and fumes generated from these hazardous substances pose various health hazards to the artisans. About 92% goldsmiths are exposed to cold fever, weakness and suffocation, 86% are exposed to jaundice/liver problems and diarrhea each, 84% are exposed to headache and 80% are exposed to dehydration as immediate health hazards. Among the long term health impacts, about 94% goldsmiths are exposed to vision problem, 93% are exposed to back pain, 92% are exposed to respiratory diseases, 86% have health vulnerability to constipation and piles problems, and 16% and 12% goldsmiths are exposed to dermatitis and dental carries respectively.

Conclusion: The gold jewelry manufacturing process followed in Tantibazar involve a number of health hazards. But the goldsmiths are not getting proper attention in improving their environmental health issues. The responsible authority also does not provide any facility in respect of their health issues.

Keywords: Goldsmith, Tantibazar, Bangladesh, Environmental Health.

1. INTRODUCTION

Jewelry making is world's one of the oldest manufacturing operations and has always involved some hazardous processes. Tantibazar is one of the largest goldsmith clusters in Bangladesh where the artisans follow the conventional method of jewelry making, and produce handcraft jewelries. The manufacturing process of handicraft gold ornament requires excellent skill with intensive dedication to the work, while the customary working environment of this manufacturing process poses a number of serious health hazards to the

artisans which causes their survival vulnerable. On the other hand, the handcraft gold jewelry has been a heritage of Bengal in history, and this was made famous by its skilled goldsmiths long back [1]. But, now it seems that, because of our lack of long term vision and acknowledgment to our talent, we might lose our golden heritage very soon. Under this context, it is needed to ensure a safe indoor environment in their working studios, and aware them about proper wearing of precautionary safety equipments which will reduce their exposure to health hazards. Hence the sustainability of this golden heritage of Bengal will also be secured

Jewelry making is one of the world's oldest manufacturing operations and has always involved some hazardous processes [2]. And there are quite a few literatures, though scattered, available. The silver ornaments manufacturing in conventional method in Rajarhat silver ornaments cluster, located at Barasat in West Bengal emits deep black fumes and adds pollution to the environment as well as to artisans causing serious health hazard [3]. As noted by Choudhari et.al., lung disorders are more common among jewelry workers [4]. Toxic fumes released when gold is soldered with cadmium. Cadmium vapor reacts with air to form poisonous cadmium oxide [5]. Cadmium affects the brain, nervous system, lungs, kidneys, bone, prostrate and digestive tract and can cause acute bronchitis, pneumonia, digestive disorders, dermatitis, allergic hyper sensitization, chronic brain damage, lung damage, prostate cancer and kidney stones [6]. A research conducted on goldsmiths to demonstrate the effects due to the continuous exposure of mainly nitrogen based chemicals revealed that there is much occurrence of acquired Methaemoglobin (MetHb) among the goldsmiths [7]. The study by Lewton indicates that dermatitis is a real hazard for jewelers [8]. On the other hand, the artisans' posture, while designing and soldering, affects the spinal cord badly [3]. For soldering of the pre-fabricated ornaments artisans are blowing air from their mouth through a pipe. Continuous blowing air from mouth affects the chest and lung of the artisans, consequently in long run artisans tend to become the victim of Asthma and T.B. [3]. On the other hand, Bengal goldsmith gets a little solvency in his economic life and a little recognition from society for his contributions [9]. Historically, the social status of goldsmiths of Bangladesh had been low and this too continues to be so more because of their relatively poor incomes [10]. In reference to the above background, the study was conducted to identify the goldsmiths' health hazard in their occupational behavior and environment in Bangladesh.

As the study is related to environmental health hazard of goldsmiths of Tantibazar cluster, it reveals their occupational health issues and the probable causes to their health problems. The study also aims to identify the study populations' exposure to different health hazard in line with their work type and their level of exposure.

Very little research has been done in South Asian countries on the health problems of goldsmiths as a direct result of their workplace environmental condition. Some research has been conducted in India on this issue, but there is virtually no documented study on this problem in Bangladesh. Hence, the present study is expected to bring the problem of goldsmiths' environmental health and associated issues into light.

The study is mainly qualitative one and focused on environmental approach, and therefore it will not deal with the epidemiological aspects of the goldsmiths, but will help and inspire to conduct further quantitative studies on the prevalence of the artisans by the experts in the field of environmental epidemiology.

2. METHODOLOGY

2.1 Study Area

Tantibazar area is the study area for the present research which is under the Kotwali Thana of Dhaka, Bangladesh (Fig 1). There is one of the largest goldsmith clusters in Bangladesh. The total number of goldsmiths at present in this cluster is 5822 and all of them are male. The total number of studio of different types or unit is 1287 in this cluster. The study area is an ideal representative to exhibit the common scenario of gold ornament manufacturing industry and the goldsmithing in Bangladesh. The study area is basically a residential area where there are many buildings (known as Market) within which gold ornaments are manufactured. However, from some recent past, both the number of artisans and studios are declining. According to their local goldsmiths' welfare club *Dhaka Swarna Shilpi Sromik Shongho* (DSSSS), the number of goldsmiths in this cluster was 22,000 during the year 1996.



Figure 1. Study Area.

2.2 ExperimentsThe study is ba

The study is basically a qualitative research. Focus group discussions (FGD) were conducted in August 2013 among the goldsmith group and the middlemen group in Tantibazar cluster, each group consisting of 20 respondents. The FGD respondents were selected on purposive random basis from each working unit and of different age groups. Since no female worker or middlemen exists there, all the participants were male. The composition of FGD participants of the two groups were as shown in table 1.

Table 1: Participant Composition of the Focus Groups

Working Unit	Goldsmith Group	Middlemen Group		
soldering unit	<mark>5</mark>	<mark>3</mark>		
polishing unit	4	<mark>3</mark>		
cutting & enameling unit	4	2		
refining unit	<mark>3</mark>	2		
setting unit	<mark>2</mark>	2		
designing unit	<mark>2</mark>	2		
Total	<mark>20</mark>	<mark>20</mark>		

The objective of the FGD was primarily to find out the major occupational health issues among the goldsmiths and its' causative factors. The FGD also intended to identify the extent of vulnerable goldsmiths to different occupational health risks, and their exposure to health hazard in according with type of studio they work in. Besides, library search and internet browsing have also been done to collect the relevant secondary data.

3. RESULTS AND DISCUSSION

3.1 Results

In the study area, making of gold jewelry in traditional method is accomplished in sequentially in different units, i.e. refining unit, soldering unit, design unit, enameling unit, polishing and buffing unit, cutting unit, and setting unit (fig.2). The processes of manufacturing gold ornament are in different units are frequently hazardous to the artisans health.




Figure 2: Steps in Manufacturing Gold Ornament in Tantibazar

According to the FGD, almost 70% of the goldsmiths in this cluster work in soldering unit followed by goldsmiths of polishing unit at about 12%, cutting unit at about 6%, refining unit at about 4%, both enameling unit and setting at about 3% and designing unit at about 2% (fig. 3).




Figure 3: Proportion of goldsmiths work at different units

The studio environments of all units are dingy and congested. The ventilation condition of the studio remains very poor. All day long the goldsmiths work in a suffocated environment. In a soldering unit, interiors are arranged with working desks and wooden sits in such a manner that artisans can somehow manage them to sit in. for example, about 35 soldering goldsmiths have been found to be working in a room of 10 feet by 40 feet. The ventilation condition of those studios remain very poor, and upon that, the electric fans are kept switched off to avoid extinguishing of light from the lamps. As a result, the room temperature increases incredibly. Hardly any soldering goldsmith was found working wearing shirts or any tang top. They continue to sweat all the day round. Besides, the soldering goldsmiths are exposed to SPMs generated from their indoor tasks, and cadmium fumes during soldering the jewelries. On the other hand the artisans of polishing and buffing unit are continuously exposed to H2SO4 fumes directly, whereas the artisans of refining unit are exposed to fumes of HNO₃. These fumes are not channelized to open environment properly, and hence it diffuse easily in the markets indoor environment and goldsmiths of other unit also get exposed to these fumes. The tasks of cutting unit involve high visual concentration and yield micro particles which are thought to have serious and various hazardous health impacts. Since enameling is done mostly in the cutting units, the enameling artisans are also exposed to the same environmental health hazards. The number of artisans of setting unit and design unit are low, and thus they have more workloads. As a result, they have to work in a bent posture day long and their tasks are highly vision intensive.

Varying the different types of work of the goldsmiths in different units, their exposure to the occupational health hazard also varies. The health impacts they face are of two types- 1) immediate health hazard, and 2) long term health impacts. The FGD has revealed their unit wise exposure to different immediate health hazard (table 2) and long term health impacts (table 3).

Table 2: Matrix of goldsmiths' exposure to immediate health risks in different studio units

Appraisal	Jaundice	Cold/ Fever	Dizziness	Weakness	Headache	Diarrhea	Suffocation	Dehydration	Piles
Refining		V							

Unit									
Soldering	$\sqrt{}$	\checkmark	\checkmark	\checkmark	$\sqrt{}$	$\sqrt{}$	$\sqrt{}$	$\sqrt{}$	$\sqrt{}$
Unit									
Design					N				
Unit					٧				
Enameling					ما				
Unit					V				
Polishing									
Polishing & Buffing	\checkmark	$\sqrt{}$	$\sqrt{}$	$\sqrt{}$		\checkmark	$\sqrt{}$		$\sqrt{}$
Unit									
Cutting		2/	2/	2/	2		2/	2/	
Unit		٧	٧	٧	٧		V	V	
Setting			2		ما				
Unit			V		V				

Table 3: Matrix of goldsmiths' exposure to long term health risks in different studio units

S5		•	J				
Appraisal	Vision Problem	Back Pain	Dermatit is	Respirato ry Disease	Denta I Carrie s	Constipatio n	Piles
Refining Unit			V	V		$\sqrt{}$	V
Soldering Unit		$\sqrt{}$		√		$\sqrt{}$	
Design Unit							
Enameling Unit							
Polishing & Buffing Unit	√	√	1	√	V	√	√
Cutting Unit	V	1		√			
Setting Unit		1					

On the basis of FGD, it has been found that 92% goldsmiths in the study area are exposed to cold fever, weakness and suffocation, 86% are exposed to jaundice and diarrhea each, 84% are exposed to headache and 80% are exposed to dehydration among their identified immediate health hazards (fig. 4). On the other hand, among the long term health impacts, the goldsmiths are prominently exposed to vision problem. About 94% goldsmiths are exposed to vision problem (fig. 5). The second most common heath threat is back pain to which 93% goldsmiths are exposed, and then respiratory diseases to which about 92% goldsmiths are exposed (fig. 5). About 86% goldsmiths have health vulnerability to constipation and piles problems (fig. 5). Exposure of the study population to dermatitis and dental carries constitute the minimum proportions which are about 16% and 12% respectively (fig. 5).




Figure 4: Goldsmiths' Exposure to Immediate Health Hazards




Figure 5: Goldsmiths' Exposure to Long Term Health Hazards

3.2 Discussion

3.2.1 Refining Unit

Nitric acid used for refining releases noxious fumes when gold is refined, and that directly attacks the lungs of the refining artisans. Besides, asthma is also seen among them. According to Weiss, HNO₃ is very irritating to lungs, and exposures to HNO₃ at low concentrations over extended periods of time are cumulative in terms of burning and scarring of the lungs [6]. Several types of skin diseases are also observed among the refining artisans, such as depigmentation, prickly, boils etc. Sometimes contact with HNO₃

causes skin burn followed by scar formation [8]. Besides, chills, fever, and chronic cough can be caused from the overexposure to HNO₃ [6].

3.2.2 Soldering Unit

196

197

198 199

200

201

202

203

204

205

206

207

208

209

210

211

212

213

214

215

216

217

218

219

220

221

222

223

224

225

226

227

228

229

230

231

232

233

234 235

236

237238

239 240

241

242

243

244

245

246

247248

The tasks of soldering unit involve intense visual concentration for hours after hours. That's why the vision problem is most common among the soldering artisans. According to Colledge et.al., continuous working along with extreme visual pressure can cause initially myopic problem followed by blindness also [11]. High eye pressure causes headache too [12] [13]. Besides, Back pain is another common health hazard among the goldsmiths of this unit. Saha and Saha found that the unscientific working posture in conventional jewelry manufacturing process affects the spinal cord of the goldsmiths badly, and in the long run the artisans become victim of Spondylitis [3]. Colledge, et.al., in their study, found working continuously in a curved manner for a long period can cause hunchback problem in long run [11]. Besides, the middlemen suspect that there might be so many diseases that can be caused from inhalation of the SPMs and the gases that come from burning of candles and natural gases. After the introduction of hallmarking system in 2006 in this cluster, cadmium is used widely as a soldering metal because of its low melting point. Thus, cadmium gets into their body mostly by inhalation of cadmium contaminated air. Breathing high doses of cadmium can irritate and damage the lungs and can cause death while breathing lower doses of cadmium, i.e 0.01 mg/m³ of cadmium contaminated air over the long-term (greater than 14 days) has resulted in chronic lung disease and kidney disease in humans [14]. The SPM in the working studios is thought to be another major cause of their lungs problem. The SPM remain invisible in the air are the most dangerous and stay in lungs; and when enough particles accumulate, they affect breathing [15]. However, almost all the goldsmiths suffer from hepatitis in this cluster. The probable cause of high incidence of their hepatitis is may be inhalation of toxic substances. According to Weiss, though hepatitis is commonly known as a viral disease, it can also be caused by chemical substances [8]. The liver functions to detoxify substances that are produced by body processes as well as harmful substances that enter the body from the environment. When the burden of toxins is too great, the liver gets damaged and cannot detoxify any poisons in the body or otherwise [16]. On the other hand, for soldering purposes, the goldsmiths of Tantibazar use of blow-pipes to blow air from their mouth. Saha and Saha reveals continuous blowing of air from mouth affects the chest and lung of the goldsmiths, and in the long run they become the victim of asthma [3]. On the other hand, they suffer from skin problems due to the high temperature in working studio. The high temperature causes prickly and boils resulting in intense itching [12]. Besides, the continuous high indoor temperature in the soldering studio causes continuous sweating of the goldsmiths leading to multifarious health problems, such as weakness, dizziness, cold problem, diarrhea etc.

Hot environment can cause people to suffer from cold problem [12] [13]. Additionally, in such working environment they keep sweating continuously, and excessive sweating causes weakness and dizziness [12] [13]. The poor ventilation is also responsible for the headache, drowsiness and also increase the chances of communicable diseases [13].

Working in very hot environment causes excessive loss of their body fluids, which can result in their dehydration [12]. Constipation is also a common health problem among the artisans. Constipation too can be caused from their continuous dehydration [12]. There are so many artisans in this cluster who have piles. Piles can be caused due to constipation problem and poor dietary habits [17]. It is to be mentioned that artisans continuously work sitting on a wooden tool or on the floor, and sitting on hard seats for prolonged periods is another cause of piles [17].

3.2.3 Design Unit

Occupational diseases are not that much severe in design unit when compared to other units. Their work requires intensive visual attention during working which can cause vision problems [11]. But as long the job of design artisans are not too tiny and precise, the vision problem of them is not very common. They also feel back pain which is thought to be caused from their continuous sitting in a curved manner, while working. Saha and Saha mentioned that working posture in conventional jewelry manufacturing process affects the spinal cord of the goldsmiths badly [3].

3.2.4 Enameling Unit

Vision problem is more common is enameling artisans since they do the job of cutting too. Moreover, the total number of enameling artisans is very low in this cluster. So those few artisans always have to go through high workload. Hence the vision problems are more common among them disregarding the matter that how tiny and precise their work is.

3.2.5 Polishing and Buffing Unit

The process of glazing jewelries in polishing and buffing unit involves severe health hazards. The fumes of H_2SO_4 cause severe irritation to the respiratory tract and skin [6].

Goldsmiths of polishing and buffing unit primarily suffer from respiratory diseases. The H_2SO_4 used for polishing and buffing of ornament generate noxious fumes causing breathing problem to the goldsmiths. However, the goldsmiths' exposure to H_2SO_4 in this cluster is wider since the fumes of are not released out of the studios easily because of poor ventilation system. Inhalation of H_2SO_4 mist or fumes may produce irritation of the nose, throat and respiratory tract [18]. Besides, chronic inhalation of H_2SO_4 mist may cause pitting and erosion of tooth enamel [18].

Skin problem is another major problem among the goldsmiths of polishing and buffing units. The probable major responsible causes are thought to be their close contact with dermatitis-causing chemicals in cleansers, acids, solvents, abrasives etc. Sulfuric acid can cause dermatitis [8], whereas acid fumes too can cause skin ailments [19]. They tend to dip their hands in water regularly while scrubbing the jewelries with degreasing cleaners, such as shampoo. Cleaners can raise the pH of skin and dissolve protective surface fats whereas dipping hands often into water may cause skin to crack [8].

The fine particles come from polishing and buffering may cause health problem. For example, brown tripoli is used in this cluster as an abrasive for polishing and red rouge (Fe_2O_3) for staining the jewelries, and both these substances yield particles in powdered forms during operation. Inhalation of red rouge particles, i.e. ferric oxide (Fe_2O_3) may cause irritation to the respiratory tract [20]. However, the polishing artisans can have vision problem and back pain too.

3.2.6 Cutting Unit

The task performed in cutting unit is very tiny and precise, and requires intensive visual attention. Moreover the task of cutting is performed very near to light sources. So, at the time of working, light reflects on the workpieces and the glazes from the cuts hit directly to the goldsmiths eyes. While working constantly with extreme visual pressure can cause myopic problem often leading to blindness [11] and dazzling reflection of light can be responsible for reducing critical vision [13], vision problem is very common and severe among the cutting artisans. Besides, the fine particles eroded from cutting task often get inside eyes. Sometimes it requires minor surgery too to take out those fine particles from eyes.

Respiratory diseases are also very common among cutting artisans since they perform the task of cutting in a closed cell and get exposure very closely to the SPMs yielded inside the cell. When enough particles accumulate in lungs from by the inhalation of tiny SPMs, those affect breathing [15]. Besides, suffocation, dehydration, cold fever, sinusitis caused from exhausted environment is also common among them.

3.2.7 Setting Unit

Basically the tasks of setting unit do not involve any significant hazardous chemical exposure, but their working posture and manner can lead to back pain, headache, irritation of eyes and vision problems. Setting stones on jewelries is vision intensive work, and hence setting artisans mainly face vision problem in long run. Colledge *et.al.* mentioned that continuous and extreme visual pressure leads to myopic vision problem and can even cause blindness in the long run [11]. Their working posture of sitting continuously in a curved manner also causes back pain among them.

4. Conclusion

Tantibazar, one of the largest gold jewelry manufacturing areas in Bangladesh, not only holds the business of gold jewelry but also the heritage and fate of the famous Bengali artisans. The methods of making gold jewelries followed in Tantibazar involve a number of health hazards. But the goldsmiths are not getting proper attention on the subject of improving their environmental health issues. The goldsmiths are continuously exposed to various health problems due to their poor occupational environment. Many hazardous substances are used in Tantibazar for gold ornament manufacturing processes, such as cadmium, HNO₃, H₂SO₄, copper etc. The dusts and fumes generated from those hazardous substances in the manufacturing process pose various health hazards to the artisans. Moreover, the exhausting environment of their working studios and their working manners add oil to the fire. The goldsmiths in this cluster frequently suffer from dermatitis, hepatitis, fever, cold problems, dizziness, weakness, headache, diarrhea, suffocation/breathlessness, dehydration, constipation and piles because of their occupational environment and occupational behavior. The contextual obvious long term health impacts from which they suffer are vision problem followed by respiratory diseases and back pain. On the other hand, liver problems are common among them, but severe long term impacts such as liver cirrhosis are not a very common health problem among them. However, Dhaka Swarna Shilpi Sromik Shongho (DSSSS) is the responsible authority for assuring the welfare of the goldsmiths, but practically they do not provide any facility in respect of their health issues

COMPETING INTERESTS

No competing interest exists.

REFERENCES

[1] Farhana T, Goldsmiths are changing their hereditary profession. The Financial Express. 2010. Accessed 28 March 2011.

Available: http://www.thefinancialexpress-bd.com/more.php?news_id=90443

- 353 [2] Anonymous. Jewelry Manufacturing Pollution Prevention Recommendations. California 354 Environmental Protection Agency. 2002. Accessed 02 October 2014.
- 355 Available: http://paperzz.com/doc/836716/jewelry-manufacturing-pollution-prevention-recommendations.

- 358 [3] Saha TK, Saha KK. *Diagnostic Study Report on Rajarhat Silver Ornaments Cluster.*359 Foundation for MSME Clusters. n.d. Accessed 14 March 2011.
- 360 Available: http://www.msmefoundation.org/folder/Diagnostic/78.doc

361

- 362 [4] Choudhari SP, RS Doiphode, Badaam KM, Munibuddin MA, Khan ST. Study of 363 Pulmonary Functions in Goldsmith Workers: A Cross-Sectional Study. IOSR Journal of 364 Dental and Medical Sciences. 2014. 13:3(V). Accessed 02 October 2014.
- 365 Available: http://www.iosrjournals.org/iosr-jdms/papers/Vol13-issue3/Version-366 5/M013355658.pdf

367

368 369

- [5] Anonymous. Goldsmiths Fear New System Will Compel Use Of Poisonous Cadmium. The Financial Express. 2003. Accessed 7 February 2011.
- 370 Available: http://www.financialexpress.com/news/goldsmiths-fear-new-system-will-compel-use-of-poisonous-cadmium/94038/0.

372

- 373 [6] Weiss L. Potentially Harmful Substances Encountered By the Metalsmith 374 Dictionary of Substances. Ganoksin. 1978. Accessed 13 March 2011.
 - Available from, http://www.ganoksin.com/borisat/nenam/harmful-substances.htm.

375 376

377 [7] Jayaprakash K. Acquired Methaemoglobinemia (Met Hb) in Goldsmiths – A Hitherto Unobserved Occupational Hazard. Indian Journal Of Occupational and Environmental Medicine. 2003. 7(1):16-18.

380

- 381 [8] Lewton C. Dermatitis and The Jeweler. Brain Press Publications. 2002. Accessed 13 382 March 2011.
 - Available: http://www.ganoksin.com/borisat/nenam/dermatitis.htm

383 384 385

[9] Banerjee DK. The Goldsmiths: A study of an occupational group in Calcutta. 1st ed. Calcutta: Calcutta University Press; 1983.

386 387

- 388 [10] Faroqi G. Swarnakar. Banglapedia. 2006. Accessed 15 March 2011.
- 389 Available: http://www.banglapedia.org/httpdocs/HT/S 0637.HTM .

390

[11] Colledge NR, Walker BR, Ralston SH. Davidson's Principles and Practice of Medicine.
 21st ed. London: Churchill Livingstone; 2010.

393

394 [12] Park K. Park's Textbook of Preventive and Social Medicine. 20th ed. Jabalpur: M/s 395 Banarsidas Bhanot Publishers; 2009.

396

397 [13] Rashid KM, Rahman M, Hyder S. Textbook of Community Medicine and Public Health. 398 4th ed. Dhaka: RHM Publishers; 2010.

399

- [14] Cajamarca O. Gold Jewellery Making Health. AllExperts. 2010. Accessed 25 May 2011. Available: <a href="http://en.allexperts.com/q/Jewelry-Making-3236/2010/2/gold-jewellery-making-3236/2010/2/gold-jewellery
- 402 health-1.htm.

403

404 [15] Lewton C. Dusts in the Jewelry Workshop. Brain Press Publications. 2002. Accessed 13 405 March 2011.

406 Available: http://www.ganoksin.com/borisat/nenam/dust.htm .

[16] Weiss L. Introduction to Goldsmithing Health Hazards. Ganoksin. 1978. Accessed 13 March 2011.

410 Available: http://www.ganoksin.com/borisat/nenam/goldsmithing-health.htm .

[17] Williams NS, Bulstrode CJK, O'Connell. Bailey and Love's Short Practice of Surgery. 24th ed. London: Hodder Arnold; 2004.

- [18] Anonymous. Sulfuric Acid-Material Safety Data Sheet. Teck. 2012. Accessed 02 October 2014.
- 417 Available: http://www.teck.com/DocumentViewer.aspx?elementId=115502&portalName=tc .

- 419 [19] Arafat FI. Goldsmith workshops threat to public life. Dawn. 2008. Accessed 29 420 November 2011.
 - Available from: http://archives.dawn.com/archives/104822.

- [20] Anonymous. Ferric Oxide-Material Safety Data Sheet. Environmental Health & Safety-USA. 2009. Accessed 31 May 2011.
- Available: http://www.jtbaker.com/msds/englishhtml/f1306.htm .

ACRONYMS

DSSSS Dhaka Swarna Shilpi Sromik Shongho

431 FGD Focus Group Discussion432 SPM Suspended Particulate Matter

DEFINITIONS

Chhila Karkhana: A gold ornament manufacturing unit where the workpieces are given edges to enhance glaze by cutting edges and surfaces of the workpieces. This unit is termed as 'cutting unit' in this study.

Gorid Karkhana: A gold ornament manufacturing unit where the fragments of workpieces are soldered. This unit is termed as 'soldering unit' in this study.

Meena Karkhana: A gold ornament manufacturing unit where the workpieces are decorated with different shades by fixing and fusing differently colored vitreous glazes onto it. This unit is termed as 'enameling unit' in this study.

- Noksha Karkhana: A gold ornament manufacturing unit where the workpieces are adorned by engraving different types of curves on it. This unit is termed as 'design unit' in this study.
- Paalish Karkhana: A gold ornament manufacturing unit where the workpieces are undergone different processes to enhance its' glaze and luster. This unit is termed as 'polishing and buffing unit' in this study.

 Pakai Karkhana: A gold ornament manufacturing unit where the gold bar is refined to its
 - **Pakai Karkhana:** A gold ornament manufacturing unit where the gold bar is refined to its purest form. To make the gold bar workable for making jewelries, it is needed to be alloyed with harder metals. The task of adding desired alloys to the pure gold bars is also performed in this unit. This unit is termed as 'refining unit' in this study.
- **Setting Karkhana:** A gold ornament manufacturing unit where stones, beads, pearls etc are embedded to the workpieces. This unit termed as 'setting unit' in this study.