

Precision Farming for small agriculture farm: Indian scenario

Subrata kr Mandal^{1*}, Atanu Maity²

¹Senior Scientist, CSIR-Central Mechanical Engineering Research Institute, M G Avenue,
Durgapur, West Bengal, India

²Principal Scientist, CSIR-Central Mechanical Engineering Research Institute, M G Avenue,
Durgapur, West Bengal, India

ABSTRACT

PRECISION FARMING BECOMES MORE AND MORE AN ACCEPTED WAY OF CROP PRODUCTION AND HELPS TO ACHIEVE A SUSTAINABLE ENVIRONMENTAL FRIENDLY AGRICULTURE. FURTHERMORE, GROWING INTEREST IN AUTOMATED DATA ACQUISITION AND INFORMATION PROCESSING IS GOING TO FORM ANOTHER MILESTONE TOWARDS IMPROVED FARM MANAGEMENT AND AN OVERALL TRACE ABILITY IN AGRICULTURAL FOOD PRODUCTION. THE BENEFIT AND EFFECTIVENESS OF USING PRECISION FARMING TECHNIQUES IS HIGHLY DEPENDENT ON THE CAPABILITIES OF THE UTILIZED TECHNOLOGY.

PRECISION FARMING PROVIDES A NEW SOLUTION USING A SYSTEMS APPROACH FOR TODAY'S AGRICULTURAL ISSUES, NAMELY THE NEED TO BALANCE PRODUCTIVITY WITH ENVIRONMENTAL CONCERNS. PRECISION FARMING AIMS AT INCREASED ECONOMIC RETURNS, AS WELL AS REDUCING THE ENERGY INPUT AND THE ENVIRONMENTAL IMPACT OF AGRICULTURE. THE PAPER DESCRIBES THE FACTS AND FIGURES OF PRECISION FARMING. THE PAPER ALSO HIGHLIGHTS THE INDIAN SCENARIO ON PRECISION FARMING FOR THE APPLICATION IN SMALL AGRICULTURE FARM.

Keywords: [Precision Agriculture (PA), Precision Farming (PF) remote sensing, spatial variability]

1. INTRODUCTION

Precision farming provides a new solution using a systems approach for today's agricultural issues such as the need to balance productivity with environmental concerns. It is based on advanced information technology. It includes describing and modeling variation in soils and plant species, and integrating agricultural practices to meet site-specific requirements. It aims at increased economic returns, as well as at reducing the energy input and the environmental impact of agriculture (Shibusawa, 2002).

Precision Farming Technology can cover a huge scale of farm land by the support of using satellite. Farm field considered is divided into many small meshes and the various data for each mesh such as soil fertility, moisture content, yield, and etc. are measured, collected and installed as the database in geographical information system (GIS). Global positioning system (GPS) is also used to identify the exact location of both machines and farm field for giving the suitable treatment and operation to meet the condition obtained as the database in geographical information system (GIS). As the various kinds of operation can be given based on the data obtained from the measurement, more precise control and necessary treatments such as fertilizer, herbicide and pesticide applications are applied timely to a each area of mesh accurately with suitable amount. This farming method leads not only to the saving of material resources and energy in operation, but also to the control to jeopardize the environment (Nobutaka, 2002).

Though widely adopted in developed countries, the adoption of precision farming in India is yet to take a firm ground primarily due to its unique pattern of land holdings, poor infrastructure, lack of farmers' inclination to take risk, socio-economic and demographic conditions. The aim of this paper is to provide information related to precision farming with some measures for the implementation of this novel technique in the country particularly for the small scale farm and presentation of some successful case studies.




Fig. 1: Concept of Precision Farming (Mandal and Maity, 2006)

2.0 WHAT IS PRECISION FARMING?

Precision farming or precision agriculture is about doing the right thing, in the right place, in the right way, at the right time. Managing crop production inputs such as water, seed, fertilizer etc to increase yield, quality, profit, reduce waste and becomes eco-friendly. The intent of precision farming is to match agricultural inputs and practices as per crop and agro-climatic conditions to improve the accuracy of their applications (NCPAH2012).

Precision Farming or Precision Agriculture is a concept of using the new technologies and collected field information, doing the right thing, in the right place, at the right time. Collected information may be used to more precisely evaluate optimum sowing density, estimate fertilizers and other inputs needs, and to more accurately predict crop yields. It helps in avoiding unwanted practices to a crop, regardless of local soil/climate conditions, i.e., it reduces labour, water, inputs such as fertilizers, pesticides etc. and assures quality produce (<http://www.indg.in/agriculture/agricultural-best-practices/precision-farming>).

The term "Precision Farming" or "Precision Agriculture" offers the promise of increasing productivity, while decreasing production costs and minimizing the environmental impact of farming (NRC 1997, SKY-Farm 1999).

The term "Precision Farming" or "Precision Agriculture" is capturing the imagination of many people concerned with the production of food, feed, and fiber. It offers the promise of increasing productivity, while decreasing production costs and minimizing the environmental impact of farming (NRC 1997, SKY-Farm 1999).

Precision agriculture concept is spreading rapidly in developed countries as a tool to fight the challenge of agricultural sustainability. From centuries Indian farms are experiencing some sort of soft precision agriculture technology. But to meet the huge food grain requirement of 480 million tones (Mt) by the year 2050, with increasing challenge of biotic and abiotic stresses experienced by crops, introduction and adoption of modern technology in Indian agriculture is inevitable (Mondal et al. 2004).

Precision farming becomes more and more an accepted way of crop production and helps to achieve a sustainable environmental friendly agriculture. The objectives of site-specific farming are increasing yields, together with decreasing environmental impacts. Furthermore, growing interest in automated data acquisition and information processing is going to form another milestone towards improved farm management and an overall trace ability in agricultural food production. The benefit and effectiveness of using precision farming techniques is highly dependent on the capabilities of the utilized technology. (Markus *et al.*, 2002)

Precision agriculture can loosely be defined as using new technologies such as GPS, sensors, variable rate application equipment and aerial or satellite images to make farming easier and more profitable. Simply put, precision agriculture can help farmers improve their margins by decreasing their operating costs. The biggest benefit of precision farming is that it gives producers the ability to manage their farm on a production zone basis rather than a whole field basis. This shift allows farmers to save time and money and helps them offset the rising cost of chemicals, nutrients, fuel and fertilizer.

Precision Agriculture is the application of technologies and principles to manage spatial and temporal variability associated with all aspects of agricultural production for improving production and environmental quality. The success in precision agriculture depends on the accurate assessment of the variability, its management and evaluation in space-time continuum in crop production. The agronomic feasibility of precision agriculture has been intuitive, depending largely on the application of traditional arrangement recommendations at finer scales. The agronomic success of precision agriculture has been quite convincing in crops like sugar beet, sugarcane, tea and coffee. The potential for economic, environmental and social benefits of precision agriculture is largely unrealized because the space-time continuum of crop production has not been adequately addressed. (Patil et al., 2004)

Precision Farming Technology is defined by Gilberth (Walker, 1987) as the systematic application of scientific or other organized knowledge to practical tasks was instrumental in the making of precision farming.

PA may help any farmer, be it a manager of a “megafarm” in Europe or a small farmer in Africa, to do better than that which is being done already. This perspective, which starts with the tacit knowledge of a farmer, should be helpful as it appeals, in principle, to politicians, farmers and interested citizens alike (McBratney et al. 2005). Fig. 2 describes the basic concept of precision agriculture along with the main application areas like precision dairying, site specific crop management which is one of the major objective for the PA. Again site specific crop management offers precision management and GPS controlled trafficking.




Fig. 2: Precision Agriculture and its application areas

2.1 Why Precision Farming?

- To enhance productivity in agriculture.
- Prevents soil degradation in cultivable land.
- Reduction of chemical use in crop production
- Efficient use of water resources
- Dissemination of modern farm practices to improve quality, quantity & reduced cost of production in agricultural crops

2.2 Advantages:

Agronomical perspective	: Use agronomical practices by looking at specific requirements of crop
Technical perspective	: allows efficient time management
Environmental perspective	: eco-friendly practices in crop

113 **Economical perspective** : increases crop yield, quality and reduces cost
114 of production by efficient use of farm inputs, labour, water etc.

115 **3.0 PRINCIPLES OF PRECISION FARMING**

116 PF is process where a large field is divided into a finite number of sub-fields, allowing
117 variation of inputs in accordance with the data gathered. Ideally this will allow maximization
118 of return on investment, whilst minimizing the associated risks and environmental damage
119 (Profi, 1998). There are number of factors which determine the yield of a particular crop on a
120 particular field, these are:

121 Weather (No control): With a climate as variable and little predictability as to how the season
122 will turn out, the weather may have a profound impact on both quantity and quality of the
123 yield.

124 Soil (Little or no control): The farmer has only limited control over the soil, e.g. he cannot
125 change the inherent fertility of his soil such as the soil structure, water logging, but has some
126 control over fertility, which he can achieve.

127 Husbandry (Full control): The farmer has full control over the husbandry of his crops. He can
128 choose whatever he prefers to plant on his field and how he prefers to treat the individual
129 crops for the conditions he may encounter. He has full control over the methods used, the
130 timing and efficiencies of application.

131 Plant (Full control): The farmer has full control over his crop choices. He can choose a
132 particular crop and for a particular crop he also can choose a particular variety suited to his
133 particular circumstances. For a particular crop he can also choose row spacing and intra row
134 spacing.

135 **4.0 COMPONENTS OF PRECISION AGRICULTURE**

136 **4.1 Information or database**

137 Soil: Soil Texture, Structure, Physical Condition, Soil Moisture; Soil Nutrients, etc.

138 Crop: Plant Population; Crop Tissue Nutrient Status, Crop Stress, Weed patches (weed type
139 and intensity); Insect or fungal infestation (species and intensity), Crop Yield; Harvest Swath
140 Width etc.

141 Climate: Temperature, humidity, rainfall, solar radiation, wind velocity, etc. In-fields
142 variability, spatially or temporally, in soil-related properties, crop characteristics, weed and
143 insect-pest population and harvest data are important databases that need to be developed
144 to realize the potential of precision farming.

145 **4.2 Technology**

146 Technologies include a vast array of tools of hardware, software and equipments. These are

147 **Global Positioning System (GPS) receivers:**

148 GPS provides continuous position information in real time, while in motion. Having precise
149 location information at any time allows soil and crop measurements to be mapped. GPS
150 receivers, either carried to the field or mounted on implements allow users to return to
151 specific locations to sample or treat those areas.

152 **Differential Global Positioning System (DGPS):**

153 A technique to improve GPS accuracy that uses pseudo range errors measured at a known
154 location to improve the measurements made by other GPS receivers within the same
155 general geographic area (figure at bottom). In addition, the accuracy, which is the important
156 factor in PF, demands for DGPS. GPS makes use of a series of military satellites that
157 identify the location of farm equipment within a meter of an actual site in the field. The value
158 of knowing a precise location within inches is that:

159 Locations of soil samples and the laboratory results can be compared to a soil map;
160 Fertilizer and pesticides can be prescribed to fit soil properties (clay and organic matter
161 content) and soil conditions (relief and drainage); Tillage adjustments can be made as one
162 finds various conditions across the field, and one can monitor and record yield data as one
163 goes across the field.

164
165

166 **Geographic information systems (GIS):**

167 Geographic information systems (GIS) are computer hardware and software that use feature
168 attributes and location data to produce maps. An important function of an agricultural GIS is
169 to store layers of information, such as yields, soil survey maps, remotely sensed data, crop
170 scouting reports and soil nutrient levels.

171 **Remote sensing:**

172 It is the collection of data from a distance. Data sensors can simply be hand-held devices,
173 mounted on aircraft or satellite-based. Remotely-sensed data provide a tool for evaluating
174 crop health. Plant stress related to moisture, nutrients, compaction, crop diseases and other
175 plant health concerns are often easily detected in overhead images. Remote sensing can
176 reveal in-season variability that affects crop yield, and can be timely enough to make
177 management decisions that improve profitability for the current crop.

178 Variable Rate Applicator: The variable rate applicator has three components. These includes

- 179 i. Control computer
- 180 ii. Locator and
- 181 iii. Actuator

182 The application map is loaded into a computer mounted on a variable-rate applicator. The
183 computer uses the application map and a GPS receiver to direct a product-delivery controller
184 that changes the amount and/or kind of product, according to the application map, e.g.
185 Combine harvesters with yield monitors. Here Yield monitors continuously measure and
186 record the flow of grain in the clean-grain elevator of a combine. When linked with a GPS
187 receiver, yield monitors can provide data necessary for yield maps.

188 **4.3 Management**

189 **4.3.1 Information management:**

190 The adoption of precision agriculture requires the joint development of management skills
191 and pertinent information databases. A farmer must have clear idea of objectives of
192 precision farming and crucial information necessary to make decisions effectively. Effective
193 information management requires many more than just keeping analysis tools. It requires an
194 entrepreneurial attitude toward education and experimentation.

195 **4.3.2 Decision support system (DSS):**

196 Combination of information and technology into a comprehensive and operational system
197 gives farmers a decision to treat the field. For this purpose, DSS can be developed, utilizing
198 GIS, agronomic, economic and environmental software, to help farmers manage their fields.

199 **4.3.3 Identifying a precision agriculture service provider:**

200 It is also advisable for farmers to consider the availability of custom services when making
201 decisions about adopting precise/site specific crop management. Purchasing the
202 equipments and learning the necessary skills for precision farming is a significant up-front
203 cost that cannot be affordable for many farmers. Therefore, farmers are advised to take
204 services of agricultural service providers or properly trained extension workers for precision
205 agriculture. The most common custom services that precision agriculture service providers
206 offer are intensive soil sampling, mapping and variable rate applications of fertilizer and lime.
207 Equipments required for these operations include a vehicle equipped with a GPS receiver
208 and a field computer for soil sampling, a computer with mapping software and a variable rate
209 applicator for fertilizers and lime. By distributing capital costs for specialized equipment over
210 more land and by using the skills of precision agriculture specialists, custom services can
211 decrease the cost and increase the efficiency of precision agriculture activities.

212 **5.0 STEPS IN PRECISION FARMING**

213 **5.1 Identification and assessment of variability**

214 Grid soil sampling: Grid soil sampling uses the same principles of soil sampling but
215 increases the intensity of sampling compared to the traditional sampling. Soil samples
216 collected in a systematic grid also have location information that allows the data to be
217 mapped. The goal of grid soil sampling is to generate a map of nutrient/water requirement,
218 called an application map.

219 Crop scouting: In-season observations of crop conditions like weed patches (weed type and
220 intensity); insect or fungal infestation (species and intensity); crop tissue nutrient status; also
221 can be helpful later when explaining variations in yield maps.

222 Use of precision technologies for assessing variability: Faster and in real time assessment of
223 variability is possible only through advanced tools of precision agriculture.

224 **5.2 Management of variability**


225 Variable rate application: Grid soil samples are analyzed in the laboratory, and an
226 interpretation of crop input (nutrient/water) needs is made for each soil sample. Then the
227 input application map is plotted using the entire set of soil samples. The input application
228 map is loaded into a computer mounted on a variable-rate input applicator. The computer
229 uses the input application map and a GPS receiver to direct a product-delivery controller that
230 changes the amount and/or kind of input (fertilizer/water), according to the application map.

231 Yield monitoring and mapping: Yield measurements are essential for making sound
232 management decisions. However, soil, landscape and other environmental factors should
233 also be weighed when interpreting a yield map. Used properly, yield information provides
234 important feedback in determining the effects of managed inputs such as fertilizer
235 amendments, seed, pesticides and cultural practices including tillage and irrigation. Since
236 yield measurements from a single year may be heavily influenced by weather, it is always
237 advisable to examine yield data of several years including data from extreme weather years
238 that helps in pinpointing whether the observed yields are due to management or climate-
239 induced.

240 Quantifying on farm variability: Every farm presents a unique management puzzle. Not all
241 the tools described above will help determine the causes of variability in a field, and it would
242 be cost-prohibitive to implement all of them immediately. An incremental approach is a wiser
243 strategy, using one or two of the tools at a time and carefully evaluating the results and then
244 proceeding further.

245 **5.0 INFORMATION LEVELS**

246 There are four levels or stages in the quality of information. The lowest level is data, followed
247 by information, knowledge, and finally wisdom (Fig. 3) (Shibusawa 1999, 2000). The "data-
248 stage" means a mass of signals and numerical values, which have no practical value in
249 themselves. The "information-stage" provides some meaning from a set of data, such as
250 levels of excessive, appropriate or deficient fertilizer use. The "knowledge-stage" implies that
251 the information is individualized in some logical way, which can enable someone to make a
252 decision, such as application guidelines. Information technology tends to be powerful in
253 levels up to the knowledge-stage. Precision farming needs all stages of information in the
254 agricultural production system, and also requires good linkage between the stages. In
255 particular, information technology should be closely linked to farmers.



256
257

Fig. 3: Information level (Shibusawa 1999, 2000)

6.0 SCENARIOS

Developing system technology for precision farming is shown in Fig. 4 (Shibusawa, 1999, 2000). First of all, it is necessary to describe and understand the variability within and between fields. Field sensors with GPS and monitors for machine application make this easier. The next stage is to develop machines, which can be operated by remote control. There are three steps in technology development, and three strategies for precision farming, (Shibusawa 1999, 2000). Step 1 is based on conventional farming technology, with intensive mechanization to reduce the labour input. Step 2 involves the development of mapping techniques, VRT machines, and introductory DSS on the basis of information technology. Step 3 implies the maturity of wisdom-oriented technologies. Scenario 1 is based on a "high-input and high-output" conventional strategy. Scenario 2 has a strategy for "low-input but constant-output", and Scenario 3 aims at "optimized input-output" as the goal of precision farming. Advanced technology levels allow us to choose freely between these three scenarios. Effective regulations will encourage progress in precision farming (Shibusawa, 1999, 2000).




Fig. 4: Development of PF Technologies [Shibusawa 1999, 2000]

7.0 THE NEED FOR PRECISION FARMING IN INDIA.

The 'Green revolution' of 1960's has made our country self sufficient in food production. In 1947, the country produced a little over six million tonnes of wheat, in 1999; our farmers harvested over 72 million tonnes, taking the country to the second position in wheat production in the world. The production of food grains in five decades, has increased more than threefold, the yield during this period has increased more than two folds. All this has been possible due to high input application, like increase in fertilization, irrigation, pesticides, higher use of High Yield Varieties, increase in cropping intensity and increase in mechanization of agriculture (AGROPEDIA 2012).

7.1 Fatigue of Green Revolution

Green revolution of course contributed a lot. However, even with the spectacular growth in the agriculture, the productivity levels of many major crops are far below than expectation. We have not achieved even the lowest level of potential productivity of Indian high yielding varieties, whereas the world's highest productive country have crop yield levels significantly higher than the upper limit of the potential of Indian HYV's. Even the crop yields of India's agriculturally rich state like Punjab is far below than the average yield of many high productive countries.

310 **7.2 Natural Resource Degradation**

311 The green revolution is also associated with negative ecological/environmental
312 consequences. The status of Indian environment shows that, in India, about 182 million ha of
313 the country's total geographical area of 328.7 million ha is affected by land degradation of
314 this 141.33 million ha are due to water erosion, 11.50 million ha due to wind erosion and
315 12.63 and 13.24 million ha are due to water logging and chemical deterioration (salinization
316 and loss of nutrients) respectively. On the other end, India shares 17% of world's population,
317 1% of gross world product, 4% of world carbon emission, 3.6% of CO₂ emission intensity and
318 2% of world forest area. One of the major reasons for this status of environment is the
319 population growth of 2.2% in 1970 – 2000. The Indian status on environment is, though not
320 alarming when compared to developed countries, gives an early warning. In this context,
321 there is a need to convert this green revolution into an evergreen revolution, which will be
322 triggered by farming systems approach that can help to produce more from the available
323 land, water and labour resources, without either ecological or social harm. Since precision
324 farming, proposes to prescribe tailor made management practices, it can help to serve this
325 purpose

326 **8.0 PRECISION FARMING FOR SMALL FARMS IN INDIA**

327 Whether precision farming is feasible for small-scale farms is a leading issue for agricultural
328 scientists and politicians. It should be noted that precision farming is characterized by
329 variable management. A key point in precision farming is understanding variability in the
330 field. There are at least two types of variability. One is within-field variability, the other is
331 between-field or regional variability. Within-field variability focuses on a single field, and the
332 one plant variety being cultivated. Between-field variability considers each field as a unit on a
333 map. Although various researcher has been studied the PF adoptability in large agriculture
334 farms, but the application in small farms is also gaining importance. Asian country like India,
335 Sri Lanka, China, Korea, Bangladesh and others where the average land holding is less than
336 4 ha, substantial improvements takes place towards the adoptability of PF.

337 Agriculture in India has a significant history. Today, India ranks second worldwide in farm
338 output. Agriculture and allied sectors like forestry and fisheries accounted for 16.6% of the
339 GDP in 2009, about 50% of the total workforce (CIA2012). The economic contribution of
340 agriculture to India's GDP is steadily declining with the country's broad-based economic
341 growth. Still, agriculture is demographically the broadest economic sector and plays a
342 significant role in the overall socio-economic fabric of India (Wikipedia).

343 Indian Agriculture is characterized by small and marginal operational holdings. About 85% of
344 total cultivated land has been fragmented into less than 10-hectare land. About 60% of
345 farmland is less than 4 hectare in size. The average size of land holdings is very small (less
346 than 4 hectares) and is subject to fragmentation due to land ceiling acts, and in some cases,
347 family disputes. Such small holdings are often over-manned, resulting in disguised
348 unemployment and low productivity of labour. Some reports claim smallholder farming may
349 not be cause of poor productivity, since the productivity is higher in China and many
350 developing economies even though China smallholder farmers constitute over 97 percent of
351 its farming population (FICCI2012). Chinese smallholder farmer is able to rent his land to
352 larger farmers, China's organized retail and extensive Chinese highways are able to provide
353 the incentive and infrastructure necessary to its farmers for sharp increases in farm
354 productivity. Adoption of modern agricultural practices and use of technology is inadequate,
355 hampered by ignorance of such practices, high costs and impracticality in the case of small
356 land holdings.

357 The general perception is that PA cannot be applied for small-scale farms of developing
358 countries. If only 'hard PA' is considered, this concept is true. Searching for the "appropriate
359 PA technology" for small farms is a real challenge faced by scientists and engineers. A
360 number of options for the application of the PA philosophy in these countries have been
361 discussed by Cook et al. (2003). PA can be implemented through improved agronomic
362 decision making on the same spatial scale by increasing the number of decisions per unit

time and by using some DSS tool (Mcbratney et al., 2005). Some low cost and low technology tools may be proved to be useful for small farms of developing countries. The chlorophyll meter (SPAD) and leaf color chart (LCC) are simple, portable diagnostic tools that can be used for in situ measurement of the crop N status in rice fields to determine the timing of N top dressing, which is very useful for developing countries. On-farm adaptive research is in progress in three countries to adapt the chlorophyll meter technique for transplanted and wet-seeded rice, local cultivar groups, soil, crop, and for environmental conditions. The LCC is not as accurate as the chlorophyll meter in determining the site-specific leaf N status in rice crops (Balasubramanian et al., 1999). Initial feedbacks on the use of LCC from farmer cooperatives in Philippines, Indonesia, Vietnam, Bangladesh, India, etc. are highly encouraging. A standardized four panel LCC was produced and more than 250,000 units were distributed in different Asian countries until the end of 2006 (Fairhurst et al., 2007). Applications of GIS to small farms have started. The old saying "Better information gives better decisions" is very true for GIS. GIS is currently being adapted for use on small Asian farms, in Japan, the Republic of Korea and in the Taiwan Province of China, where government programs are developing the use of web-based GIS systems. The concept is to encourage farmers to use the Internet and to obtain free information on the soil properties of their farms, including soil fertility and nutrient levels. In Indonesia, GIS is being used to re-evaluate appropriate agricultural land use. The system can be used to identify which areas are suitable for arable land, and it is also used to identify the best crop for a particular region (Mondal and Basu, 2009).

9.0 SOME CASE STUDIES

9.1 Tata Kisan Kendra(TKK)

TKK was the initiative of the Tata Group under the auspices of Tata Chemicals (TCL's) to harness the technological proves for solving India's social and economical problems. The concept of precision farming being implemented by the TKKs has the potential to catapult rural India from the bullock-cartage into the new era of satellites and IT. TCL's extension services, brought to farmers through the TKKs, use remote-sensing technology to analyze soil, inform about crop health, pest attacks and coverage of various crops predicting the final output. This helps farmers adapt quickly to changing conditions. The result: healthier crops, higher yields and enhanced incomes for farmers. One of the biggest worries for small farmers in India is finance. The kendras take care of this need too. Farmers can get credit, insure their crops against natural disasters, and even avail of buyback facilities (AGROPEDIA2012).

9.2TAMIL NADU PRECISION FARMING PROJECT

Precision Farming Project was started in Tamil Nadu during 2004-05. It was implemented initially in 250 acres in 2004-05, 500 acres in 2005-06 and 250 acres in 2006-07. Government of Tamil Nadu had assigned this task to Tamil Nadu Agricultural University. With financial grant for installation of drip irrigation and crop production. Five crops had been taken up by the farmers in 3 years. In the first year, farmers were not ready to accept this project initially because of their frustration in Agriculture due to continuous drought in that area for 4 years since 2002. But after seeing the success of the first 100 farmers and high market rate of the produce from this scheme, farmers started registering in large numbers (PF2012).

Technologies: Satellite based Soil Maps- Fertilizer application and soil management based on the Satellite based Soil Maps. This technology helped in identifying the exact nutrient status of the particular area soil.

Chisel ploughing: Due to the usage of tractor for many years and flood irrigation practices, the upper layer of the soil has become hard up to 45 cm. It affects the proper drainage and aeration of soil Chisel ploughing help overcoming this problem. It is recommended yearly two times. A typical chisel ploughing has shown in Fig.5



Fig. 5: Chisel ploughing (PF2012)

Drip Irrigation: Precise and regulated application of irrigation water and plant nutrients at low pressure and frequent intervals through drippers/emitters directly into the root zone of plant with the help of close network of pipes is known as drip irrigation system as shown in Fig.6. Here in this project drip laterals were installed in a spacing of 1.5 x 0.6 m. to achieve many advantages like Reduced water and fertilizer requirement per acre, Less weed infestation due to the dryness of the top soil, Reduced flower and fruit drop due to proper moisture maintenance and soil aeration, Less infestation of disease and pests due to the maintenance of relative humidity less than 60 per cent, 40 per cent increased aeration helps increased root growth.

Advantages of Drip Irrigation:

- Increase in production & productivity.
- Improves quality and ensure early maturity of the crops.
- Water Saving up to 40% - 70%.
- Controls weed growth, saving of fertilizer (30%) and labour cost (10%).
- Fertigation / Chemigation can be made efficiently.
- Control diseases.
- Use of saline water is possible.
- Soil erosion is eliminated.
- Suitable for uneven / undulating land.



Fig. 6 Drip Irrigation installed (PF2012)

Community nursery with Pest & Disease control: Community nurseries were developed by the precision farmers with the precision agriculture concept to produce 100% healthy vegetable seedlings. A common type of community nursery is shown in Fig.7. Precaution measures based on the climatic conditions and need based application of pesticides and fungicides helped in reducing the one third of expenses.



Fig. 7 Community nursery (PF2012)

Precision Farmers Association: Precision Farmers Association were formed as a part of the project activities by adding every 25 to 30 beneficial farmers jointly to look into the in various activities like, negotiation of the inputs purchase with the agro traders, discussing the possibilities of contract farming of vegetables, Visiting various markets and getting the market information, sharing farming experience with fellow members, sharing their precision farming experience with farmers coming from other districts of Tamil Nadu. These results in good quality produce from Precision Farming areas with maximum profits.

10.0 DGPS NETWORK

As a first step towards operationalization of PF, it is necessary to establish a DGPS infrastructure for the country. It would enable the farmers to get an accuracy of few centimeters in the various unit processes (sowing, fertilizer application, herbicide- pesticide application etc.) involved in PF. A DGPS network would cater to the needs of multitude of applications (Meteorology, Transportation, Geodetic survey, Crustal Deformation studies, Disaster management and mitigation, etc.) of which PF is one. Each DGPS master reference is capable of providing the services within a radius of 100-kilometer radius. Hence, the number of master stations required to establish the DGPS infrastructure, which would cover the entire country, is calculated. This can be calculated as follows (only a random calculation) (Mishra et al., 2003)

Area of India	= 329 million hectares.
Area of GPS (circular area, PI = 3.14)	= $PI * (100)^2$ sq. km. = 31400 sq. km. = 3.14 million hectares
Total no. of GPS reference stations required for the country	= $329/3.14$
Total GPS reference stations required	= 105
Cost of a single DGPS set	= Rs. 3 lakhs
Total cost of the entire infrastructure	= Rs. 3.15 crores

This is affordable by any means for a country as a whole considering the innumerable applications it can cater. A simple assumed cost benefit analysis is carried out for precision farming, which is given below.

11.0 COST BENEFIT ANALYSIS

The real value for the farmer is that he can adjust seeding rates, plan more accurate crop protection programs, perform more timely tillage and know the yield variation within a field. These benefits will enhance the overall cost effectiveness of his crop production. Since the country is going to spend the amount, the GDP is considered rather than the farmer's personal income. Hence the cost-benefit analysis of the present project is

GDP of India for 1993	= \$ 250.97 billion (FAO yearbook, 1994)
GDP in Indian Rupees	= Rs. 12,924.955 billion
Amount spent for R&D	= 0.3% of GDP = Rs. 38.775 billion
Cost-Benefit Analysis	= 38.775 billion/315 million = 12,309

Thus, it is proved that there is an enormous benefit in implementing the DGPS network, which would further pave the way for Precision Farming ((Mishra et al., 2003).

12.0 CONCLUSIONS

The interest in precision farming (PF) and its introduction has resulted in a gap between the technological capabilities and scientific understanding of the relationship between the input supplies and output products. Development of PF has been largely market-driven, but its future growth needs collaboration between private and public sectors. The potential of this technology has already been demonstrated, but in practice, meaningful delivery is difficult as it needs large scale commercial application to realize the benefits. The main objective of PF is to optimize yield with minimum input and reduced environmental pollution. The scenario, status and strategies for the adoption of PF in small farm in India have been discussed. Some typical case studies from India has also presented. PA is facilitating the prospects and scope for switching over to modern agriculture leaving the traditional one by utilizing right resources in right time and management, which results an environment friendly sustainable agriculture.

13.0 REFERENCES

- [NCPAH2012] Precision Farming. <http://www.ncpahindia.com/v2/precision-farming>, Online access 25.06.2012
- [AGROPEDIA2012] Some successful examples of private sector initiative in Uttarakhand (Part-III), <http://agropedia.iitk.ac.in/?q=node/4550>, Online access 25.06.2012.
- [CIA2012] CIA Fact book: India. Central Intelligence Agency. <https://www.cia.gov/library/publications/the-world-factbook/geos/in.html>, Online access 25.06.2012
- [Wikipedia] Agriculture in India. http://en.wikipedia.org/wiki/Agriculture_in_India Online access 25.06.2012
- [FICCI2012] Agriculture overview. <http://www.ficci-b2b.com/sector-overview-pdf/Sector-agri.pdf>, Online access 26.5.2012.
- [AGROPEDIA2012] Tata Kisan Sansar. <http://agropedia.iitk.ac.in/?q=node/4550>, Online access on 25.06.2012.
- [PF2012] PRECISION FARMING — India Development Gateway. <http://www.indg.in/agriculture/agricultural-best-practices/precision-farming>, Online access on 27.06.2012.
- Balasubramanian V, Morales AC, Cruz RT., (1999). On-farm adaptation of knowledge-intensive nitrogen management technologies for rice systems. *Nutrient Cycles and Agroecosystems*;53(1):59–69.
- Cook SE, O'Brien R, Corner RJ., (2003). Is precision agriculture relevant to developing countries. *Proceedings of the 4th European conference on precision agriculture*, vol. 115–119. The Netherlands: Wageningen Academic Publishers.
- Fairhurst TH, Witt C, Buresh RJ., (2007). *Rice: a practical guide to nutrient management*. 2nd ed. Philippines: IRRI Publication; p. 1–136.
- Mandal Subrata Kumar and Atanu Maity. (2006), *Precision farming approaches for small-farm agriculture: Scope and Prospect*. In proceeding, Map India 2006, New Delhi.
- Markus Ehrl, Markus R. Demmel, Hermann Auernhammer, Werner V. Stempfhuber, Wolfgang Maurer, Thomas Wunderlich. (2002). *Spatio-Temporal Quality of Precision Farming Applications*. Presentation at the 2002 ASAE Annual International Meeting / CIGR XVth World Congress Chicago, Illinois, USA July 28-July 31, 2002.

520 Mcbratney Alex, Brett Whelan and Tihomir Ancev., (2005). Future Directions of Precision
 521 Agriculture, *Precision Agriculture*, 6, 7–23.
 522 Mishra Ashish, P Chidambara Raj, D.Balaji., (2003). Operationalization of Precision Farming
 523 in India. In proceeding, *Map India 2006*, New Delhi.
 524 Mondal P., V.K. Tewari, P.N. Rao, R.B. Verma and M. Basu. (2004). Scope for Precision
 525 Agriculture in India. In *Proceedings of the International Conference*. IIT Kharagpur, India.
 526 Mondal Pinaki and Manisha Basu., (2009). Adoption of precision agriculture technologies in
 527 India and in some developing countries: Scope, present status and strategies. *Progress in*
 528 *Natural Science* 19 (2009) 659–666.
 529 National Research Council (NRC). (1997). *Precision Agriculture in the 21st Century*.
 530 *Committee on Assessing Crop Yield: Site- Specific Farming, Information Systems, and*
 531 *Research Opportunities*. National Academy Press, Washington DC., USA, 149 p.
 532 Nobutaka Ito. (2002). Precision Farming and its Potentiality- Innovative Frontier Technology
 533 for Agriculture. Presentation at The International Forum of Frontier Technology for the
 534 Potential Collaboration with Kasetsart University, Thailand at the ceremony of The 60th
 535 anniversary of university foundation and presented at The 9th Tri-University International
 536 Joint Seminar & Symposium hosted by Jiangsu University.
 537 Profi: Es läuft, aber mehr eckig als rund, Profi, January 1998.
 538 Shibusawa, S. (1999). "Environmentally friendly agriculture and mechanization trend in
 539 Japan: Prospects of precision farming in Japan". *Proc. International Symposium on Farm*
 540 *Mechanization for Environmentally- Friendly Agriculture*, Seoul, Republic of Korea. The
 541 Korean Society for Agricultural Machinery, pp. 53-80.
 542 Shibusawa, S., (2000). "Precision farming approaches for model and control". *Proceedings*
 543 *of the XIV Memorial CIGR World Congress*, Nov. 28-Dec. 1, Tsukuba, Japan, pp. 133-141.
 544 Shibusawa, Sakae. (2002). *FFTC Technical Bulletin* 160, August.
 545 SKSY-farm. (1999). *Opportunities for precision farming in Europe: Updated report* 126 p.
 546 U.K. Shanwad, V.C. Patil, H. Honne Gowda. (2004). "Precision Farming: Dreams and
 547 Realities for Indian Agriculture" . In *Proceeding of MAP India*, February 7-9, New Delhi,
 548 India.
 549 Walker, Derek: *Great Engineers*, Academy Editions, London, 1987.
 550