

Precision Farming for Small Agricultural Farm: Indian scenario

Subrata kr Mandal^{1*}, Atanu Maity²

¹Senior Scientist, CSIR-Central Mechanical Engineering Research Institute, M G Avenue,
Durgapur, West Bengal, India

²Principal Scientist, CSIR-Central Mechanical Engineering Research Institute, M G Avenue,
Durgapur, West Bengal, India

ABSTRACT

Aims: Precision farming becomes more and more an accepted way of crop production and helps to achieve a sustainable environmental friendly agriculture. Furthermore, growing interest in automated data acquisition and information processing is going to form another milestone towards improved farm management and an overall trace ability in agricultural food production. The benefit and effectiveness of using precision farming techniques is highly dependent on the capabilities of the utilized technology.

Study design: The study was design based on the available report and hence it was decided to design the research work so as to collect maximum information including case studies.

Place and Duration of Study: The study was undertaken at our Institute i.e. CSIR-Central Mechanical Engineering Research Institute, Durgapur, India during the period Aug. 2011 to Feb. 2012.

Methodology: This research is basically focused on the work done so far on the subject precision farming for small agricultural farm. Accordingly work was reviewed and consolidated points are discussed in this paper in the subsequent sections.

Results: Precision farming provides a new solution using a systems approach for today's agricultural issues, namely the need to balance productivity with environmental concerns. Precision farming aims at increased economic returns, as well as reducing the energy input and the environmental impact of agriculture.

Conclusion: The potential of this technology has already been demonstrated, but in practice, meaningful delivery is difficult as it needs large scale commercial application to realize the benefits. PA is facilitating the prospects and scope for switching over to modern agriculture leaving the traditional one by utilizing right resources in right time and management, which results an environment friendly sustainable agriculture.

Keywords: [Precision Agriculture (PA), Precision Farming (PF) remote sensing, spatial variability]

1.0 INTRODUCTION

Precision farming provides a new solution using a systems approach for today's agricultural issues such as the need to balance productivity with environmental concerns. **It is based on the implementation of advanced information technologies.** It includes describing and modeling variation in soils and plant species, and integrating agricultural practices to meet site-specific requirements. It aims at increased economic returns, as well as at reducing the energy input and the environmental impact of agriculture (Shibusawa, 2002).

Precision Farming Technology can cover a huge scale of farm land by the support of using satellite. Farm field considered is divided into many small meshes and the various data for each mesh such as soil fertility, moisture content, yield, and etc. are measured, collected and installed as the database in geographical information system (GIS). Global positioning system (GPS) is also used to identify the exact location of both machines and farm field for giving the suitable treatment and operation to meet the condition obtained as the database in geographical information system (GIS). As the various kinds of operation can be given based on the data obtained from the measurement, more precise control and necessary

treatments such as fertilizer, herbicide and pesticide applications are applied timely to a each area of mesh accurately with suitable amount. This farming method leads not only to the saving of material resources and energy in operation, but also to the control to jeopardize the environment (Nobutaka, 2002).

Though widely adopted in developed countries, the adoption of precision farming in India is yet to take a firm ground primarily due to its unique pattern of land holdings, poor infrastructure, lack of farmers' inclination to take risk, socio-economic and demographic conditions. The aim of this paper is to provide information related to precision farming with some measures for the implementation of this novel technique in the country particularly for the small scale farm and presentation of some successful case studies.




Fig. 1: Concept of Precision Farming (Mandal and Maity, 2006)

2.0 WHAT IS PRECISION FARMING?

Precision farming or precision agriculture is about doing the right thing, in the right place, in the right way, at the right time. It's site specific farming. Precision Farming is a process where a large field is divided into a finite number of subfields, allowing variation of inputs in accordance with the data gathered. Ideally this will allow maximization of return on investment, whilst minimizing the associated risks and environmental damage. The intent of precision farming is to match agricultural inputs and practices as per crop and agro-climatic conditions to improve the accuracy of their applications (NCPAH2012).

Precision Farming or Precision Agriculture is a concept of using the new technologies and collected field information. Precision Farming provides farmers with a tool to apply fertilizer according to the need of a particular sub-field, and no longer based on the average of the field. The savings made with this variable application can be fairly large. It has been found from the literature that average Nitrogen application can be reduce from an average of 220kg/ha to an average of 160kg/ha, without affecting yield.

The term "Precision Farming" or "Precision Agriculture" offers the promise of increasing productivity, while decreasing production costs and minimizing the environmental impact of farming (NRC 1997, SKY-Farm 1999).

The term "Precision Farming" or "Precision Agriculture" is capturing the imagination of many people concerned with the production of food, feed, and fiber. It offers the promise of increasing productivity, while decreasing production costs and minimizing the environmental impact of farming (NRC 1997, SKY-Farm 1999).

Precision agriculture concept is spreading rapidly in developed countries as a tool to fight the challenge of agricultural sustainability. From centuries Indian farms are experiencing some sort of soft precision agriculture technology. But to meet the huge food grain requirement of 480 million tones (Mt) by the year 2050, with increasing challenge of biotic and abiotic stresses experienced by crops, introduction and adoption of modern technology in Indian agriculture is inevitable (Mondal et al. 2004).

Precision farming becomes more and more an accepted way of crop production and helps to achieve a sustainable environmental friendly agriculture. The objectives of site-specific farming are increasing yields, together with decreasing environmental impacts. Furthermore, growing interest in automated data acquisition and information processing is going to form

another milestone towards improved farm management and an overall trace ability in agricultural food production. The benefit and effectiveness of using precision farming techniques is highly dependent on the capabilities of the utilized technology (Markus *et al.*, 2002).

In other way Precision Agriculture (PA) can loosely be defined as the application of technologies and principles to manage spatial and temporal variability associated with all aspects of agricultural production for improving production and environmental quality. Simply put, precision agriculture can help farmers improve their margins by decreasing their operating costs. The biggest benefit of precision farming is that it gives producers the ability to manage their farm on a production zone basis rather than a whole field basis. This shift allows farmers to save time and money and helps them offset the rising cost of chemicals, nutrients, fuel and fertilizer.

Precision Agriculture is the application of technologies and principles to manage spatial and temporal variability associated with all aspects of agricultural production for improving production and environmental quality. The success in precision agriculture depends on the accurate assessment of the variability, its management and evaluation in space-time continuum in crop production. The agronomic feasibility of precision agriculture has been intuitive, depending largely on the application of traditional arrangement recommendations at finer scales. The agronomic success of precision agriculture has been quite convincing in crops like sugar beet, sugarcane, tea and coffee. The potential for economic, environmental and social benefits of precision agriculture is largely unrealized because the space-time continuum of crop production has not been adequately addressed. (Patil *et al.*, 2004)

Precision Agriculture may help any farmer, be it a manager of a “megafarm” in Europe or a small farmer in Africa, to do better than that which is being done already. This perspective, which starts with the tacit knowledge of a farmer, should be helpful as it appeals, in principle, to politicians, farmers and interested citizens alike (McBratney *et al.* 2005). Fig. 2 describes the basic concept of precision agriculture along with the main application areas like precision dairying, site specific crop management which is one of the major objective for the PA. Again site specific crop management offers precision management and GPS controlled trafficking.




Fig. 2: Precision Agriculture and its application areas

2.1 Why Precision Farming?

- To enhance productivity in agriculture.
- Prevents soil degradation in cultivable land.
- Reduction of chemical use in crop production
- Efficient use of water resources
- Dissemination of modern farm practices to improve quality, quantity & reduced cost of production in agricultural crops

2.2 Advantages:

Agronomical perspective : Use agronomical practices by looking at specific requirements of crop

Technical perspective : allows efficient time management

111 **Environmental perspective** : eco-friendly practices in crop
112 **Economical perspective** : increases crop yield, quality and reduces cost
113 of production by efficient use of farm inputs, labour, water etc.

114 **3.0 PRECISION FARMING PROCESS**

115 PF is a process where a large field is divided into a finite number of sub-fields, allowing
116 variation of inputs in accordance with the data gathered. Ideally this will allow maximization
117 of return on investment, whilst minimizing the associated risks and environmental damage
118 (Profi, 1998). There are number of factors which determine the yield of a particular crop on a
119 particular field, these are:

120 Weather (No control): With a climate as variable and little predictability as to how the season
121 will turn out, the weather may have a profound impact on both quantity and quality of the
122 yield.

123 Soil (Little or no control): The farmer has only limited control over the soil, e.g. he cannot
124 change the inherent fertility of his soil such as the soil structure, water logging, but has some
125 control over fertility, which he can achieve.

126 Husbandry (Full control): The farmer has full control over the husbandry of his crops. He can
127 choose whatever he prefers to plant on his field and how he prefers to treat the individual
128 crops for the conditions he may encounter. He has full control over the methods used, the
129 timing and efficiencies of application.

130 Plant (Full control): The farmer has full control over his crop choices. He can choose a
131 particular crop and for a particular crop he also can choose a particular variety suited to his
132 particular circumstances. For a particular crop he can also choose row spacing and intra row
133 spacing.

134 **4.0 COMPONENTS OF PRECISION AGRICULTURE**

135 **4.1 Information or database**

136 Soil: Soil Texture, Structure, Physical Condition, Soil Moisture; Soil Nutrients, etc.

137 Crop: Plant Population; Crop Tissue Nutrient Status, Crop Stress, Weed patches (weed type
138 and intensity); Insect or fungal infestation (species and intensity), Crop Yield; Harvest Swath
139 Width etc.

140 Climate: Temperature, humidity, rainfall, solar radiation, wind velocity, etc. In-fields
141 variability, spatially or temporally, in soil-related properties, crop characteristics, weed and
142 insect-pest population and harvest data are important databases that need to be developed
143 to realize the potential of precision farming.

144 **4.2 Technology**

145 Technologies include a vast array of tools of hardware, software and equipments. These are

146 **4.2.1 Global Positioning System (GPS) receivers:**

147 GPS provides continuous position information in real time, while in motion. Having precise
148 location information at any time allows soil and crop measurements to be mapped. GPS
149 receivers, either carried to the field or mounted on implements allow users to return to
150 specific locations to sample or treat those areas.

151 **4.2.2 Differential Global Positioning System (DGPS):**

152 A technique to improve GPS accuracy that uses pseudo range errors measured at a known
153 location to improve the measurements made by other GPS receivers within the same
154 general geographic area (figure at bottom). In addition, the accuracy, which is the important
155 factor in PF, demands for DGPS. GPS makes use of a series of military satellites that
156 identify the location of farm equipment within a meter of an actual site in the field. The value
157 of knowing a precise location within inches is that:

158 Locations of soil samples and the laboratory results can be compared to a soil map;
159 Fertilizer and pesticides can be prescribed to fit soil properties (clay and organic matter
160 content) and soil conditions (relief and drainage); Tillage adjustments can be made as one
161 finds various conditions across the field, and one can monitor and record yield data as one
162 goes across the field.

163 **4.2.3 Geographic information systems (GIS):**

164 Geographic information systems (GIS) are computer hardware and software that use feature
165 attributes and location data to produce maps. An important function of an agricultural GIS is
166 to store layers of information, such as yields, soil survey maps, remotely sensed data, crop
167 scouting reports and soil nutrient levels.

168 **4.2.4 Remote sensing:**

169 It is the collection of data from a distance. Data sensors can simply be hand-held devices,
170 mounted on aircraft or satellite-based. Remotely-sensed data provide a tool for evaluating
171 crop health. Plant stress related to moisture, nutrients, compaction, crop diseases and other
172 plant health concerns are often easily detected in overhead images. Remote sensing can
173 reveal in-season variability that affects crop yield, and can be timely enough to make
174 management decisions that improve profitability for the current crop.

175 Variable Rate Applicator: The variable rate applicator has three components. These includes

- 176 i. Control computer
- 177 ii. Locator and
- 178 iii. Actuator

179 The application map is loaded into a computer mounted on a variable-rate applicator. The
180 computer uses the application map and a GPS receiver to direct a product-delivery controller
181 that changes the amount and/or kind of product, according to the application map, e.g.
182 Combine harvesters with yield monitors. Here Yield monitors continuously measure and
183 record the flow of grain in the clean-grain elevator of a combine. When linked with a GPS
184 receiver, yield monitors can provide data necessary for yield maps.

185 **5.0 STEPS IN PRECISION FARMING**

186 **5.1 Identification and assessment of variability**

187 Grid soil sampling: Grid soil sampling uses the same principles of soil sampling but
188 increases the intensity of sampling compared to the traditional sampling. Soil samples
189 collected in a systematic grid also have location information that allows the data to be
190 mapped. The goal of grid soil sampling is to generate a map of nutrient/water requirement,
191 called an application map.

192 Crop scouting: In-season observations of crop conditions like weed patches (weed type and
193 intensity); insect or fungal infestation (species and intensity); crop tissue nutrient status; also
194 can be helpful later when explaining variations in yield maps.

195 Use of precision technologies for assessing variability: Faster and in real time assessment of
196 variability is possible only through advanced tools of precision agriculture.

197 **5.2 Management of variability**

198 Variable rate application: Grid soil samples are analyzed in the laboratory, and an
199 interpretation of crop input (nutrient/water) needs is made for each soil sample. Then the
200 input application map is plotted using the entire set of soil samples. The input application
201 map is loaded into a computer mounted on a variable-rate input applicator. The computer
202 uses the input application map and a GPS receiver to direct a product-delivery controller that
203 changes the amount and/or kind of input (fertilizer/water), according to the application map.

204 Yield monitoring and mapping: Yield measurements are essential for making sound
205 management decisions. However, soil, landscape and other environmental factors should
206 also be weighed when interpreting a yield map. Used properly, yield information provides
207 important feedback in determining the effects of managed inputs such as fertilizer
208 amendments, seed, pesticides and cultural practices including tillage and irrigation. Since
209 yield measurements from a single year may be heavily influenced by weather, it is always
210 advisable to examine yield data of several years including data from extreme weather years
211 that helps in pinpointing whether the observed yields are due to management or climate-
212 induced.

213 Quantifying on farm variability: Every farm presents a unique management puzzle. Not all
214 the tools described above will help determine the causes of variability in a field, and it would
215 be cost-prohibitive to implement all of them immediately. An incremental approach is a wiser

strategy, using one or two of the tools at a time and carefully evaluating the results and then proceeding further.

6.0 INFORMATION LEVELS

There are four levels or stages in the quality of information. The lowest level is data, followed by information, knowledge, and finally wisdom (Fig. 3) (Shibusawa 1999, 2000). The "data-stage" means a mass of signals and numerical values, which have no practical value in themselves. The "information-stage" provides some meaning from a set of data, such as levels of excessive, appropriate or deficient fertilizer use. The "knowledge-stage" implies that the information is individualized in some logical way, which can enable someone to make a decision, such as application guidelines. Information technology tends to be powerful in levels up to the knowledge-stage. Precision farming needs all stages of information in the agricultural production system, and also requires good linkage between the stages. In particular, information technology should be closely linked to farmers.




Fig. 3: Information level (Shibusawa 1999, 2000)

7.0 SCENARIOS

Developing system technology for precision farming is shown in Fig. 4 (Shibusawa, 1999, 2000). First of all, it is necessary to describe and understand the variability within and between fields. Field sensors with GPS and monitors for machine application make this easier. The next stage is to develop machines, which can be operated by remote control. There are three steps in technology development, and three strategies for precision farming, (Shibusawa 1999, 2000). Step 1 is based on conventional farming technology, with intensive mechanization to reduce the labour input. Step 2 involves the development of mapping techniques, VRT machines, and introductory DSS on the basis of information technology. Step 3 implies the maturity of wisdom-oriented technologies. Scenario 1 is based on a "high-input and high-output" conventional strategy. Scenario 2 has a strategy for "low-input but constant-output", and Scenario 3 aims at "optimized input-output" as the goal of precision farming. Advanced technology levels allow us to choose freely between these three scenarios. Effective regulations will encourage progress in precision farming (Shibusawa, 1999, 2000).




Fig. 4: Development of PF Technologies [Shibusawa 1999, 2000]

8.0 THE NEED FOR PRECISION FARMING IN INDIA.

The 'Green revolution' of 1960's has made India self sufficient in food production. In 1947, India produced a little over six million tonnes of wheat, in 1999 Indian farmers harvested over 72 million tonnes, taking the country to the second position in wheat production in the world. The production of food grains in five decades, has increased more than threefold, the yield during this period has increased more than two folds. All this has been possible due to high input application, like increase in fertilization, irrigation, pesticides, higher use of High Yield Varieties, increase in cropping intensity and increase in mechanization of agriculture (AGROPEDIA 2012).

8.1 Fatigue of Green Revolution

Green revolution of course contributed a lot. However, even with the spectacular growth in the agriculture, the productivity levels of many major crops are far below than expectation. We have not achieved even the lowest level of potential productivity of Indian high yielding varieties, whereas the world's highest productive country have crop yield levels significantly higher than the upper limit of the potential of Indian HYV's. Even the crop yields of India's agriculturally rich state like Punjab is far below than the average yield of many high productive countries.

8.2 Natural Resource Degradation

The green revolution is also associated with negative ecological/environmental consequences. The status of Indian environment shows that, in India, about 182 million ha of the country's total geographical area of 328.7 million ha is affected by land degradation of this 141.33 million ha are due to water erosion, 11.50 million ha due to wind erosion and 12.63 and 13.24 million ha are due to water logging and chemical deterioration (salinization and loss of nutrients) respectively. On the other end, India shares 17% of world's population, 1% of gross world product, 4% of world carbon emission, 3.6% of CO₂ emission intensity and 2% of world forest area. One of the major reasons for this status of environment is the population growth of 2.2% in 1970 – 2000. The Indian status on environment is, though not alarming when compared to developed countries, gives an early warning. In this context, there is a need to convert this green revolution into an evergreen revolution, which will be triggered by farming systems approach that can help to produce more from the available land, water and labour resources, without either ecological or social harm. Since precision farming, proposes to prescribe tailor made management practices, it can help to serve this purpose

9.0 FARMING SYSTEM IN INDIA (SMALL SCALE)

Whether precision farming is feasible for small-scale farms is a leading issue for agricultural scientists and politicians. It should be noted that precision farming is characterized by variable management. A key point in precision farming is understanding variability in the field. There are at least two types of variability. One is within-field variability, the other is between-field or regional variability. Within-field variability focuses on a single field, and the one plant variety being cultivated. Between-field variability considers each field as a unit on a map. Although various researcher has been studied the PF adoptability in large agriculture farms, but the application in small farms is also gaining importance. Asian country like India, Sri Lanka, China, Korea, Bangladesh and others where the average land holding is less than 4 ha, substantial improvements takes place towards the adoptability of PF.

Indian Agriculture is characterized by small and marginal operational holdings. About 85% of total cultivated land has been fragmented into less than 10-hectare land. About 60% of farmland is less than 4 hectare in size. The average size of land holdings is very small (less than 4 hectares) and is subject to fragmentation due to land ceiling acts, and in some cases, family disputes. Such small holdings are often over-manned, resulting in disguised unemployment and low productivity of labour. Some reports claim smallholder farming may not be cause of poor productivity, since the productivity is higher in China and many developing economies even though China smallholder farmers constitute over 97 percent of

its farming population (FICCI2012). Chinese smallholder farmer is able to rent his land to larger farmers, China's organized retail and extensive Chinese highways are able to provide the incentive and infrastructure necessary to its farmers for sharp increases in farm productivity. Adoption of modern agricultural practices and use of technology is inadequate, hampered by ignorance of such practices, high costs and impracticality in the case of small land holdings.

The general perception is that PF cannot be applied for small-scale farms of developing countries. If only 'hard PF' is considered, this concept is true. Searching for the "appropriate PA technology" for small farms is a real challenge faced by scientists and engineers. A number of options for the application of the PF philosophy in these countries have been discussed by Cook et al. (2003). PF can be implemented through improved agronomic decision making on the same spatial scale by increasing the number of decisions per unit time and by using some DSS tool (Mcbratney et al., 2005). Some low cost and low technology tools may be proved to be useful for small farms of developing countries. The chlorophyll meter (SPAD) and leaf color chart (LCC) are simple, portable diagnostic tools that can be used for in situ measurement of the crop N status in rice fields to determine the timing of N top dressing, which is very useful for developing countries. On-farm adaptive research is in progress in three countries to adapt the chlorophyll meter technique for transplanted and wet-seeded rice, local cultivar groups, soil, crop, and for environmental conditions. The LCC is not as accurate as the chlorophyll meter in determining the site-specific leaf N status in rice crops (Balasubramanian et al., 1999). Initial feedbacks on the use of LCC from farmer cooperatives in Philippines, Indonesia, Vietnam, Bangladesh, India, etc. are highly encouraging. A standardized four panel LCC was produced and more than 250,000 units were distributed in different Asian countries until the end of 2006 (Fairhurst et al., 2007). Applications of GIS to small farms have started. The old saying "Better information gives better decisions" is very true for GIS. GIS is currently being adapted for use on small Asian farms, in Japan, the Republic of Korea and in the Taiwan Province of China, where government programs are developing the use of web-based GIS systems. The concept is to encourage farmers to use the Internet and to obtain free information on the soil properties of their farms, including soil fertility and nutrient levels. In Indonesia, GIS is being used to re-evaluate appropriate agricultural land use. The system can be used to identify which areas are suitable for arable land, and it is also used to identify the best crop for a particular region (Mondal and Basu, 2009).

10.0 SUCCESSFULLY IMPLEMENTED PF IN INDIA

10.1 Tata Kisan Kendra(TKK)

TKK was the initiative of the Tata Group under the auspices of Tata Chemicals (TCL's) to harness the technological proves for solving India's social and economical problems. The concept of precision farming being implemented by the TKKs has the potential to catapult rural India from the bullock-cartage into the new era of satellites and IT. TCL's extension services, brought to farmers through the TKKs, use remote-sensing technology to analyze soil, inform about crop health, pest attacks and coverage of various crops predicting the final output. This helps farmers adapt quickly to changing conditions. The result: healthier crops, higher yields and enhanced incomes for farmers. One of the biggest worries for small farmers in India is finance. The kendras take care of this need too. Farmers can get credit, insure their crops against natural disasters, and even avail of buyback facilities (AGROPEDIA2012).

10.2 TAMIL NADU PRECISION FARMING PROJECT

Precision Farming Project was started in Tamil Nadu during 2004-05. It was implemented initially in 250 acres in 2004-05, 500 acres in 2005-06 and 250 acres in 2006-07. Government of Tamil Nadu had assigned this task to Tamil Nadu Agricultural University. With financial grant for installation of drip irrigation and crop production. Five crops had been taken up by the farmers in 3 years. In the first year, farmers were not ready to accept this project initially because of their frustration in Agriculture due to continuous drought in that

361 area for 4 years since 2002. But after seeing the success of the first 100 farmers and high
362 market rate of the produce from this scheme, farmers started registering in large numbers
363 (PF2012).

364 Drip Irrigation: Precise and regulated application of irrigation water and plant nutrients at low
365 pressure and frequent intervals through drippers/emitters directly into the root zone of plant
366 with the help of close network of pipes is known as drip irrigation system as shown in Fig.5.
367 Here in this project drip laterals were installed in a spacing of 1.5 x 0.6 m. to achieve many
368 advantages like Reduced water and fertilizer requirement per acre, Less weed infestation
369 due to the dryness of the top soil, Reduced flower and fruit drop due to proper moisture
370 maintenance and soil aeration, Less infestation of disease and pests due to the maintenance
371 of relative humidity less than 60 per cent, 40 per cent increased aeration helps increased
372 root growth.

373 Advantages of Drip Irrigation:

- 374 • Increase in production & productivity.
- 375 • Improves quality and ensure early maturity of the crops.
- 376 • Water Saving up to 40% - 70%.
- 377 • Controls weed growth, saving of fertilizer (30%) and labour cost (10%).
- 378 • Fertigation / Chemigation can be made efficiently.
- 379 • Control diseases.
- 380 • Use of saline water is possible.
- 381 • Soil erosion is eliminated.
- 382 • Suitable for uneven / undulating land.



383
384 **Fig. 5 Drip Irrigation installed (PF2012)**

385 Community nursery with Pest & Disease control: Community nurseries were developed by
386 the precision farmers with the precision agriculture concept to produce 100% healthy
387 vegetable seedlings. A common type of community nursery is shown in Fig.6. Precaution
388 measures based on the climatic conditions and need based application of pesticides and
389 fungicides helped in reducing the one third of expenses.



390
391 **Fig. 6 Community nursery (PF2012)**

Precision Farmers Association: Precision Farmers Association were formed as a part of the project activities by adding every 25 to 30 beneficial farmers jointly to look into the in various activities like, negotiation of the inputs purchase with the agro traders, discussing the possibilities of contract farming of vegetables, Visiting various markets and getting the market information, sharing farming experience with fellow members, sharing their precision farming experience with farmers coming from other districts of Tamil Nadu. These results in good quality produce from Precision Farming areas with maximum profits.

11.0 DGPS NETWORK

As a first step towards operationalization of PF, it is necessary to establish a DGPS infrastructure for the country. It would enable the farmers to get an accuracy of few centimeters in the various unit processes (sowing, fertilizer application, herbicide- pesticide application etc..) involved in PF. A DGPS network would cater to the needs of multitude of applications (Meteorology, Transportation, Geodetic survey, Crustal Deformation studies, Disaster management and mitigation, etc.) of which PF is one. Each DGPS master reference is capable of providing the services within a radius of 100-kilometer radius. Hence, the number of master stations required to establish the DGPS infrastructure, which would cover the entire country, is calculated. This can be calculated as follows (only a random calculation) (Mishra et al., 2003)

Area of India	= 329 million hectares.
Area of GPS (circular area, PI = 3.14)	= $PI * (100)^2$ sq. km. = 31400 sq. km. = 3.14 million hectares
Total no. of GPS reference stations required for the country	= 329/3.14
Total GPS reference stations required	= 105
Cost of a single DGPS set	= Rs. 3 lakhs
Total cost of the entire infrastructure	= Rs. 3.15 crores

This is affordable by any means for a country as a whole considering the innumerable applications it can cater. A simple assumed cost benefit analysis is carried out for precision farming, which is given below.

12.0 COST BENEFIT ANALYSIS

The real value for the farmer is that he can adjust seeding rates, plan more accurate crop protection programs, perform more timely tillage and know the yield variation within a field. These benefits will enhance the overall cost effectiveness of his crop production. Since the country is going to spend the amount, the **Gross Domestic Product (GDP)** is considered rather than the farmer's personal income. Hence the cost-benefit analysis of the present project is

GDP of India for 1993	= \$ 250.97 billion (FAO yearbook, 1994)
GDP in Indian Rupees	= Rs. 12,924.955 billion
Amount spent for R&D	= 0.3% of GDP = Rs. 38.775 billion
Cost-Benefit Analysis	= 38.775 billion/315 million = 12,309

Thus, it is proved that there is an enormous benefit in implementing the DGPS network, which would further pave the way for Precision Farming ((Mishra et al., 2003).

13.0 CONCLUSIONS

The interest in precision farming (PF) and its introduction has resulted in a gap between the technological capabilities and scientific understanding of the relationship between the input supplies and output products. Development of PF has been largely market-driven, but its future growth needs collaboration between private and public sectors. The potential of this technology has already been demonstrated, but in practice, meaningful delivery is difficult as

it needs large scale commercial application to realize the benefits. The main objective of PF is to optimize yield with minimum input and reduced environmental pollution. The scenario, status and strategies for the adoption of PF in small farm in India have been discussed. Some typical case studies from India has also presented. PA is facilitating the prospects and scope for switching over to modern agriculture leaving the traditional one by utilizing right resources in right time and management, which results an environment friendly sustainable agriculture.

14.0 REFERENCES

- [NCPAH2012] Precision Farming. <http://www.ncpahindia.com/v2/precision-farming>, Online access 25.06.2012
- [AGROPEDIA2012] Some successful examples of private sector initiative in Uttarakhand (Part-III), <http://agropedia.iitk.ac.in/?q=node/4550>, Online access 25.06.2012.
- [FICCI2012] Agriculture overview. <http://www.ficci-b2b.com/sector-overview-pdf/Sector-agri.pdf>, Online access 26.5.2012.
- [AGROPEDIA2012] Tata Kisan Sansar. <http://agropedia.iitk.ac.in/?q=node/4550>, Online access on 25.06.2012.
- [PF2012] PRECISION FARMING — India Development Gateway. <http://www.indg.in/agriculture/agricultural-best-practices/precision-farming>, Online access on 27.06.2012.
- Balasubramanian V, Morales AC, Cruz RT., (1999). On-farm adaptation of knowledge-intensive nitrogen management technologies for rice systems. *Nutrient Cyc Agroecosyst*;53 (1):59–69.
- Cook SE, O'Brien R, Corner RJ., (2003). Is precision agriculture relevant to developing countries. *Proceedings of the 4th European conference on precision agriculture*, vol. 115–119. The Netherlands: Wageningen Academic Publishers.
- Fairhurst TH, Witt C, Buresh RJ., (2007). *Rice: a practical guide to nutrient management*. 2nd ed. Phillipines: IRRI Publication; p. 1–136.
- Mandal Subrata Kumar and Atanu Maity. (2006), *Precision farming approaches for small-farm agriculture: Scope and Prospect*. In proceeding, Map India 2006, New Delhi.
- Markus Ehrl, Markus R. Demmel, Hermann Auernhammer, Werner V. Stempfhuber, Wolfgang Maurer, Thomas Wunderlich. (2002). *Spatio-Temporal Quality of Precision Farming Applications*. Presentation at the 2002 ASAE Annual International Meeting / CIGR XVth World Congress Chicago, Illinois, USA July 28-July 31, 2002.
- Mcbratney Alex, Brett Whelan and Tihomir Ancev., (2005). *Future Directions of Precision Agriculture*, *Precision Agriculture*, 6, 7–23.
- Mishra Ashish, P Chidambara Raj, D.Balaji., (2003). *Operationalization of Precision Farming in India*. In proceeding, Map India 2006, New Delhi.
- Mondal P., V.K. Tewari, P.N. Rao, R.B. Verma and M. Basu. (2004). *Scope for Precision Agriculture in India*. In *Proceedings of the International Conference*. IIT Kharagpur, India.
- Mondal Pinaki and Manisha Basu., (2009). *Adoption of precision agriculture technologies in India and in some developing countries: Scope, present status and strategies*. *Progress in Natural Science* 19 (2009) 659–666.
- National Research Council (NRC). (1997). *Precision Agriculture in the 21st Century*. Committee on Assessing Crop Yield: Site- Specific Farming, Information Systems, and Research Opportunities. National Academy Press, Washington DC., USA, 149 p.
- Nobutaka Ito. (2002). *Precision Farming and its Potentiality- Innovative Frontier Technology for Agriculture*. Presentation at The International Forum of Frontier Technology for the Potential Collaboration with Kasetsart University, Thailand at the ceremony of The 60th anniversary of university foundation and presented at The 9th Tri-University International Joint Seminar & Symposium hosted by Jiangsu University.
- Profi: Es läuft, aber mehr eckig als rund, Profi, January 1998.
- Shibusawa, S. (1999). "Environmentally friendly agriculture and mechanization trend in Japan: Prospects of precision farming in Japan". *Proc. International Symposium on Farm*

481 Mechanization for Environmentally- Friendly Agriculture, Seoul, Republic of Korea. The
482 Korean Society for Agricultural Machinery, pp. 53-80.
483 Shibusawa, S,. (2000). "Precision farming approaches for model and control". Proceedings
484 of the XIV Memorial CIGR World Congress, Nov. 28-Dec. 1, Tsukuba, Japan, pp. 133-141.
485 Shibusawa, Sakae. (2002). FFTC Technical Bulletin 160, August.
486 V.C. Patil, U.K. Shanwad, and H. Honne Gowda. (2004). "Precision Farming: Dreams and
487 Realities for Indian Agriculture" . In Proceeding of MAP India, February 7-9, New Delhi,
488 India.