SCIENCEDOMAIN *international*
www.sciencedomain.org

SDI Review Form 1.6

PART 1:

Journal Name:	British Journal of Applied Science & Technology
Manuscript Number:	**2012_BJAST_2872**
Title of the Manuscript:	**Assessing the Efficiency of Ateel Wastewater Treatment Station for Rehabilitation Improving the Water Quality and its Safe and Practical Application**

General guideline for Peer Review process is available in this link:
(http://www.sciencedomain.org/page.php?id=sdi-general-editorial-policy#Peer-Review-Guideline)

- This form has total 9 parts. Kindly note that you should use all the parts of this review form.

SDI Review Form 1.6

PART 2: Review Comments

	Reviewer's comment	**Author's comment** *(if agreed with reviewer, correct the manuscript and highlight that part in the manuscript. It is mandatory that authors should write his/her feedback here)*
Compulsory REVISION comments	-lines 77-78: organic matter is also converted into CO2 Dissolved matter may not be converted into Proteins (inorganic salts) -lines 81-84 repeat lines 45-49 - line 91 and Table 1: it is probably not in ml, it should probably be in mm. If it is really a volume it should be expressed per area unit. - Figures 1-5: should be deleted, Authors should add three columns to Table 1: average inflow, average outflow and % removal Line 190: Authors should mention Palestinian standards	
Minor REVISION comments	- Authors may wish to explain what is meant by "household" - line 80: should be "bad odor" - Figure 6: should be deleted, it shows two people and not the wastewater treatment plant. Figure 9: not necessary	
Optional/General comments		

Reviewer Details:

Name:	**Jan Vymazal**
Department, University & Country	**Czech University of Life Sciences Prague, Department of Applied Ecology, Czech Republic**