SDI Review Form 1.6

Journal Name:	**British Journal of Applied Science & Technology**
Manuscript Number:	**2014_BJAST_11762**
Title of the Manuscript:	**Influence of bioaerosol source location and ceiling fan direction on eggcrate upper-room ultraviolet germicidal irradiation**
Type of the Article	**Short Research Article**

General guideline for Peer Review process:

This journal's peer review policy states that **NO** manuscript should be rejected only on the basis of '**lack of Novelty**', provided the manuscript is scientifically robust and technically sound.
To know the complete guideline for Peer Review process, reviewers are requested to visit this link:

(http://www.sciencedomain.org/page.php?id=sdi-general-editorial-policy#Peer-Review-Guideline)

SDI Review Form 1.6

PART 1: Review Comments

	Reviewer's comment	**Author's comment** *(if agreed with reviewer, correct the manuscript and highlight that part in the manuscript. It is mandatory that authors should write his/her feedback here)*
Compulsory REVISION comments		
Minor REVISION comments		
Optional/General comments	move important research issues of indoor air quality, a significant problem in the field of air disinfection. Elaborated as a short publication is correctly prepared and suitable for printing The research are needed to improve air quality in buildings, especially in schools, offices, hospitals, etc.	

Note: Anonymous Reviewer