



SDI Review Form 1.6

Journal Name:	British Journal of Applied Science & Technology
Manuscript Number:	2015_BJAST_17520
Title of the Manuscript:	The Role of Reactive Oxygen Species in Initiation and Progression of Periodontal Diseases
Type of the Article	Review Article

General guideline for Peer Review process:

This journal's peer review policy states that **NO** manuscript should be rejected only on the basis of '**lack of Novelty**', provided the manuscript is scientifically robust and technically sound.

To know the complete guideline for Peer Review process, reviewers are requested to visit this link:

(<http://www.sciencedomain.org/page.php?id=sdi-general-editorial-policy#Peer-Review-Guideline>)



SDI Review Form 1.6

PART 1: Review Comments

	Reviewer's comment	Author's comment (if agreed with reviewer, correct the manuscript and highlight that part in the manuscript. It is mandatory that authors should write his/her feedback here)
<u>Compulsory</u> REVISION comments		
<u>Minor</u> REVISION comments	The manuscript is important to periodontics. Correct grammar and punctuation errors in the abstract and text. Suggest removing the numbering the introduction and other. Suggest reducing conclusion and Suggest adding part of the discussion.	- Spelling correction has been be done; most of it is (spaces) addition. - Ok, we removed the numbering - In the Conclusion, we are discussing /describing briefly the entire text mentioned previously. Thank you
<u>Optional/General</u> comments		