



SDI Review Form 1.6

Journal Name:	British Journal of Mathematics & Computer Science
Manuscript Number:	2013_BJMCS_6548
Title of the Manuscript:	SUPERSTABILITY OF A GENERALIZATION OF THE COSINE EQUATION
Type of the Article	Research Paper

General guideline for Peer Review process:

This journal's peer review policy states that **NO** manuscript should be rejected only on the basis of '**lack of Novelty**', provided the manuscript is scientifically robust and technically sound.

To know the complete guideline for Peer Review process, reviewers are requested to visit this link:

(<http://www.sciencedomain.org/page.php?id=sdi-general-editorial-policy#Peer-Review-Guideline>)



SDI Review Form 1.6

PART 1: Review Comments

	Reviewer's comment	Author's comment (if agreed with reviewer, correct the manuscript and highlight that part in the manuscript. It is mandatory that authors should write his/her feedback here)
Compulsory REVISION comments	1. This paper investigated the stability problem for the functional equation and the superstability of the d'Alembert's equation. However, the reviewer does want to know the significance of this present study - why the authors wanted to study those topics? what is the potential impact of this work? 2. A list of theorems, lemmas, and corollaries were proved by the authors but what did the authors aim for by proving those theories? The reviewer would suggest the authors to outline the objective for each theory/lemma/corollary. 3. This paper is incomplete one because there's no conclusion! Two corollary 3 were detected from the context, just pay attention to the numbering.	1. The starting point of the stability theory of functional equations was the problem formulated by S. M. Ulam [27] in 1940. In the next year, it was solved by Hyers [11]. In 1978, Th. M. Rassias [17] generalized the Hyers' result, a fact which rekindled interest in the field. Since then a number of articles have appeared in the literature. in our Knowledge the works traiting the stability of the equation $(E_{g,f})$ had done on abelian groups or particular groups Our contribution in this manner is that we can study the stability of the equations considered in any group not necessarily abelian and without any condition on the functions. 2. The Lemmas will be used in the proof of Theorem 2,3 and 4. Theorem 1 is one of the motivations of this work.



SDI Review Form 1.6

		In Theorem 2 we give solutions of the equation $(E_{g,f})$ The main result is Theorem 3 and 4 in which we investigate the stability of the equation $(E_{g,f})$. 2. We finished the manuscript with remarks its items (iv) and (v) can be considered as a conclusion of this paper. Thank you very much.
<u>Minor</u> REVISION comments		
<u>Optional/General</u> comments		