

Original Research Article

On the Performance of Lottery Winning Strategies: A Case Study of Oyo State Lottery, Nigeria

ABSTRACT

Aims: In this study, we investigated three lottery strategies: random, low and high frequency strategies, usually employed by lottery players. For the three strategies, we considered whether the selection of numbers in Oyo State lottery occurred with equal probability, whether the lottery winning numbers occurred with equal probability, whether a game strategy outperformed others using the game's history and whether the performance of a strategy was associated with the amount of historical information considered.

Place and Duration of Study: The Oyo State Lottery, a type of lottery in Oyo State, Nigeria was used as a case study.

Methodology: The data used for this research work consisted of the year 2011 lottery winning numbers of the Daily draw type of game as collected from the Oyo State Lottery Commission. The data was used to simulate the random, low frequency and high frequency game strategies. Various statistical tests which include runs test, Chi-square goodness of fit test, one-way ANOVA test and Least Significant Difference test were carried out to test the different hypotheses defined.

Results: For H_1 (Each number is equally selected by the public), $|Z|=20.98 > Z_{1-\alpha/2} = 1.96$. For H_2 (The winning numbers occur with equal probability), $P > .05$ across the months of the year. For H_3 (There is no difference in the performance of the three strategies), ANOVA test yielded $P = .013$. Considering H_4 (There is no performance difference in the strategies with small amount of historical information), $P = .06$ and for H_5 (There is no performance difference in the strategies with large amount of historical information), the one-way ANOVA test gave $P = .20$.

Conclusion: Players do not select lottery numbers randomly, but rather based on certain strategies. Oyo State lottery winning numbers are selected with equal probability. Thus, we can say that the process and machines that the Oyo State Lottery Commission is using in generating winning numbers are not biased. Among the three strategies considered, it was discovered that the Low frequency strategy outperformed the Random and High frequency strategies. Therefore, players who selected unpopular numbers stood a better chance of winning higher prizes than those who selected popular numbers and those who selected numbers randomly. The introduction of small and large amount of historical information component into the ANOVA tests revealed that no strategy is better than others in the long run.

Keywords: Tickets, Lottery strategy, Winning numbers, Hypothesis testing, Historical information

1. INTRODUCTION

Lottery is a game of chance and it involves the distribution of prizes among purchasers of tickets. The game of lottery has a very long history. This can be found in [1] and [2]. Among all the games of chance, lotteries have been and still are very popular. According to [3], the most prevalent form of lottery game is lotto, which involves random selection of numbers. Participants in this type of game randomly choose n distinct numbers from a large pool of m integers. The organizers stop the sale of tickets at a certain point and then select p winning numbers randomly from the m numbers. If any of the tickets sold match t or more of the p winning numbers, a prize is given to the holder of the matching ticket. To receive a prize, t is usually three or more [4].

Lotteries are often run by the government to raise funds for the improvement of infrastructural facilities. For example, the California lottery was created to raise supplemental funds for public schools [5]. The Big Lottery Fund in the UK is a non-departmental public body that distributes 46% of all funds raised by the national lottery for good causes. It funds a diverse range of programmes and projects in the fields of health, education, the environment and charitable purposes [6].

The profile of people playing lottery was studied in [7] and it was found that people with lower income and education level contribute greatly to the funds obtained from lottery. Also, older people buy more lottery tickets than younger people [8], [9]. It was showed in [10] that an increase of 1% of a country's education index led to a decrease of about 3% of total lottery sales. Sociological approaches were adopted by [11] in explaining why the poor spend more on lottery tickets than their wealthier and better educated peers while [12] argued that lottery is associated with increasing social inequality.

The possibility of winning a huge amount of money is a great feature that attracts players despite the very low probabilities of winning. For instance, in the USA, the odds of winning the Mega Millions jackpot is 1 in 175 million and that of the Powerball jackpot is 1 in 195 million. The drive to win the jackpot or any of the other prizes has led players to devising strategies that are different from the traditional selection of numbers in a random fashion. Some of the strategies adopted include repeated play of the same number, choosing or avoiding certain numbers, for instance, numbers that belong to the same interval of tens, consecutive numbers and so on [13].

In this study, we investigated three common lottery strategies: random, low and high frequency strategies, usually employed by lottery players. The Oyo State Lottery, a type of lottery in Oyo State, Nigeria was used as a case study.

1.1 Lottery Formats

Draws for lotteries are performed in various ways today. Each lottery format has its own rules for establishing the prize fund and distributing prizes to winners, but drawing a selection of numbered balls without replacement from an urn is still very popular among lottery organizers. The Genoese and Keno formats were described in [14] and [15] respectively while [16] presented some lotteries and their formats from Nigeria.

1.2 Description of Oyo State Lottery

The Oyo State Lottery is organized by the Oyo State Lottery Commission. The lotto which is a 5/79 game opens by 7 a.m. and closes by 7 p.m. every day. Three different kinds of games are organized by the Commission: the Glad draw, the Daily draw and the Saturday draw for which tickets are purchased at 20, 50 and 100 naira per ticket respectively. Tables 1, 2, and 3 respectively show the prize monies for different numbers players are able to match in each of Glad, Daily and Saturday draws. The prize money is calculated by multiplying the fixed value by the prize of the ticket. The organizers pick five winning numbers at random from the first seventy-nine integers. If a player matches less than two numbers, no prize is won. Two, three, four and five matches attract prizes. Five matches entitle the player to the jackpot.

Table 1: Glad Draw at N20 per ticket

<i>Number of matches</i>	<i>Fixed value (N)</i>	<i>Amount won (N)</i>
2/5	75	1,500
3/5	200	4,000
4/5	295	5,800
5/5	3,025	60,500

Table 2: Daily draw at N50 per ticket

<i>Number of matches</i>	<i>Fixed value (N)</i>	<i>Amount won (N)</i>
2/5	100	5,000
3/5	206	10,300
4/5	836	41,800
5/5	2,400	120,000

56

57 **Table 3: Sat draw at ₦100 per ticket**

<i>Number of matches</i>	<i>Fixed value (₦)</i>	<i>Amount won (₦)</i>
2/5	120	12,000
3/5	180	18,000
4/5	720	72,000
5/5	3250	325,000

58

59 **1.3 Description of Oyo State Lottery**

60

61 Players use different strategies in determining the winning numbers. Some of these include the use of birthdays, numbers
 62 seen in a dream, happiest day and so on. In this study, we shall consider three common strategies. These are the
 63 random, low frequency and high frequency strategies.

64 The random strategy involves the use of the random number generator or any other device that can generate numbers
 65 randomly. This generates numbers for players to select randomly. The low frequency strategy involves players picking the
 66 numbers that occur less frequently in the previous games to play in the subsequent ones while in the high frequency
 67 strategy, players pick the numbers that occurs often in the history of the game to play in the subsequent ones.

68

69 **2. METHODOLOGY**

70 In this study, we are interested in answering the following research questions:

- 71 1. Does the selection of numbers in Oyo State lottery occur with equal probability?
- 72 2. Do the Oyo State lottery winning numbers occur with equal probability?
- 73 3. Is there a game strategy that outperforms others in the history of the game?
- 74 4. Is the performance of a strategy associated with the amount of historical information considered?

75 Specifically, the hypotheses for testing are:

- 76 H_1 : Each number is equally selected by the public,
- 77 H_2 : The winning numbers occur with equal probability,
- 78 H_3 : There is no difference in the performance of the three strategies,
- 79 H_4 : There is no performance difference in the strategies with small amount of historical information,
- 80 H_5 : There is no performance difference in the strategies with large amount of historical information.

81

82 **2.1 Simulation of Lottery Strategies**

83

84 The data used for this research work consisted of the year 2011 lottery winning numbers of the Daily draw type of game
 85 as collected from the Oyo State Lottery Commission. The data was used to simulate the random, low frequency and high
 86 frequency game strategies. The details of the simulation procedure are presented in Appendix A. The effectiveness of
 87 each of the lottery strategies was analyzed by comparing the lottery winning numbers, also referred to as historical data,
 88 to data simulated using each of the strategies. For this study, the performance of a strategy was gauged by the average
 89 number of matches to the winning numbers chosen in a month. The higher the number of matches, the more effective the
 90 strategy used by the player.

91 **2.2 Hypothesis Testing**

Statistical tests were conducted on the simulation results. To test hypothesis H_1 , i.e. whether some numbers are more popularly selected than others in the Oyo State Lottery, a runs test was performed at 5% level of significance on a total of 4785 numbers selected in the game of a typical day of June, 2011. For hypothesis H_2 , a chi-square goodness of fit test was conducted at 5% level of significance to test whether the winning numbers occur with equal probability. Adjustment for sampling without replacement was made following [17] and [18]. To test hypothesis H_3 , a one-way analysis of variance (ANOVA) test at 5% level of significance was conducted to compare the average performance of the three simulated strategies. Where a significant difference in the performance of the strategies existed, a multiple comparison test (Least Significant Difference Test) was conducted to ascertain which one was different from the other.

Furthermore, to test hypotheses H_4 and H_5 , i.e. whether small and large amount of historical information had any effect on the strategy performance, the data set was divided into two groups [5]: small and large amount of historical information. A one-way ANOVA test was conducted to check for differences in performance among the three strategies.

3. RESULTS AND DISCUSSION

The results of testing the different hypotheses are presented and discussed in this section.

3.1 Hypothesis H_1

Figure 1 shows the frequency of selection of each number between 1 and 79 by the public on a typical day. It shows that Oyo State lottery numbers do not have equal probability of being selected by the public. Also from Table 4, $|Z| > Z_{1-\alpha/2}$ implies significance at the 5% level and this leads to a decision to reject the hypothesis that each number is equally likely to be selected. This implies that players prefer some numbers over others based on specially selected strategies. Thus lottery numbers selected by players are not chosen at random.




Figure 1: The number of times that each number was selected by the public on a typical day

Table 4: Results of Runs Test on Numbers Selected by the Public

N(var1 > 34)	2384
Number of observations	4785
Number of runs	1668

Z	-20.98
Z_{1-α/2}	1.96

3.2 Hypothesis H_2

The result of the Chi-square test on lottery winning numbers is displayed in Table 5. Since the P -values are greater than the significance level of $\alpha=.05$ in all the cases, the hypothesis that the winning numbers occur with equal probability in all the months is accepted. This implies that the winning lottery numbers appear to be distributed equally in their range. Therefore, one can reasonably believe that the process and machines that the Oyo State Lottery commission is using in generating winning numbers are not biased.

3.3 Hypothesis H_3

Results of the one-way ANOVA test to determine whether there is difference in the performance of the three strategies are shown in Tables 6 and 7. Since $P=.013$ which is less than .05 (in Table 7), the hypothesis H_3 is rejected and it is concluded that there is significant difference in the performance of the three strategies. This implies that the use of any of the three strategies will yield different results in terms of the numbers of matches with the winning numbers.

Since there is significant difference in the performance of the strategies, a multiple comparison (Least Significant Difference) test was carried out to know the pair of the game strategies that are different from each other. The result of this test is shown in Table 8 and it reveals that the random and low frequency, low and high frequency strategies are significantly different from each other at 5% level of significance. Thus, the low frequency strategy's performance is better than the other two strategies.

Table 5: Results of chi-square test on the lottery winning numbers

<i>Month</i>	<i>χ^2 Statistic</i>	<i>P-value</i>
January	40.467	.95
February	28.267	.99
March	54.089	.85
April	30.527	.99
May	23.900	.99
June	39.048	.94
July	18.933	.99
August	40.000	.99
September	32.462	.99
October	57.941	.55
November	50.277	.84
December	30.467	.99

Table 6: Descriptive Statistics of Lottery Strategies

	<i>N</i>	<i>Mean</i>	<i>Standard Deviation</i>	<i>Standard Error</i>	<i>95% confidence interval for mean</i>		<i>Minimum</i>	<i>Maximum</i>
Random Strategy	11	0.2336	0.07474	0.02253	0.1834	0.2838	0.14	0.38
Low frequency strategy	11	0.3409	0.09449	0.02849	0.2774	0.4044	0.19	0.50
High frequency strategy	11	0.2236	0.11483	0.03462	0.1465	0.3008	0.02	0.39
Total	33	0.2661	0.10753	0.01872	0.2279	0.3042	0.02	0.50

Table 7: ANOVA Table for the Strategies

	<i>Sum of Squares</i>	<i>Df</i>	<i>Mean Squares</i>	<i>F</i>	<i>Sig.</i>
Between groups	0.093	2	0.046	5.035	.013

Within groups	0.277	30	0.009
Total	0.370	32	

Table 8: Multiple Comparisons (Least Significant Difference) Test

(I) VAR00001	(J) VAR00002	Mean Difference (I-J)	Standard Error	Sig.	95% Confidence Interval	
Random Strategy	Low frequency strategy	-.10727(*)	.04097	.014	-.1910	-.0236
	High frequency strategy	.01000	.04097	.809	-.0737	.0937
Low Frequency Strategy	Random Strategy	.10727(*)	.04097	.014	.0236	.1910
	High frequency Strategy	.11727(*)	.04097	.008	.0336	.2010
High Frequency Strategy	Random Strategy	-.01000	.04097	.809	-.0937	.0737
	Low Frequency Strategy	-.11727(*)	.04097	.008	-.2010	-.0336

* starred values indicate pairs of means that are significantly different.

3.4 Hypothesis H_4

The results of the one-way ANOVA test to determine if there is a difference in performance in the three lottery game strategies when only a small amount of historical information is used are shown in Table 9. Since $P=.06$ is greater than $\alpha=.05$, we accept H_4 and conclude that there is no performance difference in the three strategies with small amount of historical information.

Table 9II: ANOVA test on all three strategies using small amount of information

	Sum of Squares	Df	Mean Squares	F	Sig.
Between groups	.072	2	.036	3.704	.06
Within groups	.117	12	.010		
Total	.190	14			

3.5 Hypothesis H_5

For the case when a large amount of historical data was used, the results of the one-way ANOVA test conducted are shown in Table 10. Since $P=.20$ is greater than $\alpha=.05$, the hypothesis H_5 is accepted and it is concluded that there is no performance difference in the three strategies with large amount of historical information.

Table 10: ANOVA test on all three strategies using large amount of information

	Sum of Squares	Df	Mean Squares	F	Sig.
Between groups	.033	2	.016	1.793	.200
Within groups	.137	15	.009		
Total	.170	17			

Therefore, the introduction of small and large amount of historical information component into the ANOVA tests revealed that no strategy is better than others. This also corroborates the views of [5] that no strategy is better than others in the long run.

4. CONCLUSION

From the results, the following conclusions can be drawn:

- Players do not select lottery numbers randomly, but rather based on certain strategies.
- Oyo State lottery winning numbers are selected with equal probability. Thus, we can say that the process and machines that the Oyo State Lottery Commission is using in generating winning numbers are not biased.
- Among the three strategies considered, it was discovered that the Low frequency strategy outperformed the Random and High frequency strategies. Therefore, players who selected unpopular numbers stood a better

chance of winning higher prizes than those who selected popular numbers and those who selected numbers randomly.

d. The introduction of small and large amount of historical information component into the ANOVA tests revealed that no strategy is better than others. This implies that no strategy is better than others in the long run.

REFERENCES

1. Bradley RE. Euler and the Genoese lottery. Accessed 15 July 2009. Available: <http://www.adelphi.edu/Bradley>.
2. Grundlingh WR. Two new combinatorial problems involving dominating sets for lottery schemes. Ph.D. dissertation, Department of Applied Mathematics, University of Stellenbosch, South Africa; 2004.
3. Simon J. An analysis of distribution of combinations chosen by UK National Lottery players. *Journal of Risk and Uncertainty*. 1999;17: 243-76.
4. Li PC. Some results on lotto designs Ph.D. dissertation, Dept. of Computer Science, University of Manitoba, Canada; 1999.
5. Chen AC, Yang YH, Chen FF. A statistical analysis of California lottery winning strategies. *CS-BIGS*. 2010; 4(1): 66-72.
6. Paine AE, Taylor R, Alcock P. Wherever there is money there is influence: Exploring BIG's impact on the third sector. *Research Report, Third Sector Research Centre*, The Big Lottery Fund; 2012.
7. Hennigan G. LL Bets Are On: Sales highest in neighborhoods with lower median incomes. *McClatchy - Tribune Business News*, March, 2009.
8. Aasved M. The sociology of gambling Springfield, IL: Charles C. Thomas Publisher; 2003.
9. Herring M, Bledsoe T. A model of lottery participation: Demographics, context, and attitudes. *Policy Studies Journal*. 1994; 22: 245-57.
10. Faustino H, Kaiseler MJ, Marques R. Why Do People Buy Lottery Products? Working Papers WP 01/2009/DE/SOCIUS, School of Economics and Management, Technical University of Lisbon, Department of Economics; 2009.
11. Beckert J, Lutter M. Why the Poor Play the Lottery: Sociological Approaches to Explaining Class-based Lottery Play. *Sociology*. 2013; 47:1152-70. DOI: 10.1177/0038038512457854.
12. Freund E, Morris I. Gambling and Income Inequality in the States. *Policy Studies Journal* 2006; 34(2): 265-76.
13. Barboianu C. The Mathematics of Lottery: Odds, Combinations, Systems. INFAROM Publishing, Applied Mathematics; 2009.
14. Bellhouse DR. The genoese lottery. *Statistical Science* 1991; 6:141-48.
15. Haigh J. Running a lottery, for beginners. +Plus Magazine, Millenium Mathematics Project, University of Cambridge. 2004. Accessed 15 July 2009. Available: <http://plus.maths.org/issue 30/features/haigh>.
16. Alawode OA. Construction of balanced incomplete block designs using lotto designs Ph.D. thesis, Dept. of Statistics, University of Ibadan, Nigeria; 2011.
17. Stern H, Cover TM. Maximum entropy and the lottery. *Journal of American Statistical Association*. 1989; 84(408): 980-5.
18. Joe H. Tests of Uniformity for Sets Of Lotto Numbers. *Statistics and Probability Letters*. 1993; 16: 181-8.

APPENDIX A: Simulation Procedure for the Three Lottery Strategies

A. Random Strategy

To simulate the random strategy, random numbers, equivalent to the numbers in each month, are generated from R package. The random numbers are compared to the lottery winning numbers data one on one and the numbers of matches to the winning numbers are recorded for each month. The average numbers of matches are obtained. These are shown in Table A.1.

Table A.1: Random Strategy

<i>Month</i>	<i>No of Matches</i>	<i>Average</i>
February	5	0.21
March	5	0.19
April	3	0.14
May	3	0.15
June	5	0.24
July	3	0.17
August	7	0.27
September	10	0.38
October	8	0.30
November	8	0.31
December	5	0.21

B. Low Frequency Strategy

To simulate the low frequency strategy, we find the number of matches of the five least frequent numbers of a month in the next month. The average numbers of matches are obtained. These are shown in Tables A.2 and A.3.

C. High Frequency Strategy

To simulate the high frequency strategy, we find the number of matches of the five most frequent numbers of a month in the next month. The average numbers of matches are obtained. These are shown in Tables A.2 and A.3.

TABLE A.2: Least and Most Frequent Numbers in a Month

<i>Month</i>	<i>Least Frequent Numbers</i>	<i>Most Frequent Numbers</i>
January	3,7,9,11,12	2,21,39,67,72
February	2,4,6,10,11	28,34,41,66,79
March	1,2,3,6,7	73,74,76,78,79
April	8,9,10,12,13	74,76,77,78,79
May	33,34,35,36,37	71,74,75,78,79
June	18,19,21,22,23	67,69,76,77,79
July	5,13,15,28,39	70,71,73,75,77
August	4,9,16,20,25	71,73,74,75,76
September	8,13,17,24,27	75,76,77,78,79
October	1,10,18,19,23	70,74,75,76,78
November	6,13,19,26,30	71,73,75,76,77
December	4,8,16,25,33	72,73,75,78,79

300 **Table A.3: Number of Matches for Low Frequency and High Frequency Strategies**
 301

Month	<i>Low Frequency Strategy</i>		<i>High Frequency Strategy</i>	
	No of Matches	Average	No of Matches	Average
February	11	0.44	4	0.16
March	5	0.19	9	0.33
April	9	0.41	8	0.02
May	7	0.35	7	0.35
June	7	0.33	4	0.19
July	5	0.28	7	0.39
August	10	0.38	7	0.27
September	7	0.27	6	0.23
October	6	0.22	3	0.11
November	10	0.38	3	0.12
December	12	0.50	7	0.29

302