

Traveling Wave Solutions for a Coupled KdV Equations

Ye Zhang¹, Shengqiang Tang^{1*}

¹ School of Mathematics and Computing Science, Guilin University of Electronic Technology,
Guilin, Guangxi, 541004, PR China.

ABSTRACT

In this paper, we use a method in order to find exact explicit traveling solutions in the subspace of the phase space for coupled KdV equations. **The key idea is removing a coupled relation for the given system so that the new systems can be solved.** The existence of solitary wave solutions is obtained. It is shown that bifurcation theory of dynamical systems provides a powerful mathematical tool for solving a great many nonlinear partial differential equations in mathematical physics.

Keywords: Solitary wave solution; bifurcation theory; dynamical systems; coupled KdV equations

1. INTRODUCTION

The study on the various physical structures of nonlinear dispersive equations has attracted much attention in connection with the important problems that arise in scientific applications. Mathematically, these physical structures have been studied by using various analytical methods, such as inverse scattering method [1], Darboux transformation method [2,3], Hirota bilinear method [4], Lie group method [5,6], sine-cosine method [7,8], tanh function method [9, 10], Fan-expansion method [11,12] and so on. Practically, there is no unified technique that can be employed to handle all types of nonlinear differential equations.

In 1981, Hirota [4] presented the following coupled KdV equations,

$$\begin{cases} u_t + 6\alpha uu_x - 2bv v_x + \alpha u_{xxx} = 0, \\ v_t + 3\beta uv_x + \beta v_{xxx} = 0, \end{cases} \quad (1.1)$$

which were derived to model the interaction of water waves. Here α, β, b are constants. Liu et al. in [13] based on a subtle balance method, a given function expansion which was applied to Eq. (1.1), a series of periodic solutions, solitary wave solutions and singular solutions are obtained by aid of symbolic computation.

For $b = 3, \alpha = \beta$, Eq. (1.1) becomes to

$$\begin{cases} u_t + 6\alpha uu_x - 6v v_x + \alpha u_{xxx} = 0, \\ v_t + 3\alpha uv_x + \alpha v_{xxx} = 0, \end{cases} \quad (1.2)$$

Recently, Wang et al. [14] considered the solitary wave solutions of Eq. (1.2), by using a homogeneous balance method.

In this paper, we consider the dynamical bifurcation behavior for the traveling wave solutions of Eq. (1.2). Let $u(x, t) = u(\xi)$, $v(x, t) = v(\xi)$, $\xi = x - ct$, where c is the wave speed. Then Eq. (1.2) become to

* Tel.: +086 0773 2290700; fax: +086 0773 2290700.
E-mail address: tangsq@guet.edu.cn.

$$\begin{cases} -cu' + 6\alpha uu' - 6vv' + \alpha u''' = 0, \\ -cv' + 3\alpha uv' + \alpha v''' = 0, \end{cases} \quad (1.3)$$

where " ' " is the derivative with respect to ξ . To remove the coupled relationship of Eq. (1.3),

let $u = a + bv^2$, then substitute it into Eq. (1.3) and integrate once, we obtain

$$\begin{cases} -ac + 3\alpha a^2 + (6\alpha ab - bc - 3)v^2 + 3\alpha b^2 v^4 + 2\alpha b(vv'' + (v')^2) = g_1, \\ -cv + \alpha v(3a + bv^2) + \alpha v'' = g_2, \end{cases} \quad (1.4)$$

where g_1 and g_2 are integral constants.

Thus, we have two Hamiltonian systems

$$\frac{dv}{d\xi} = y, \frac{dy}{d\xi} = \frac{g_1 + ac - 3\alpha a^2 + (bc - 6\alpha ab + 3)v^2 - 3\alpha b^2 v^4 - 2\alpha by^2}{2\alpha bv}, \quad (1.5)$$

$$\frac{dv}{d\xi} = y, \frac{dy}{d\xi} = \frac{1}{\alpha} \left(g_2 + (c - 3\alpha a)v - \alpha bv^3 \right) \quad (1.6)$$

with the first integral

$$y^2 = \frac{2(g_1 + ac - 3\alpha a^2)v^2 + (bc - 6\alpha ab - 3)v^4 - 2\alpha b^2 v^6 + 4h_1}{4\alpha bv^2}, \quad (1.7)$$

$$y^2 = \frac{4g_2 v + 2(c - 3\alpha a)v^2 - \alpha bv^4 + 2h_2}{2\alpha}, \quad (1.8)$$

and

$$H_1(v, y) = \alpha bv^2 y^2 - \left[\frac{1}{2}(g_1 + ac - 3\alpha a^2)v^2 + \frac{1}{4}(bc - 6\alpha ab - 3)v^4 - \frac{1}{2}\alpha b^2 v^6 \right] = h_1, \quad (1.9)$$

$$H_2(v, y) = \alpha y^2 - \left[2g_2 v + (c - 3\alpha a)v^2 - \frac{\alpha b}{2}v^4 \right] = h_2, \quad (1.10)$$

For

$$h_1 = h_2 = g_2 = 0, a = \frac{c \pm \sqrt{c^2 + 12\alpha g_1}}{6\alpha}, b = \frac{1}{c - 2\alpha a}, c^2 + 12\alpha g_1 \geq 0, \quad (1.11)$$

system (1.5) and system (1.6) are equivalent to each other. In this paper, we always assume that Eq. (1.2) satisfy (1.11). Therefore, under condition (1.11), we only consider the system (1.6) and then we have two Hamiltonian systems

$$\frac{dv}{d\xi} = y, \frac{dy}{d\xi} = \frac{v}{2\alpha} \left(c - \sqrt{c^2 + 12\alpha g_1} - \frac{6\alpha v^2}{2c - \sqrt{c^2 + 12\alpha g_1}} \right), \quad (1.12)$$

$$\frac{dv}{d\xi} = y, \frac{dy}{d\xi} = \frac{v}{2\alpha} \left(c + \sqrt{c^2 + 12\alpha g_1} - \frac{6\alpha v^2}{2c + \sqrt{c^2 + 12\alpha g_1}} \right), \quad (1.13)$$

with the first integral

$$y^2 = \frac{1}{2\alpha} \left(c - \sqrt{c^2 + 12\alpha g_1} \right) v^2 - \frac{3v^4}{4(c - \sqrt{c^2 + 12\alpha g_1})}, \quad (1.14)$$

$$y^2 = \frac{1}{2\alpha} \left(c + \sqrt{c^2 + 12\alpha g_1} \right) v^2 - \frac{3v^4}{4 \left(2c + \sqrt{c^2 + 12\alpha g_1} \right)}, \quad (1.15)$$

and

$$H_{21}(v, y) = y^2 - \frac{1}{2\alpha} \left(c - \sqrt{c^2 + 12\alpha g_1} \right) v^2 + \frac{3v^4}{4 \left(2c - \sqrt{c^2 + 12\alpha g_1} \right)} = 0. \quad (1.16)$$

$$H_{22}(v, y) = y^2 - \frac{1}{2\alpha} \left(c + \sqrt{c^2 + 12\alpha g_1} \right) v^2 + \frac{3v^4}{4 \left(2c + \sqrt{c^2 + 12\alpha g_1} \right)} = 0. \quad (1.17)$$

64

65 2. EXACT EXPLICIT TRAVELING SOLUTIONS OF SYSTEM (1.2)

$$66 \quad 2.1 \quad a = \frac{c - \sqrt{c^2 + 12\alpha g_1}}{6\alpha}$$

67 Suppose that $g_1 < 0, \alpha > 0, c > 2\sqrt{-3\alpha g_1}$ or $g_1 < 0, \alpha < 0, c > 2\sqrt{\alpha g_1}$. Then, the origin
 68 of system (1.12) is a saddle point. Corresponding to the level curves defined
 69 by $H_{21}(v, y) = 0$; two homoclinic orbits of Eq. (1.12) have the following parametric
 70 representation (see Fig. 1)


$$71 \quad v = \pm \sqrt{\frac{\left(c - \sqrt{c^2 + 12\alpha g_1} \right) \left(2c - \sqrt{c^2 + 12\alpha g_1} \right)}{3\alpha}} \operatorname{sech} \sqrt{\frac{c - \sqrt{c^2 + 12\alpha g_1}}{2\alpha}} \xi.$$

72 (2.1)

73 Thus, we obtain the parametric representation of Eq. (1.2) a smooth solitary wave solution
 74 as follows:

$$75 \quad \begin{cases} u(x, t) = \frac{c - \sqrt{c^2 + 12\alpha g_1}}{6\alpha} + \left(\frac{6\alpha}{2c - \sqrt{c^2 + 12\alpha g_1}} \right) v^2, \\ v(x, t) = \pm \sqrt{\frac{\left(c - \sqrt{c^2 + 12\alpha g_1} \right) \left(2c - \sqrt{c^2 + 12\alpha g_1} \right)}{3\alpha}} \operatorname{sech} \sqrt{\frac{c - \sqrt{c^2 + 12\alpha g_1}}{2\alpha}} (x - ct). \end{cases}$$

76 (2.2)



77

78 $g_1 < 0, \alpha > 0, c > 2\sqrt{-3\alpha g_1}$ or $g_1 < 0, \alpha < 0, c > 2\sqrt{\alpha g_1}$.

Fig. 1 The phase portraits of (2.12) for $H_{21}(v, y) = 0$.


$$2.2 \quad a = \frac{c + \sqrt{c^2 + 12\alpha g_1}}{6\alpha}$$

Suppose that $g_1 < 0, \alpha > 0, c > 2\sqrt{-3\alpha g_1}$ or $g_1 > 0, \alpha > 0, c > 0$. Then, the origin of system (1.13) is a saddle point. Corresponding to the level curves defined by $H_{22}(v, y) = 0$; two homoclinic orbits of Eq. (1.13) have the following parametric representation (see Fig. 2)

$$v = \pm \sqrt{\frac{(c + \sqrt{c^2 + 12\alpha g_1})(2c + \sqrt{c^2 + 12\alpha g_1})}{3\alpha}} \operatorname{sech} \sqrt{\frac{c + \sqrt{c^2 + 12\alpha g_1}}{2\alpha}} \xi. \quad (2.3)$$

Thus, we obtain the parametric representation of Eq. (1.2) a smooth solitary wave solution as follows:

$$\begin{cases} u(x, t) = \frac{c + \sqrt{c^2 + 12\alpha g_1}}{6\alpha} + \left(\frac{6\alpha}{2c + \sqrt{c^2 + 12\alpha g_1}} \right) v^2, \\ v(x, t) = \pm \sqrt{\frac{(c + \sqrt{c^2 + 12\alpha g_1})(2c + \sqrt{c^2 + 12\alpha g_1})}{3\alpha}} \operatorname{sech} \sqrt{\frac{c + \sqrt{c^2 + 12\alpha g_1}}{2\alpha}} (x - ct). \end{cases} \quad (2.4)$$



$$g_1 < 0, \alpha > 0, c > 2\sqrt{-3\alpha g_1} \text{ or } g_1 > 0, \alpha > 0, c > 0.$$

Fig. 2 The phase portraits of (2.13) for $H_{22}(v, y) = 0$.

Remark. Obviously, solutions (2.2) and (2.4) are different from solutions (3.22) and (3.23) of [13], respectively.

3. CONCLUSION

In this paper, we have considered traveling wave solutions for the coupled KdV equations of Eq. (1.2) in its subspace of parameter space by using the method of dynamical systems. We obtain parametric representations for the solitary wave solutions of Eq. (1.1) in different parameter regions of the parameter space.

ACKNOWLEDGEMENTS

This work is supported by the National Natural Science Foundation of China (Nos. 11061010 and 11161013) and the Natural Science Foundation of Guangxi (Nos. 2012GXNSFAA053003 and 2013GXNSFAA019010). The authors thank the referees and the editors for their valuable comments and suggestions on the improvement of this paper.

REFERENCES

1. M.J. Ablowitz, P.A. Clarkson, Solitons, Nonlinear Evolution Equations and Inverse Scattering, Cambridge University Press, London, 1991.
2. V.B. Matveev, M.A. Salle, Darboux Transformation and Solitons, Springer-Verlag, Berlin, 1991.
3. C.H. Gu, H.S. Hu, Z.X. Zhou, Darboux Transformations in Soliton Theory and its Geometric Applications, Shanghai Sci. Tech. Publ., Shanghai, 1999.
4. R. Hirota, J. Satsuma, Soliton solutions of a coupled KdV equation, Phys. Lett. A 85 (1981) 407-408.
5. P.J. Olver, Applications of Lie Groups to Differential Equations, Springer-Verlag, New York, 1993.
6. G.W. Bluman, S. Kumei, Symmetries and Differential Equations, Springer-Verlag, Berlin, 1989.
7. L. Tian, J. Yin, New compacton solutions and solitary wave solutions of fully nonlinear generalized Camassa-Holm equations, Chaos Soliton. Fract. 20 (2004) 289-299.
8. A.M. Wazwaz, Analytic study on nonlinear variant of the RLW and the PHI-four equations, Commun. Nonlinear Sci. Numer. Simul. 12 (2007) 314-327.
9. A.M. Wazwaz, A reliable treatment of the physical structure for the nonlinear equation $K(m,n)$, Appl. Math. Comput. 163 (2005), 1081-1095.
10. R. Senthamarai, L. Rajendran, Traveling wave solution of non-linear coupled reaction diffusion equation arising in mathematical chemistry, J. Math. Chem, 46 (2009) 550-561.
11. E.G. Fan, Uniformly constructing a series of explicit exact solutions to nonlinear equations in mathematical physics, Chaos. Soliton. Fract. 16 (2003) 819-839.
12. D. Feng, G. Luo, The improved Fan sub-equation method and its application to the SK equation, Appl. Math. Comput. 215 (2009) 1949-1967.
13. J. Liu, L. Yang, K. Yang, Jacobi elliptic function solutions of some nonlinear PDEs, Phys. Lett. A 325 (2004) 268-275.
14. M.L. Wang, Y. Zhou, Z. Li, Application of a homogeneous balance method to exact solutions of nonlinear equations in mathematical physics, Phys. Lett. A 216 (1996) 67-75.

COMPETING INTERESTS

Declaration of competing interest should be placed here. All authors must disclose any financial and personal relationships with other people or organizations that could inappropriately influence (bias) their work. Examples of potential conflicts of interest include employment, consultancies, honoraria, paid expert testimony, patent applications/registrations, and grants or other funding. If no such declaration has been made by the authors, SDI reserves to assume and write this sentence: "Authors have declared that no competing interests exist."

AUTHORS' CONTRIBUTIONS

Authors may use the following wordings for this section: " Shengqiang Tang designed the study, performed the statistical analysis, wrote the protocol, and wrote the first draft of the manuscript. Ye Zhang managed the analyses of the study. Ye Zhang managed the literature searches. All authors read and approved the final manuscript."

CONSENT (WHERE EVER APPLICABLE)

No manuscripts will be peer-reviewed if a statement of patient consent is not presented during submission (wherever applicable).

This section is compulsory for medical journals. Other journals may require this section if found suitable. It should provide a statement to confirm that the patient has given their informed consent for the case report to be published. Journal editorial office may ask the copies of the consent documentation at any time.

Authors may use a form from their own institution or SDI Patient Consent Form 1.0. It is preferable that authors should send this form along with the submission. But if already not sent during submission, we may request to see a copy at any stages of pre and post publication.

If the person described in the case report has died, then consent for publication must be collected from their next of kin. If the individual described in the case report is a minor, or unable to provide consent, then consent must be sought from their parents or legal guardians.

Authors may use the following wordings for this section: "All authors declare that 'written informed consent was obtained from the patient (or other approved parties) for publication of this case report and accompanying images. A copy of the written consent is available for review by the Editorial office/Chief Editor/Editorial Board members of this journal."

ETHICAL APPROVAL (WHERE EVER APPLICABLE)

This section is compulsory for medical journals. Other journals may require this section if found suitable. If human subjects are involved, informed consent, protection of privacy, and other human rights are further criteria against which the manuscript will be judged. It should provide a statement to confirm that the authors have obtained all necessary ethical approval from suitable Institutional or State or National or International Committee. This confirms either that this study is not against the public interest, or that the release of information is allowed by legislation.

All manuscripts which deal with animal subjects must be approved by an Institutional Review Board (IRB), Ethical Committee, or an Animal Utilization Study Committee. , and this statement, and approval number, must accompany the submission. If required, author should be ready to submit a scanned copy of the IRB or Ethical Committee Approval at any stage of publication (Pre of post publication stage). The manuscript should contain information about any post-operative care and pain management for the animals.

For manuscripts involving animal experiments, Authors may use the following wordings for this section "All authors hereby declare that "Principles of laboratory animal care" (NIH publication No. 85-23, revised 1985) were followed, as well as specific national laws where applicable. All experiments have been examined and approved by the appropriate ethics committee"

All manuscripts which deal with the study of human subjects must be accompanied by Institutional Review Board (IRB) or Ethical Committee Approval, or the national or regional equivalent. The name of the Board or Committee giving approval and the study number assigned must accompany the submission. If required, author should be ready to submit a scanned copy of the IRB or Ethical Committee Approval at any stage of publication (Pre of post publication stage).

For manuscripts involving human experiments, Authors may use the following wordings for this section: "All authors hereby declare that all experiments have been examined and approved by the appropriate ethics committee and have therefore been performed in accordance with the ethical standards laid down in the 1964 Declaration of Helsinki."

REFERENCES

References must be listed at the end of the manuscript and numbered in the order that they appear in the text. Every reference referred in the text must also present in the reference list and vice versa. In the text, citations should be indicated by the reference number in brackets [3].

Only published or accepted manuscripts should be included in the reference list.

Articles submitted for publication, unpublished findings and personal communications should not be included in the reference list but may be mentioned in the text (e.g., T Nelson, Purdue University, USA, Unpublished results or personal communication). Avoid citing a "personal communication" unless it provides essential information not available from a public source, in which case the name of the person and date of communication should be cited in parentheses in the text. For scientific articles, obtain written permission and confirmation of accuracy from the source of a personal communication. Unpublished result which has been accepted for publication in any journal should be cited as "in press".

Journal name abbreviations should be those found in the NCBI databases (Link: <http://www.ncbi.nlm.nih.gov/nlmcatalog/journals>).

All references should follow the following style:

Reference to a journal:

For Published paper:

1. Hilly M, Adams ML, Nelson SC. A study of digit fusion in the mouse embryo. Clin Exp Allergy. 2002;32(4):489-98.

243 Note: List the first six authors followed by et al.
244 Note: Use of a DOI number for the full-text article is encouraged. (if available).
245 Note: Authors are also encouraged to add other database's unique identifier (like PUBMED
246 ID).

247
248 For Accepted, unpublished papers.
249 Same as above, but "In press" appears instead of the page numbers.

250
251 1. Saha M, Adams ML, Nelson SC. Review of digit fusion in the mouse embryo. J Embryol
252 Exp Morphol. 2009;49(3): (*In press*).

253
254
255 Note: List the first six authors followed by et al.
256 Note: Use of a DOI number is encouraged (if available).
257 Note: Authors are also encouraged to add other database's unique identifier (like PUBMED
258 ID).

259
260 For Articles not in English
261 Forneau E, Bovet D. Recherches sur l'action sympathicolytique d'un nouveau dérivé du
262 dioxane. Arch Int Pharmacodyn. 1933;46:178-91. French.

263
264 **Reference to a book:**

265
266 Personal author(s)
267 Rang HP, Dale MM, Ritter JM, Moore PK. Pharmacology. 5th ed. Edinburgh: Churchill
268 Livingstone; 2003.

269
270 Editor(s) or compiler(s) as authors
271 Beers MH, Porter RS, Jones TV, Kaplan JL, Berkwits M, editors. The Merck manual of
272 diagnosis and therapy. 18th ed. Whitehouse Station (NJ): Merck Research Laboratories;
273 2006.

274
275 Authored chapter in edited publication
276 Glennon RA, Dukat M. Serotonin receptors and drugs affecting serotonergic
277 neurotransmission. In: Williams DA, Lemke TL, editors. Foye's principles of medicinal
278 chemistry. 5th ed. Philadelphia: Lippincott Williams & Wilkins; 2002.

279
280
281
282 **Reference to Web-resource or Electronic articles.**

283 Hugo JT, Mondal SC. Parallels between tissue repair and embryo morphogenesis: a
284 conceptual framework. Global Health. 2006;16:4. Accessed 29 March 2012.
285 Available: <http://www.globalizationandhealth.com/content/1/1/14>.

286
287 Anonymous. Parallels between tissue repair and embryo morphogenesis: a conceptual
288 framework. Global Health. 2006;16:4. Accessed 29 March 2012.
289 Available: <http://www.globalizationandhealth.com/content/1/1/14>.

290
291
292 **Reference to Organization as author**

293 Diabetes Prevention Program Research Group. A study of digit fusion in the mouse embryo.
294 J Embryol Exp Morphol. 2009;49(2):259–276.

295

296
297
298
299
300
301
302
303

DEFINITIONS, ACRONYMS, ABBREVIATIONS
Here is the Definitions section. This is an optional section.
Term: Definition for the term

APPENDIX