
SCIENCEDOMAIN international





SDI Review Form 1.6

Journal Name:	British Journal of Medicine and Medical Research
Manuscript Number:	2013_BJMMR_7518
Title of the Manuscript:	The association between near work and ametropia in a population-based study
Type of the Article	Original Research Article

General guideline for Peer Review process:

This journal's peer review policy states that \underline{NO} manuscript should be rejected only on the basis of 'lack of Novelty', provided the manuscript is scientifically robust and technically sound.

To know the complete guideline for Peer Review process, reviewers are requested to visit this link:

(http://www.sciencedomain.org/page.php?id=sdi-general-editorial-policy#Peer-Review-Guideline)

SCIENCEDOMAIN international

www.sciencedomain.org



SDI Review Form 1.6

PART 1: Review Comments

	Reviewer's comment	Author's comment (if agreed with reviewer, correct the manuscript and highlight that part in the manuscript. It is mandatory that authors should write his/her feedback here)
Compulsory REVISION comments	Title needs modification- it is a study of specific group (Medical students) and not whole population. (cannot be declared as population study).	
	2. Title does not match with the aim or conclusion-The study indicates prevalence of refractive errors and has not investigated the causes/association.	
	3. Format of Reference no. 16. Should be corrected	
Minor REVISION comments	1. How sample size was derived?	
	2. Study on medical students only cannot project that near work is associated with refractive errors. Prevalence in general population is required to compare (references required).	
	3. Other factors like prevalence in family, reading habits and non use of lenses (high % in your study) needs to be ruled out before associating the ametropia with near work.	
Optional/General comments	 Line 181 -growth spot- does it mean growth spurt? Suggested title "Prevalence of refractive errors among medical students in Nigeria" 	

Note: Anonymous Reviewer