



SDI Review Form 1.6

Journal Name:	British Microbiology Research Journal
Manuscript Number:	2013_BMRJ_7543
Title of the Manuscript:	Etiology and Drug Resistance Pattern of Ventilator Associated Pneumonia in an Iranian 1000- bed Tertiary Care Hospital
Type of the Article	

General guideline for Peer Review process:

This journal's peer review policy states that **NO** manuscript should be rejected only on the basis of '**lack of Novelty**', provided the manuscript is scientifically robust and technically sound.

To know the complete guideline for Peer Review process, reviewers are requested to visit this link:

(<http://www.sciencedomain.org/page.php?id=sdi-general-editorial-policy#Peer-Review-Guideline>)



SDI Review Form 1.6

PART 1: Review Comments

	Reviewer's comment	Author's comment <i>(if agreed with reviewer, correct the manuscript and highlight that part in the manuscript. It is mandatory that authors should write his/her feedback here)</i>
<u>Compulsory</u> REVISION comments	1. This topic is not new 2. Keywords reform 3. In the Materials and methods: The first and second paragraphs are repeated 4. In line 99: What is the purpose of the “(2) WBC counts 10000 or 5000 “? 5. The authors should provide more information about sample selection, diagnosis and methods of the study 6. It would be more informative if the authors show: methods of microbial study. 7. The results in the table should be modified. 8. The references should be modified. 9. It is better that : be classified according to Gram-positive and Gram-negative bacteria	
<u>Minor</u> REVISION comments		
<u>Optional/General</u> comments	The manuscript text requires major linguistic improvements, preferably by a native speaker	

Reviewer Details:

Name:	Nemati Houshang
Department, University & Country	Faculty of pharmacy, Kermanshah University of Medical Sciences, Kermanshah, Iran.