



SDI Review Form 1.6

Journal Name:	<u>British Microbiology Research Journal</u>
Manuscript Number:	Ms_BMRJ_20228
Title of the Manuscript:	Microbiological quality of laboratories works stations: impact of a system of saturated dry spray steam Running title. Laboratory safety and system of sanitation
Type of the Article	

General guideline for Peer Review process:

This journal's peer review policy states that **NO** manuscript should be rejected only on the basis of '**lack of Novelty**', provided the manuscript is scientifically robust and technically sound.

To know the complete guideline for Peer Review process, reviewers are requested to visit this link:

(<http://www.sciencedomain.org/page.php?id=sdi-general-editorial-policy#Peer-Review-Guideline>)

PART 1: Review Comments

	Reviewer's comment	Author's comment (if agreed with reviewer, correct the manuscript and highlight that part in the manuscript. It is mandatory that authors should write his/her feedback here)
<u>Compulsory</u> REVISION comments	Please inform the detail of System that use for spraying, ie. droplet size or flow rate etc.	
<u>Minor</u> REVISION comments	1. Please rewrite about the Table in Text, change from Table II Table III to be Table 2 Table 3 2. Please check the format for writing the reference.	
<u>Optional/General</u> comments	Please cite the reference at the text for the standard method.	

Reviewer Details:

Name:	Monthon Lertcanawanichakul
Department, University & Country	Walailak University, Thailand