



SDI Review Form 1.6

Journal Name:	<u>Cardiology and Angiology: An International Journal</u>
Manuscript Number:	2014_CA_9138
Title of the Manuscript:	Are Biodegradable Third Generation Drug Eluting Stents the Answer to Instant Restenosis
Type of the Article	Review Article

General guideline for Peer Review process:

This journal's peer review policy states that **NO** manuscript should be rejected only on the basis of '**lack of Novelty**', provided the manuscript is scientifically robust and technically sound.

To know the complete guideline for Peer Review process, reviewers are requested to visit this link:

(<http://www.sciencedomain.org/page.php?id=sdi-general-editorial-policy#Peer-Review-Guideline>)



SDI Review Form 1.6

PART 1: Review Comments

	Reviewer's comment	Author's comment <i>(if agreed with reviewer, correct the manuscript and highlight that part in the manuscript. It is mandatory that authors should write his/her feedback here)</i>
<u>Compulsory</u> REVISION comments	This review article is well written and summarizes the new generation stent including BVS. It includes well updated references. This article is beneficial for readers to understand the current perspectives of drug-eluting stents.	The Authors' agree with the Reviewer and thank him for his comments.
<u>Minor</u> REVISION comments	None	The Authors' agree with the Reviewer and thank him for his comments.
<u>Optional/General</u> comments	Acceptable without revision	The Authors' agree with the Reviewer and thank him for his comments.