

Original Research Article

CHANGING CITIZENS' NEGATIVE ATTITUDE TOWARDS HIV/AIDS IN NIGERIA: THE POLICY THRUST AND COMMUNICATIONS STRATEGY

ABSTRACT

In this study, the negative attitude of some Nigerians which inhibits a total successful HIV/AIDS campaigns in the country is critically examined. This was motivated by the reported persistent high national prevalence rate of between 5% to 3.6% of this dreaded health problem over the past ten years. The study objectives were to: ascertain the effectiveness of communications' media being used in the HIV/AIDS campaigns in Nigeria; and determine the potency of the health policy in the country as tools for successful HIV/AIDS campaigns. The area of study was PortHarcourt city in the Rivers State of Nigeria, reputed as oil producing State with a high momentum of social life. The main instrument for data collection was structured questionnaire. Likert's 4-points scale and measure of central tendency was used in the presentation and analysis of the data. Results obtained indicate that the communications' media being used in the HIV/AIDS campaigns in Nigeria are quite effective; the health policy thrust in the country is also adequate for successful HIV/AIDS campaigns, however, some socio-cultural and religious factors, depending on the parts of the country inhibits peoples' acceptance of some of the anti-HIV/AIDS messages and products like condom. It was then recommended among other things that religious and community leaders should be used to enhance the success of the campaign.

Keywords: Negative Attitude, HIV/AIDS, Heath Policy, Marketing Communications, Nigeria.

1.1 Background to the study

Nigeria's country report show that HIV prevalence rate as at 2009 records was 3.9%, which is about 5.8million people in a country of over 170million people (CIA.gov, 2009)^[1]. The country is also amongst the list of 20 countries with worst cases of problem in the world and the 3rd largest in terms of population figures (see figure 1 for a clearer picture of this). In a study by Macro International, it was discovered that in spite of the campaigns in Nigeria, only about 10% - 16% of Nigerian girls between ages 15 – 24 use condom, while 46%-55% of their male counterparts do (Macro Internationally, 2009)^[2]. That puts the female population in the country at a greater risk of contracting the infection. According to the 2008 National HIV Sero-prevalence , Nigeria has an HIV prevalence rate of 4.6%. All the 36 states and FCT have HIV prevalence above 1% with 17 states having HIV prevalence greater than 5%.



39 This translates to about 2.95 people (1.2million men and 1.73 million women) living with the
40 virus in the country. The number of new infections is put at 323,000 adults and 57,000
41 children. Infection rates among young people aged 15-19 put at 3.3%; 20-24 at 4.6% and
42 25-29 at 5.6% are considered very high (UNFPA, 2009).^[3]

43 The HIV epidemic in Nigeria is said to be complex and varies widely by region. In some
44 states, the epidemic is more concentrated and driven by high-risk behaviours, while other
45 states have more generalized epidemics that are sustained primarily by multiple sexual
46 partnerships in the general population.

47 Youths and young adults in Nigeria are particularly vulnerable to HIV, with young women at
48 higher risk than young men. There are many risk factors that contribute to the spread of HIV,
49 including prostitution, high-risk practices among itinerant workers, high prevalence
50 of sexually transmitted infections (STI), clandestine high-risk heterosexual and homosexual
51 practices, international trafficking of women, and irregular blood screening (Douek and
52 Roederer, 2009^[4]; Weiss, 1993).^[5]

53
54 All these put to question, the effectiveness of the health policy trust and the communications'
55 strategies used as social marketing tools in the HIV/AIDS campaigns in Nigeria, which is the
56 main focus of this study.

57 1.2 Statement of the Problem

58 In spite of the behaviour change campaigns (BCC) in Nigeria, the national HIV
59 prevalence rate had steadily increased from 1.8% in 1991 to 5.8% in 2001 with a decline
60 to 5.0% in 2003 and 4.4% in 2005 and 4.9% in 2014. However, there is wide variation in
61 the prevalence rate across age groups, geographic locations and occupations, due to
62 varied socio-cultural and religious beliefs. 15 states have HIV prevalence rates above
63 the national average of 4.4% with Benue State having the highest prevalence rate of
64 10%, while Jigawa, Ekiti and Oyo have the least prevalence rates of less than 2.1%
65 (UNAIDS Country Report, 2013)^[6]. Furthermore, a prevalence rate of 5.2% was

66 reported for the age group 15-24 years, with adolescent girls being three times more
 67 vulnerable than boys. Although the national average for HIV prevalence rate is 4.4%,
 68 Nigeria ranks third globally in terms of actual number of people living with HIV/AIDS,
 69 estimated at 3.86 million adults in 2007 (UNGASS, 2007).^[7] Behaviours driving the
 70 HIV/AIDS epidemic in the general population are said to include risky sexual behaviour
 71 (56.13% of women and men aged 15-49 years reporting having multiple sexual
 72 partners), high rate of unsafe sex practices and low condom utilization (35%). This is
 73 largely due to high sexual networking and unsafe sex practices (UNFPA, 2009)^[8]. This
 74 study is aimed at examining the effectiveness of the health policy thrust and
 75 communications' programmes used in the HIV/AIDS campaign in the country so far.



76 1.3 Study Objectives

77 The objectives of the study included:

- 78 i. To ascertain the effectiveness of behaviour change communications media being
 79 used as tools for successful HIV/AIDS campaign in Nigeria.
- 80 ii. To determine the potency of health policy thrusts as tools for successful HIV/AIDS
 81 campaign in Nigeria.



82 1.4 Research Questions

- 83 i. Were the behaviour-change communications' media used as tools for successful
 84 HIV/AIDS campaign in Nigeria significantly effective?
- 85 ii. Are the health policy programmes significantly potent as tools for successful
 86 HIV/AIDS campaign in Nigeria?

87

88 1.5 Research Hypotheses

89 The following null-hypotheses were tested:

- 90 i. The behaviour-change communications' media used as tools for successful
 91 HIV/AIDS campaign in Nigeria were not significantly effective.

- 92 ii. The health policy programmes significantly potent as tools for successful
93 HIV/AIDS campaign in Nigeria.

94 **1.6 Methodology**

95 Survey research design was employed in this study. A sample size of 204 was
96 statistically determined at 7% margin of error and 93% level of confidence, by using Taro
97 Yamane's formular for finite populations. The **main instrument for primary data collection**
98 **was structured questionnaire, while Likert's 4-points scale** was used in analysing the
99 data. 

100 **1.7 Review of Related Literature**

101 **1.7.1 Theoretical Framework**

102 A number of theories and models that served as compass for better appreciation of this
103 study include: 

105 **1.7.2 The transtheoretical Model of Behaviour Change**

106 According to Prochaska (1992)^[9], the transtheoretical model of behaviour change describes
107 how people modify wrong health behaviour or acquire a positive health behaviour. The
108 central notion of the model is the Stages of Change. The model focuses on the decision
109 making of the individual and the emotions, cognitions, and behaviour. It involves a reliance
110 on self-report (Velicer et al., 1985)^[10]. The theory has been used to develop effective
111 interventions to promote health behavior changes in many developed nations.

112 For instance, Velicer et al (1998)^[11] pointed out that the model has been applied to a wide
113 variety of health behaviours. These include smoking cessation, exercise, low fat diet,
114 random testing, alcohol abuse, weight control, condom use for HIV protection, organizational
115 change, use of sunscreens to prevent skin cancer, drug abuse, medical compliance,
116 mamography screening, and stress management.

117 The model holds that individuals weigh the pros and cons of accepting any health offering or
118 changing their previous health habits (self-efficacy and temptation: the role of negative affect
119 or emotional distress, positive social situations and craving).

120 According to Prochaska (1992)^[12], this behaviour-change model offers an explanation of the
121 stages through which an individual will progress during a change in health behaviour. This
122 model is particularly associated with notions of 'relapse' behaviour, and has been used

123 widely in HIV/AIDS studies and campaigns. It divides behaviour change into the following
124 stages:

125 ▪ Pre-contemplation – lack of awareness of risk, or no intention to change risk
126 behaviour



127 ▪ Contemplation – beginning to consider behaviour change without commitment to do
128 anything immediately

129 ▪ Preparation – a definite intention to take preventive action in the near future

130 ▪ Action – modification of behaviour, environment or cognitive experience to overcome
131 the problem

132 ▪ Maintenance – the stabilisation of the new behaviour and avoidance of relapse.

133 ▪ This model was used as the basis for the US AIDS Community Demonstration
134 Projects, which targeted five at-risk populations in five US cities. Messages were
135 developed from the experiences of community members to model behaviour-change
136 steps, and messages were developed to target people considered to be at each of these
137 five stages (AIDSmap.com, 2012)^[13]. It imply that although behavioural-skills training is
138 generally a necessary part of an effective HIV-prevention programme, the provision of
139 information, although it does not effect change in itself, can prompt people to think about
140 changing and can help them maintain safer behaviour when they have made changes.

141 1.7.3 The Theory of Reasoned Action and Planned Behavior



142 These theories on the other hand, (Ajzen & Fishbein, 1980^[14]) state that adopting health
 143 protection behaviours are usually contingent on (a) the perceived desirability of the behavior
 144 (i.e., positive attitudes and expectancies about the behavior) and (b) the normative pressure
 145 to engage in the behavior (i.e., social norms). The theory of planned behavior particularly
 146 adds that perception that the behavior is easy also helps the individual to adopt it (i.e.,
 147 perceived behavioral control). Supporting this viewpoint, social-cognitive theory
 148 (Bandura, 1982)^[15] assumes that people will engage in protective behaviour when they
 149 perceive that they are capable of doing so, because self-efficacy is central to implementing
 150 behaviour. Bandura (1989)^[16] posits that people are more likely to perform a behaviour once
 151 they acquire relevant knowledge and behavioural skills for it.

152 Fishbein et al., (1992)^[17] observed that all of these theories imply that a number of different
 153 intervention strategies must be used to change negative health behaviour to the positive
 154 side. Each strategy requires different marketing communications techniques.)

155 1.7.4 HIV/AIDS



156 HIV is a condition in humans in which progressive failure of the immune system allows life-
 157 threatening opportunistic infections and cancers to thrive. Infection with HIV occurs by the
 158 transfer of blood, semen, vaginal fluid, pre-ejaculate, or breast milk. Within these bodily
 159 fluids, HIV is present as both free virus particles and virus within infected immune cells
 160 (Sepkowitz, 200^[18]; Kallings, 2008^[19]).

161 On the other hand, acquired immunodeficiency syndrome (AIDS) is a disease of the
 162 human immune system caused by infection with human immunodeficiency
 163 virus (HIV). During the initial infection, a person may experience a brief period of influenza-
 164 like illness. This is typically followed by a prolonged period without symptoms. As the illness

165 progresses, it interferes more and more with the immune system, making the person much
166 more likely to get infections, including opportunistic infections and tumors that do not usually
167 affect people who have working immune systems (Brookins, 2012)^[20].

168 HIV is transmitted primarily via unprotected sexual intercourse (including anal and even oral
169 sex), contaminated blood transfusions, hypodermic needles, and from mother to child during
170 pregnancy, delivery, or breastfeeding. Some bodily fluids, such as saliva and tears, do not
171 transmit HIV. Prevention of HIV infection, primarily through safe sex and needle-exchange
172 programs, is a key strategy to control the spread of the disease (Sepkowitz, 2001)^[21].

173 There is no cure or vaccine; however, antiretroviral treatment can slow the course of the
174 disease and may lead to a near-normal life expectancy. While antiretroviral treatment
175 reduces the risk of death and complications from the disease, these medications are
176 expensive and may be associated with side effects (Sepkowitz, 2001)^[22].

177 AIDS is considered a pandemic—a disease outbreak which is present over a large area and
178 is actively spreading (Sharp and Hahn, 2011)^[23]. Mindful of its dangers, therefore, a lot of
179 public education and enlightenment campaign are going on in Nigeria to forewarn the
180 masses (Mershark, 2005)^[24].

181 1.7.5 Communication Strategies

182 A number of mass media, outdoor and traditional media of communication are being
183 used to advance the HIV/AIDS awareness campaign in Nigeria. They include:

184 1.7.5.1 Advertising

185 Bullmore (2007:3)^[25] defined advertising as any paid-for communication overtly intended
186 to inform and/or influence one or more people. Burnett (2008:17)^[26] says “Advertising
187 says to people, 'Here's what we've got. Here's what it will do for you. Here's how to get
188 it.” While Ogilvy (2006:43)^[27] says “I do not regard advertising as entertainment or an art



form, but as a medium of information.” Thus, advertising is a form of communication used to persuade an audience (viewers, readers or listeners) to take some action with respect to products, ideas, or services. Most commonly, the desired result is to drive consumer/target publics’ behavior with respect to an offering. Advertising messages are usually paid for by sponsors and viewed via various traditional media; including mass media such as newspaper, magazines, television commercial, radio advertisement, outdoor advertising or direct mail; or new media such as websites and text messages. This is unarguably one of the most potent tools to be used for a successful rebranding campaign. Examples of above the line media are newspapers, magazines, television, radio, billboards and the Internet (Brookins, 2012)^[28]. While examples of below the line advertisement media include direct mail, direct marketing, seminars, workshops, symposia, public lectures, exhibitions and displays (McFarlin, 2012)^[29].

1.7.5.2 Social Marketing Communications

Squido (2009)^[30] reports that social marketing was “born” as a discipline in the 1970s, when Philip Kotler and Gerald Zaltman realized that the same marketing principles that were being used to sell products to consumers could be used to “sell” ideas, attitudes and behaviours. Kotler and Andreasen (2005:3)^[31] also see social marketing as differing from other areas of marketing only with respect to the objectives of the marketer and his or her organization. This technique has been used extensively in international health programs, and is being used with more frequency in the United States at the national, state and local levels for such diverse topics as HIV/AIDS, drug abuse, smoking, alcoholism, exercise and human trafficking. So, social marketing has proved a very vital tool in health communication campaigns.

1.7.5.3 Traditional Communication Media (Oramedia)

Africa traditional media of communication are the indigenous means of communication by African community people amongst themselves. It includes communication channels like talking drums, the folk songs, drama, festivals, town criers, traditional wears, the artefacts, art works, paintings, stories, and among others cultural architecture that reflects in the palaces, shrines, and African cities, towns and villages (Ugboaja, 1985^[32]; Osho, 2011^[33]). It is the local means of communication by the rural African people which essentially sustain their information needs. Oramedia is also the enduring, sustaining and inevitable culture and tradition of the African people (Osho, 2011)^[34]. They are transmitted from one generation to the other. People grew up with them and get accustomed to them in their day-to-day interactions. Oramedia embodies both verbal and non-verbal means of communication and this makes it more appealing, affective, enduring, long-lasting in effect and understandable.

1.8 Data Presentation and Analysis

1.8.1 Presentation and Analysis of the Secondary Data

Table 1: HIV/AIDS - Adult Prevalence Rate in Africa: 2009 Comparative Analysis

S/N	COUNTRY RANKING	HIV PREVALENCE RATE, 2009 (%)
1	<u>Swaziland</u>	25.9
2	<u>Botswana</u>	24.8
3	<u>Lesotho</u>	23.6
4	<u>South Africa</u>	17.8
5	<u>Zimbabwe</u>	14.3
6	<u>Zambia</u>	13.5
7	<u>Namibia</u>	13.1
8	<u>Mozambique</u>	11.5
9	<u>Malawi</u>	11
10	<u>Uganda</u>	6.5
11	<u>Kenya</u>	6.3
12	<u>Tanzania</u>	5.6
13	<u>Cameroon</u>	5.3

14	<u>Gabon</u>	5.2
15	<u>Equatorial Guinea</u>	5
16	<u>Central African Republic</u>	4.7
17	<u>Nigeria</u>	3.6
18	<u>Cote d'Ivoire</u>	3.4
19	Congo Republic	3.4
20	<u>Chad</u>	3.4

228 **Source: Indexmundi (2009)^[35], Rank Country HIV/AIDS - adult prevalence rate (%),**
 229 http://www.indexmundi.com/nigeria/hiv_aids_adult_prevalence_rate.html

230 A comparative analysis of table 1 above shows that by percentage rate, Nigeria ranks
 231 17th amongst countries with worst records of HIV/AIDS in Africa, with 3.6% in 2009. But
 232 when this is translated to the country's estimated population of about 180million in 2012,
 233 that amounts to 6,480,000 people, thereby putting the country as the third largest in the
 234 world with worst record of the problem in population terms. This is a huge challenge to
 235 the country's health initiatives.

236 1.8.2: Presentation and Analysis of the Primary Data

237 **Table 2: Respondents' Demographic Data**

Options	Frequency	Percentage
Sex:		
Male:	117	57.35%
Female	87	42.65%
Age:		
21 – 30 years	39	19.12%
31-40 years	67	32.84%
41 – 50 years	53	25.98%
50 years Or Above	45	22.06%
Education:		
O'Levels/Equivalent	23	11.27%
OND/NCE	47	23.04%
HND/BA/B.Sc	79	38.73%
MBA/M.Sc/PhD	55	26.96%
TOTAL	204	100%

238 **Source: Field Survey, 2012.**

239 The respondents' demographic data in table 2 above show that 57.35% of them were male,
 240 while 42.65% were female; 19.12% were in the age bracket of 21 to 30 years, 32.84% in the
 241 age range of 31 to 40 years; 25.98% in the age range of 41 to 50 years, while 22.06% were

242 50 years or above. 11.27% had only O'Levels qualifications, 23.04% had National Diplomas
243 or equivalents, 38.73% had 1st Degrees, while 26.96% had Masters or Ph.Ds.

244

245 **This part is based on 4-points Likert scale for the analysis.**

246 **Decision Rule**

247 Reject, if Mean < 2.50 (Reject if Mean is equal to or less than 2.49).

248 Accept, if Mean > 2.50 (Accept, if Mean is equal to or greater than 2.50).

249 **Table 3: Test of Hypothesis 1: The behaviour-change communications' media used as**
250 **tools for successful HIV/AIDS campaign in Nigeria were not significantly effective.**

S/N	Questions	SA	A	D	SD	Mean	Decision
1	Communications above-the-line media tools of radio and televisions used were significantly effective as tools for successful HIV/AIDS campaigns in Nigeria	86 (344)	103 (309)	10 (20)	5 (5)	3.32	Agreed
2	 Communications above-the-line media tools of newspapers and magazines used were significantly effective as tools for successful HIV/AIDS campaigns in Nigeria	51 (204)	127 (381)	15 (30)	11 (11)	3.07	Agreed
3	Communications above-the-line media tools of billboards and Internet were significantly effective as tools for successful HIV/AIDS campaigns in Nigeria	49 (196)	135 (405)	12 (24)	8 (8)	3.10	Agreed
4	Communications below-the-line media tools of direct mails, door to door visitations and churches/market place visitations were significantly potent as tools for successful HIV/AIDS campaigns in Nigeria	71 (284)	111 (333)	17 (34)	5 (5)	3.22	Agreed
5	Communications below-the-line media tools of public lectures and displays were significantly potent as tools for successful HIV/AIDS campaigns in Nigeria	62 (248)	83 (249)	28 (56)	30 (30)	2.86	Agreed
6	Communications below-the-line media tools of seminars,	60 (240)	101 (303)	19 (38)	24 (24)	2.97	Agreed

	workshops and symposia were significantly potent as tools for successful HIV/AIDS campaigns in Nigeria						
	Grand Mean = 3.09					3.09	Agreed

251 **Source: Field Survey, 2014.**

252 Data displayed on table 3 above indicate that with a cumulative Grand Mean of 3.09, this
 253 indicates a rejection of the null-hypothesis and acceptance of the alternative hypothesis that
 254 the behaviour-change communications' media used as tools for the HIV/AIDS campaign in
 255 Nigeria were significantly effective.

256

257 **Table 4: Test of Hypothesis 2:** The health policy programmes in place are not significantly
 258 potent as tools for successful HIV/AIDS campaign in Nigeria.

S/N	Questions	SA	A	D	SD	Mean	Decision
7	The health policy programmes in place are significantly adequate	64 (256)	86 (258)	19 (38)	35 (35)	2.88	Agreed
8	The health policy programmes in place are quite anti-HIV	65 (260)	79 (237)	31 (62)	29 (29)	2.88	Agreed
	Grand Mean = 2.88					2.88	Agreed

259 **Source: Field Survey, 2014.**

260

261 Data displayed on table 4 reflect that 91 respondents strongly agreed that the health policy
 262 programmes in place in Nigeria are quite adequate and significantly potent as tools for
 263 successful HIV/AIDS campaign in the country, with a Grand Mean of 2.88. Hence, indicating
 264 a rejection of the null-hypothesis and acceptance of the alternative hypothesis.

265 1.9 Summary of Result

266 After the secondary and primary data analysis, the following results were obtained:



- 267 i. Communications media tools of radio and televisions used were significantly
 268 effective as tools for successful HIV/AIDS campaigns in Nigeria.
- 269 ii. Communications media tools of newspapers and magazines used were significantly
 270 effective as tools for successful HIV/AIDS campaigns in Nigeria.
- 271 iii. Communications media tools of billboards and Internet were significantly effective as
 272 tools for successful HIV/AIDS campaigns in Nigeria

- 273 iv. Communications media tools of direct mails, door to door visitations and
 274 churches/market place visitations were significantly potent as tools for
 275 successful HIV/AIDS campaigns in Nigeria.
- 276 v. Communications media tools of public lectures and displays were significantly potent
 277 as tools for successful HIV/AIDS campaigns in Nigeria.
- 278 vi. Communications media tools of seminars, workshops and symposia were
 279 significantly potent as tools for successful HIV/AIDS campaigns in Nigeria.
- 280 vii. The behaviour-change communications' media used as tools for successful
 281 HIV/AIDS campaign in Nigeria were also significantly effective.
- 282 viii. The health policy programmes in place were significantly potent as tools for
 283 successful HIV/AIDS campaign in Nigeria.

284 **1.10 Conclusion**

285 Millions of lives are being lost globally from the HIV/AIDS pandemic. This very health
 286 problem constitutes a drain to many countries' lean financial resources, especially in
 287 Sub-Saharan Africa with poor economic bases. Preventive medicine is the best answer
 288 to the problem, through well-planned, multi-media social communications' campaigns
 289 designed to improve public awareness over the problems as this study testifies.

290 **1.11 Recommendations**

- 291 1. A combination of conventional media and traditional communications media should
 292 be used to enhance the success of the HIV/AIDS social marketing campaign in
 293 Nigeria.
- 294 2. Particular emphasis and priority should be given to the use of traditional media
 295 (oramedia) in order to effectively reach the country's rural people that constitute over
 296 70% of the population.

- 297 3. Health policy and communications experts should be involved in the packaging and
298 execution of the social marketing programme initiatives.
- 299 4. All the relevant stakeholders and opinion leaders in the country like traditional rulers,
300 religious leaders, students' union leaders, town union leaders, market association
301 leaders, heads of schools/institutions and professional association leaders should be
302 carried along in the campaigns.
- 303 5. The social marketing campaigns should also inculcate messages aimed at educating
304 the populace to stop the stigmatisation of people living with HIV, in order to reduce the
305 problem of denials amongst the populace.

306
307

REFERENCES

- 308 1. CIA.gov (2009), HIV-AIDS World Prevalence Record: Countries Comparisons.
309 Accessed 12/11/12. [https://www.cia.gov/library/publications/the-world-](https://www.cia.gov/library/publications/the-world-factbook/fields/2155.html)
310 [factbook/fields/2155.html](https://www.cia.gov/library/publications/the-world-factbook/fields/2155.html)
- 311 2. Macro International (2009), "Nigeria: HIV-AIDS Prevalence Rate Survey," Accessed
312 12/11/12. Available At:
313 http://www.indexmundi.com/nigeria/hiv_aids_adult_prevalence_rate.html
- 314 3. UNFPA (2009), Donor Support For Contraceptives and Condoms For STI/HIV
315 Prevention 2009. UNFPA Publication.
- 316 4. Douek, D.C.; Roederer, M. & Koup, R.A. (2009), "Emerging Concepts in the
317 Immunopathogenesis of AIDS". *Annu. Rev. Med.* **60**: 471–84.
- 318 5. Weiss, R.A. (1993), "How does HIV cause AIDS?". *Science* **260** (5112): 1273–9.
- 319 6. UNAIDS (2013), Report On The Global AIDS Epidemic' A United Nations AIDS
320 Control Program Publication.
- 321 7. UNGASS (2007), HIV-AIDS: UNGASS Country Progress Report On Nigeria.
- 322 8. UNFPA.org (2009), HIV-AIDS Country Reports, Accessed 12/11/12. Available at:
323 <http://nigeria.unfpa.org/hivaids.html>
- 324 9. Prochaska, J.O. (1992), *In search of how people change: applications to addictive*
325 *behaviours*. *Am Psychol* 47 pp1102-1114, 1992
- 326 10. Velicer, W. F., DiClemente, C. C., Prochaska, J.O. & Brandenburg, N. (1985). A
327 Decisional Balance Measure For Assessing And Predicting Smoking Status. *Journal*
328 *of Personality and Social Psychology*, 48, 1279-1289.
- 329 11. Note 13 above.
- 330 12. Prochaska, J.O. (1992), *In search of how people change: applications to addictive*
331 *behaviours*. *Am Psychol* 47 pp1102-1114, 1992

- 332 13. AIDSmap.com (2012), Theoretical-models-of-behaviour-change, Accessed
333 13/11/12. Available at: [http://www.aidsmap.com/Theoretical-models-of-behaviour-
335 change/page/1768379/](http://www.aidsmap.com/Theoretical-models-of-behaviour-
334 change/page/1768379/)
336 14. Ajzen, Icek. and Martin Fishbein. (1980), *Understanding Attitudes and Predicting
337 Social Behavior*. Englewood-Cliffs. New Jersey: Prentice-Hall Inc.
338 15. Bandura. Albert (1982), "Self Efficacy Mechanism in Human Agency," *American
339 Psychologist* 37: 122-47.
340 16. Note 19 above.
341 17. Fishbein, Martin and Icek Ajzen. (1995), *Belief, Attitude, Intention and Behaviour:
342 An Introduction to Theory and Research*. Reading, Michigan: Addison-Wesley.
343 18. Sepkowitz K.A. (2001), "AIDS—the first 20 years". *N. Engl. J. Med.* 344 (23): 1764–
344 72.
345 19. Kallings, L.O. (2008), "The first postmodern pandemic: 25 years of
HIV/AIDS," *Journal of Internal Medicine* **263** (3): 218–243.
346 20. Brookins, Miranda (2012), Examples of Above the Line Advertising, Accessed
347 22/08/13. Available at: [http://smallbusiness.chron.com/examples-above-line-
349 advertising-10173.html](http://smallbusiness.chron.com/examples-above-line-
348 advertising-10173.html)
350 21. Note 22 above.
351 22. See 22 above.
352 23. Sharp, P.M. & Hahn, B.H. (2011), "Origins of HIV and the AIDS Pandemic," *Cold
353 Spring Harbor, Perspectives in Medicine* **1** (1):
354 24. McFarlin, Kate (2012), Examples of below the line advertising, Accessed 22/08/13.
355 Available at: [http://smallbusiness.chron.com/examples-belowtheline-advertising-
356 10099.html](http://smallbusiness.chron.com/examples-belowtheline-advertising-
10099.html)
357 25. Bullmore, J. (2007), "What Exactly **is** Advertising?" Accessed 22/08/13.
358 Available at: <http://www.ipa.co.uk/content/what-exactly-is-advertising.html>
359 26. Burneth, L. (2008), "What Exactly **is** Advertising?" Accessed 22/08/13. Available at:
360 <http://www.ipa.co.uk/Content/What-exactly-is-advertising.html>
361 27. Ogilvy, D. (2006), "What Exactly **is** Advertising?" Accessed 22/08/13. Available
362 at: [http://www.ipa.co.uk/ Content/What-exactly-is-advertising----](http://www.ipa.co.uk/Content/What-exactly-is-advertising----)
363 28. Note 24 above.
364 29. Note 28 above.
365 30. Squido, O. (2010), An Introduction to Social Marketing, Accessed 23/08/13.
366 Available at: <http://www.squidoo.com/socialmarketing>. Retrieved 18/08/2010.
367 31. Kotter, P. & Andreasen, M. (2005), "Social Marketing: Issues and Applications"
368 *Journal of Marketing*, 36(215), p142-9.
369 32. Ugboaja, F.O. (1985), "Oramedia in African", In: Communication, Culture and
370 Society in West Africa, London: Hans Zell Publishers.
371 33. Osho, Sulaiman A. (2011), "The Uniqueness of African means of Communication in
372 a Contemporary World," Accessed 23/08/13. Available at:
373 [http://www.africanoutlookonline.com/index.php?option=com_content&view=article&i
d=2421](http://www.africanoutlookonline.com/index.php?option=com_content&view=article&i
d=2421).
374 34. See 37 above.

375 35. Indexmundi (2009), Rank Country HIV/AIDS - adult prevalence rate (%), Accessed
376 13/11/12. Available at:
377 http://www.indexmundi.com/nigeria/hiv_aids_adult_prevalence_rate.html
378