SDI Review Form 1.6

Journal Name:	**Journal of Advances in Medical and Pharmaceutical Sciences**
Manuscript Number:	**Ms_JAMPS_19036**
Title of the Manuscript:	**Pilot study of photoallergic reactions to UV filters among dental professionals**
Type of the Article	**Original Research Article**

General guideline for Peer Review process:

This journal's peer review policy states that **NO** manuscript should be rejected only on the basis of '**lack of Novelty**', provided the manuscript is scientifically robust and technically sound.
To know the complete guideline for Peer Review process, reviewers are requested to visit this link:

(http://www.sciencedomain.org/page.php?id=sdi-general-editorial-policy#Peer-Review-Guideline)

SDI Review Form 1.6

PART 1: Review Comments

	Reviewer's comment	**Author's comment** *(if agreed with reviewer, correct the manuscript and highlight that part in the manuscript. It is mandatory that authors should write his/her feedback here)*
Compulsory REVISION comments	**The paper presents scientific good idea to** To evaluate the incidence of photo-allergic reactions to selected UV-filters among dental Professionals and dental patients. **Other subjects were needed to confirm the results** **Plagiarism Issue: 130 matches from 29 sources, of which 29 are online sources.** *Plagiarism level:* 26.7% **documents have been checked due to similarities, but seem to be sufficiently different.**	
Minor REVISION comments	No comment	
Optional/General comments		

Reviewer Details:

Name:	**Anonymous**
Department, University & Country	***Damascus University, Syria***