



SDI Review Form 1.6

Journal Name:	Ophthalmology Research: An international Journal
Manuscript Number:	2014_OR_10753
Title of the Manuscript:	Intravitreal Dexamethasone Implant Plus Prompt Grid Laser for Macular Edema Due to Retinal Vein Occlusion
Type of the Article	

General guideline for Peer Review process:

This journal's peer review policy states that **NO** manuscript should be rejected only on the basis of '**lack of Novelty**', provided the manuscript is scientifically robust and technically sound.

To know the complete guideline for Peer Review process, reviewers are requested to visit this link:

(<http://www.sciencedomain.org/page.php?id=sdi-general-editorial-policy#Peer-Review-Guideline>)



SDI Review Form 1.6

PART 1: Review Comments

	Reviewer's comment	Author's comment <i>(if agreed with reviewer, correct the manuscript and highlight that part in the manuscript. It is mandatory that authors should write his/her feedback here)</i>
<u>Compulsory</u> REVISION comments	How many crvo cases were ischemic and how many were not ischemic. Including the visual acuity and retinal thickness of each group	The number of ischemic patients was 5 (line 142) and their BCVA and CMT are addressed in line 170-172, and 180-181.
<u>Minor</u> REVISION comments	What was the average time that took to cataract to develop after the injection?	The average time was 4 months. We have addressed this in line 191.
<u>Optional/General</u> comments		