



SDI Review Form 1.6

Journal Name:	Ophthalmology Research: An international Journal
Manuscript Number:	2014_OR_12038
Title of the Manuscript:	A Comparison of Accommodation Amplitudes of Three Different Acrylic Intraocular Lenses
Type of the Article	Original Research Article

General guideline for Peer Review process:

This journal's peer review policy states that **NO** manuscript should be rejected only on the basis of '**lack of Novelty**', provided the manuscript is scientifically robust and technically sound.

To know the complete guideline for Peer Review process, reviewers are requested to visit this link:

(<http://www.sciencedomain.org/page.php?id=sdi-general-editorial-policy#Peer-Review-Guideline>)



SDI Review Form 1.6

PART 1: Review Comments

	Reviewer's comment	Author's comment (if agreed with reviewer, correct the manuscript and highlight that part in the manuscript. It is mandatory that authors should write his/her feedback here)
<u>Compulsory</u> REVISION comments	1- Please the exact setting and approvement for this original article. 2- Please clarify in details version SPSS 13.0. 3- Discussion is not sufficient.	1- It was added to material and methods section 2- It was clarified in details 3- Discussion was improved
<u>Minor</u> REVISION comments	Non	
<u>Optional/General</u> comments	Some typographical and language errors should be corrected.	Typographical and language errors have been corrected