SCIENCEDOMAIN international

www.sciencedomain.org



SDI Review Form 1.6

PART 1:

Journal Name:	Physical Review & Research hternational
Manuscript Number:	MS: 2013_PRRI_3157
Title of the Manuscript:	Charged Black Holes with Yang-Mills Hair and Their Thermodynamics

General guideline for Peer Review process is available in this link:

(http://www.sciencedomain.org/page.php?id=sdi-general-editorial-policy#Peer-Review-Guideline)

• This form has total 9 parts. Kindly note that you should use all the parts of this review form.

SCIENCEDOMAIN international

www.sciencedomain.org



SDI Review Form 1.6

PART *!*: Review Comments

	Reviewer's comment	Author's comment (if agreed with reviewer, correct the manuscript and highlight that part in the manuscript. It is mandatory that authors should write his/her feedback here)
Compulsory REVISION comments		
Minor REVISION comments	There seems to be some equations not correct: line 102: q=Q/r_H^2 should read q=Q/r_H line 109: =2(1+q^2) should read (1+q^2)/2 Concerning the references: the first paper on non-abelian black holes with su(2) Yang-Mills field is Non-Abelian Einstein Yang-Mills black holes, Volkov, M.S. et al. JETP Lett. 50 (1989) 346-350, Pisma Zh.Eksp.Teor.Fiz. 50 (1989) 312-315 Charged hairy black holes have been considered before. D.~V.~Galtsov and M.~S.~Volkov, %``Charged nonAbelian \$U(3) Einstein Yang-Mills black holes,'' Phys.\ Lett.\ B {\bf 274} (1992) 173. (Note that in the inSpire system it is Baltsov instead of Galtsov)	

SCIENCEDOMAIN international

www.sciencedomain.org



SDI Review Form 1.6

	Although Galtsov and Volkovuse SU(3) as gauge group, the solutions are equivalent to $U(1) \times SU(2)$ solutions considered by the paper. Thus the solutions of the paper are not new. The new thing in the Japanese paper is the thermodynamics.	
Optional/General comments		

Reviewer Details:

Name:	Anonymous Reviewer
Department, University & Country	