



SDI Review Form 1.6

Journal Name:	Physical Science International Journal
Manuscript Number:	2014_PSIJ_9265
Title of the Manuscript:	Biodegradation, bioactivity and biocompatibility analysis of plasma electrolytic oxidized (PEO) biodegradable Mg implants
Type of the Article	

General guideline for Peer Review process:

This journal's peer review policy states that **NO** manuscript should be rejected only on the basis of '**lack of Novelty**', provided the manuscript is scientifically robust and technically sound.

To know the complete guideline for Peer Review process, reviewers are requested to visit this link:

(<http://www.sciencedomain.org/page.php?id=sdi-general-editorial-policy#Peer-Review-Guideline>)



SDI Review Form 1.6

PART 1: Review Comments

	Reviewer's comment	Author's comment (if agreed with reviewer, correct the manuscript and highlight that part in the manuscript. It is mandatory that authors should write his/her feedback here)
Compulsory REVISION comments	I suggest add the name of the cells on keywords (line 11).	The needed correction is performed and "L-929 cells" is added on keywords. Please see line 11.
Minor REVISION comments	I believe this paper don't need minor revision	
Optional/General comments	This paper is very interesting. it is well written. The results support the conclusion. I did not find similar work. I Think it is original.	