SCIENCEDOMAIN international





SDI Review Form 1.6

Journal Name:	Physical Science International Journal
Manuscript Number:	2015_PSIJ_17250
Title of the Manuscript:	Effect of gamma radiation in undoped SnO2 thin films
Type of the Article	Original Research Article

General guideline for Peer Review process:

This journal's peer review policy states that \underline{NO} manuscript should be rejected only on the basis of 'lack of Novelty', provided the manuscript is scientifically robust and technically sound.

To know the complete guideline for Peer Review process, reviewers are requested to visit this link:

(http://www.sciencedomain.org/page.php?id=sdi-general-editorial-policy#Peer-Review-Guideline)

SCIENCEDOMAIN international

www.sciencedomain.org



SDI Review Form 1.6

PART 1: Review Comments

	Reviewer's comment	Author's comment (if agreed with reviewer, correct the manuscript and highlight that part in the manuscript. It is mandatory that authors should write his/her feedback here)
Compulsory REVISION	The author should be stated that many thin film coating methods have been used	
comments	by researchers such as chemical methods and physical methods (Kariper, 2014).	
	However Spray pyrolysis was a chemical deposition technique where the	
	endothermic	
	thermal decomposition and very useful than the others.	
	Some units don't appear in the text, for example:	
	$16 \text{ k}\Omega/\Box$ to $3 \text{ k}\Omega/\Box$	
	The author used to these words:	
	using a 4-wire technique	
	Is it four point technique? Please, control it.	
	Where is the XRD pattern? You should give it, in the paper	
	References	
	Kariper I.A., "Production Of HfO2 Thin Films Using Different Methods: Chemical Bath Deposition, Silar And Sol-Gel Process", International Journal Of Minerals Metallurgy And Materials, vol.21, pp.832-838, 2014	
Minor REVISION	Some sentences are not showing in the paper, clearly. Example:	
comments	At wavelength range	
	400-950 nm (1.3-3.1 eV), the values of k were in the range of 1.6	
	x10-2 -1.8 x 10-2 before radiation and it was found in the range 0.3x	
	10-2 – 3.2 x10-2 after radiation.	
Optional/General comments	Need to revision	

Reviewer Details:

Name:	Anonymous
Department, University & Country	Turkey