



SDI Review Form 1.6

Journal Name:	International Journal of Medical and Pharmaceutical Case Reports
Manuscript Number:	2015_IJMPCR_16925
Title of the Manuscript:	Botryoid Odontogenic Cyst: Case Report
Type of the Article	Case Study

General guideline for Peer Review process:

This journal's peer review policy states that **NO** manuscript should be rejected only on the basis of '**lack of Novelty**', provided the manuscript is scientifically robust and technically sound.

To know the complete guideline for Peer Review process, reviewers are requested to visit this link:

(<http://www.sciencedomain.org/page.php?id=sdi-general-editorial-policy#Peer-Review-Guideline>)



SDI Review Form 1.6

PART 1: Review Comments

	Reviewer's comment	Author's comment (if agreed with reviewer, correct the manuscript and highlight that part in the manuscript. It is mandatory that authors should write his/her feedback here)
<u>Compulsory</u> REVISION comments	<p>1) In abstract section: Aim should be written instead of "aims" Examination instead of "exam" Histopathology instead of "histology"</p> <p>2) Under introduction heading, brief description about the lesion proper is to be included instead of case presentation.</p> <p>3) Presentation of case should be a separate heading including chief complaint of patient.</p> <p>4) Clarify, which tooth notation (numbering) system is used?</p> <p>5) Lesions in the Differential diagnosis should be included in the order of their occurrence in that particular site.</p> <p>6) Use word Histopathology instead of "histology"</p> <p>7) Language needs to be improved.</p> <p>8) Images are not very clear...improve resolution. (especially histopathology images) Few references are not accessible.</p>	Thank you for the feedback. I have made corrections.



SDI Review Form 1.6

<u>Minor</u> REVISION comments	1. Check spacing between words . 2. Prevalence/ Frequency of BOC to be included in discussion.	File conversion errors have been corrected. Thank you!
<u>Optional/General</u> comments	QUERRY: Why intravenous sedation has been used?	To provide appropriate care given the patient's disposition and degree of anxiety.